

SNOMEDCT ID

285761007
286731006
286857004
228288008
229017008
271596009
52448006
162554007
225457007
50026000
472986005
1149155004
247918002
191449005
247598008
15461000146103
472998000
225445003
42085001
285773007
191793009
365208007
171260005
14286004
286845008
140921000146108
8547008
48079002
698625002
102902000
86597007
55967005
26281000146106
171259000
441668002
228150001
304852009
247931007
286718001
267088000
85121000
198402002
79499004
22927000
285303006
365462008
286755001
97751000119108
10760941000119100

2541004
105414008
160590009
288681000119103
248225003
225584005
449868002
47544006
286706005
255576009
284525009
304254000
704305004
365895006
286821009
228378005
112077003
286641001
285851007
285797003
304864001
228493008
46460004
302875001
105541001
309521004
20517006
79210003
224946001
6149008
129875009
225802003
365781004
420038007
16124009
424629004
73595000
286767004
714667008
421847006
390863001
1141692002
425305006
102938007
248797003
788165003
304876001
41501003
286779004
142001000119106

95930005
247841009
285163004
736314008
723119009
247688006
228366006
160971008
18541000119100
91948008
130966005
284598003
271953006
247906006
95929000
247714009
365118007
423124001
276241001
81548002
286833004
41435003
45912004
441313008
248147007
37754005
284664002
9083002
716439008
737369003
422461009
11635001
428406005
277833004
12720008
442344002
277529000
787768005
224971003
86713007
289141003
315243006
365985003
367438004
707848009
386572005
609373006
95316006
248033005
247979000

301026000
365933000
365997002
248021000
288772003
228342000
286665003
19782003
424056003
285213001
65135009
840320000
309557009
247676009
125921000119106
765438006
716492001
82248001
59450004
110355003
840635008
427448000
365617001
191486006
289153004
224983001
399153001
266974005
414254005
228481004
28528006
247967000
225494003
16265061000119100
370558003
247893006
16264821000119100
37721000146104
286689005
703183007
25467004
1156445000
286653002
95815000
424068007
423136007
723120003
719385008
716480001
228354000

192014006
304687006
247766000
247664009
49229003
225613002
228518000
44548000
160589000
427346002
1156331007
165308007
51568001
165295002
397864009
365908003
281018007
126291000146104
247640008
735548000
304569003
284705007
716415003
225482007
161064007
699389008
129686009
247828005
63437008
417298001
16611005
56835001
129863004
17704007
141991000119109
285187002
267076002
90434008
733175002
425104003
78633001
284600009
83549001
704661003
65438001
224402001
248057005
102951002
225469004
248045001

1092691000119100
225039003
247816002
78595002
247652001
95569006
830145009
85758008
285199009
102533007
165283002
441972000
225507001
408581006
716403002
246465007
160603005
286677008
111681000
225470003
733340008
277821009
103297000
230795009
397699006
703208005
47695004
714856005
424474002
225634009
285225003
428659002
228468006
702975009
160577002
63973006
247943008
286668001
127297005
281771000
26515008
284624001
230299004
250167005
135321000146101
247856000
25786006
140911000146103
408364003
279571009

371078007
247615001
304594002
225027006
26381000146103
277824001
224974006
307126008
285216009
67961000119106
247799003
285159006
95926007
365924002
225497005
723082006
93831000119104
85173004
442347009
225015008
65568007
703180005
449369001
720824009
704447001
248036002
88451002
225875000
247603000
247868009
65797007
25235000
281129008
300895004
406137001
66551002
425218000
360900008
1816003
365912009
365948006
433081000
36456004
286817002
283997008
230287006
231508009
449345000
1137692008
286681008

224986009
429179002
229676007
41189006
247627003
15662003
276293004
74791000
15541000146100
191948007
15928141000119100
870308001
71959007
285147007
228453005
365892009
26413003
228317009
225485009
225519009
397675006
58963008
248126008
424855000
224950008
284612008
64060000
50239007
2339001
103294007
733184002
1137680008
365900005
267073005
228509002
247820003
225473001
8015008
704366000
365961006
16266991000119100
22484001
160652009
247881002
247819009
225797009
40425004
1144883003
404641004
423344000

46153004
422869001
284702005
413301003
870262000
247775003
165298000
1141652004
8392000
733904000
429512006
118200004
248102006
307048004
232285008
37298006
225532004
5090003
765491003
228305007
225625004
89225005
160639004
247807001
365973006
705017001
284636007
288671000119101
285228001
18676001
248048004
266925009
192496000
1157058003
714562005
278978003
247787005
111480006
285196002
162551004
1149230003
165286005
160640002
286734003
286805004
225003009
26291000146108
225826001
247738008
64423005

102923006
427362008
276244009
10756301000119100
735521001
247980002
247927001
714385005
736732005
225637002
413461000
66609003
248073004
284501001
716440005
286722006
304660007
1161000175101
20616005
371631005
284496002
64165008
426770005
271593001
304647001
422551000
365320002
145121000119106
228428007
191973007
422981003
285265004
286710008
129835001
59651006
716452003
286752003
247992002
710560006
280430004
169940006
704342006
247726004
228382007
134436002
247939009
1149254008
225593006
225649001
103282003

2899008
48620000
788877005
874943000
724708007
365396002
426794005
225650001
89797005
48309007
741063003
10349009
82510005
102947004
225907008
280429009
285277009
225814006
112090005
774069007
409039002
160828000
472995002
284513006
102517009
79823003
162173004
284742000
102911000
248097008
90774003
307085007
247763008
14070001
286764006
247692004
716464006
225662002
424573006
224998004
423049000
1064711000000100
88962006
61199005
105549004
423238001
106024000
37868008
16264621000119100
103931000119102

704423008
285241002
213257006
300939009
51491004
105478000
286709003
44226007
60411006
247832004
73744004
416751004
31964003
228441006
90275003
247903003
229021001
276303005
724733005
285847005
102505007
284754000
247321007
16264901000119100
284661005
285253003
247915004
30077003
86917003
228276006
225838005
247679002
247680004
301345002
248144000
311541004
716476006
23766009
88598008
48386003
418424006
1141688009
106129007
67431008
20734000
63384009
365936008
247844001
286776006
311470005

278871005
247782004
95439001
840449007
365186001
788862002
1145285005
2496007
33184005
360929005
284493005
95359001
247988009
45763006
10783000
365942007
423157004
329671000119106
66797003
285222000
224980003
162176007
16703761000119100
422783009
247621002
85660004
15863006
247976007
286788008
231503000
248088009
397588000
228472005
60814007
1155695003
365930002
372947007
284618007
84769001
365929007
63701002
192042008
247608009
69193009
247633007
247769007
365518001
248064007
31781004
724448000

285210003
286582007
110352000
285209008
38504003
365759009
285246007
53108004
284606003
50633001
165305005
31804002
152901000146104
228323004
247896003
28290006
304656009
228447005
247964007
284708009
723123001
425832009
12332005
394872000
307052004
20319008
191725006
103288004
102512003
130987000
225845005
307076007
286569004
423170008
83240001
73666000
284631002
719736001
102458000
286696007
788898005
102894008
10761391000119100
50543005
160646008
3006004
736330000
1141700007
57095008
401141001

705000008
191952007
304644008
230268000
719141002
225031000
7865000
762244004
371024007
366007004
871872001
194439006
225792003
191737008
283880001
429458009
225857001
225631001
870267006
247940006
28277004
225504008
281136009
28116007
224979001
365905000
49564006
284757007
28051002
449889006
711563001
722979008
844005
723087000
365978002
160634009
228460004
442533006
443853005
225528005
422722002
90716005
247847008
422126006
13438001
722980006
225018005
225643000
416909000
285770005

365252004
234166002
225448001
284506006
1156284008
71573006
247733004
192091002
285271005
248130006
229026006
1148972003
365682003
724845009
267097001
225516002
189486241000119000
285156004
102917001
704961001
407631005
82381000119103
733820006
228399008
44515000
248234008
76991007
247579006
285144000
762508008
365264007
304871006
112084006
248129001
103302002
230800004
284518002
37606007
307088009
422454005
248791002
247859007
105421000119105
284643001
421369008
229014001
225808004
247721009
14345008
247757004

401269004
247872008
365276007
2421000119107
783258000
286830001
399317006
844582002
709134004
228387001
16703491000119100
286829006
310501001
736317001
247697005
1141695000
102500002
10532003
609584003
19705003
33561000146106
733819000
248000000
395689002
82738004
106021000119105
409034007
225833001
37057007
191465006
370567003
247884005
286644009
364767005
102930000
102929005
737361000
230062009
286842006
230492006
16320008
160801005
69017006
247745008
225436004
716436001
19887002
365803008
225006001
248012001

247592009
285842004
228375008
428495004
248105008
45150006
713449000
712543006
304895008
724667007
713834002
271599002
26261000146103
55640002
247673001
449277004
1148866004
247730001
268637002
286748003
285274002
72861004
413715004
286725008
225440008
71512009
160618006
225817004
365994009
1144481009
702771005
26940007
724671005
129603004
225646008
75507000
44077006
365982000
225452001
228363003
1156178003
284509004
307092002
283883004
225439006
285286004
276247002
43954004
56209005
247924008

228420000
228407003
129891007
31614008
68732003
674091000119108
422650009
225805001
422913006
86933000
284510009
723002009
47949009
247661001
419951006
225658008
704402002
43783005
307080002
762650003
425515001
247729006
286761003
33590004
771458000
228419006
35991009
225842008
34938008
247936002
1943009
286713005
142011000119109
105544009
228351008
247648001
286838008
186628001
33383005
82791007
228326007
129866007
102942005
228444003
76812003
311829000
286773003
285249000
32541007
247900000

72836002
284465006
726403001
32553006
275928001
271795006
62476001
765288000
286701000
698618009
397706001
106138009
704426000
285745005
102508009
424994000
840465008
225911002
140861000146106
365409001
246567001
716433009
225830003
267126001
247595006
247835002
28249008
160606002
271783006
698289004
1149391004
248141008
11458009
286785006
248003003
106126000
13151000146109
285757001
247912001
268650001
309251006
26112003
714364005
397629003
90790003
285262001
409083006
716396004
248218005
8517006

63557009
285168008
247985007
19129003
247742006
228273003
191992009
51928006
423446002
242973005
288011000119100
704491001
228525007
247899005
16997008
386091000
192038005
81879005
85182005
418415002
39833003
386817001
14661003
5152006
716497007
1010647007
724427002
762349007
228297007
284615005
286660008
199100007
127311008
386537007
247624005
3119002
365888002
706872008
276130005
228285006
5874002
17498002
51470007
299727004
277827008
365945009
191493005
230301006
25124003
248015004

53713009
247973004
17044007
247600002
286647002
386805003
716485006
277839000
64269007
76102007
228513009
284603006
443732006
4817008
401229000
105411000
228314002
209827006
165302008
225488006
403591002
401230005
247887003
309538000
733191004
248027001
40077001
423864004
286684000
762350007
247636004
286826004
395662007
300997008
365957000
151811000119109
247823001
286797007
724776007
285116001
271547004
225501000
247705004
1144886006
24920002
288571000119100
724452000
19766004
716421004
365969008

78077007
944361000000106
284640003
248040006
69849007
248794005
165289003
304867008
130121000119104
228501004
160643000
313387002
225046007
285193005
702970004
225788005
210039000
419049005
7862002
304855006
225476009
191728008
24209009
165290007
129878006
1137433009
284522007
247811007
247948004
1137676003
112081003
609369008
286672002
271559000
160631001
191939002
85892000
40917007
249470001
263897001
716408006
226034001
248039009
449813001
247717002
719392003
704198001
70922000
288301000119101
266922007

102897001
714421002
422596007
228302005
33351000146103
609370009
365540005
284627008
425726009
88729006
365353007
428422006
719826004
225034008
1137688001
247612003
8488006
365970009
716502009
38403006
53644008
231421000119102
34951003
54307006
717696001
286777002
8971008
248099006
702535006
225492004
266920004
247724001
225652009
90129003
228402009
365918008
266919005
160968000
67698009
247712008
67331009
225537005
81412002
230282000
248145004
247610006
12151000119105
230797001
307075006
228516001

160579004
365529002
473188002
87521009
30959005
360484006
714416000
247826009
716494000
365906004
225664001
703885002
110479000
286789000
1155694004
714096008
225480004
37224001
76187003
58326007
17496003
763018002
225791005
1141690005
19391002
225479002
33511000146109
40946000
247851005
228504007
247622009
307578000
289151002
248799000
102904004
771417007
25289003
8480004
398304003
58535001
46781003
870752006
247875005
472996001
50532002
102503000
190331003
714830003
228300002
1156800008

45991007
365955008
449834008
285223005
225615009
80520008
228438002
2268003
247748005
304689009
289431000119109
702973002
230269008
105412007
248223005
786919007
719747008
415660007
247736007
54746005
423752000
446175003
413089005
10760981000119100
426502000
248087004
160645007
15037002
225455004
311538008
408578001
70066000
712546003
225042009
424746008
70545002
284494004
247802007
247609001
191975000
110353005
285211004
307087004
16985007
289138007
690341000119100
304665002
65096006
39638009
225832006

284609005
67793007
247933005
29807001
26329005
285197006
401316003
283995000
285260009
130968006
318784009
733185001
39077006
247997008
247945001
286831002
102928002
228388006
225844009
274647009
102941003
105485001
367358004
311407009
69016002
70533006
284610000
714854008
365693001
228376009
247698000
85061001
18085000
373658006
72215007
285272003
54501006
225029009
313005
162552006
102916005
1137673006
225819001
225820007
102953004
280947008
473013003
191722009
91525005
225030004

403600002
12398201000119100
6471006
285133008
286843001
309711009
419849006
102891000
22421000146107
765285002
182885000
79351003
247686005
79015004
407629001
18891000146100
284634005
703627005
407630006
247908007
92501000119101
716482009
284761001
286818007
276295006
83781008
192498004
70295002
228352001
441879005
228364009
724726005
403594005
248128009
419011006
225005002
409069009
473001008
432776007
300549004
247921000
365893004
424684007
228491005
427589004
224948000
762532001
5125001
285853005
18901000146104

229015000
365931003
285247003
247838000
86571001
699241002
11764003
1141649007
830123008
248023002
247700009
870264004
225017000
365452001
281111003
365398001
56771006
366001003
219006
733194007
20430005
247650009
716454002
21263006
285251001
20338004
228339006
1149252007
225841001
64266000
714857001
286840003
706893006
26206000
286577000
286839000
160802003
714560002
225909006
68124003
160642005
698620007
286736001
285194004
473022002
247662008
1141650007
225853002
234170005
43381005

160629005
225828000
716466008
16735006
228340008
365983005
284646009
56267009
16703661000119100
76204004
248220008
386808001
111490003
248002008
162561006
48031000119106
472981000
130984007
38328002
792858001
160630000
247970001
286749006
304662004
286724007
712734004
414296009
365431009
234169009
719216001
285263006
247969002
63755003
286815005
698954005
134418002
26628009
284752001
160826001
87911000146100
285169000
225509003
438113009
248014000
286712000
286750006
365890001
151901000119101
16265301000119100
160605003

274660003
716478007
86110000
281793005
681000119101
783261004
224952000
762331007
30471000146105
82351000119105
1156798001
95317002
228315001
373613000
365934006
246566005
238965007
2145000
134406006
304650003
427161009
713820002
127299008
286762005
286700004
116340000
152911000146102
230736007
39093002
247637008
248026005
16060001
700362008
286827008
44912006
1156279002
82581004
229630008
427745001
95924005
716417006
285157008
4932002
247708002
308438006
286646006
228327003
61861001
285791002
225495002

47664006
129865006
7011001
102498003
430641005
1082621000119100
228499007
160617001
365995005
81350009
224988005
304854005
225534003
788899002
309539008
248142001
85949006
286683006
72440003
285849008
50041000
110350008
191709001
416446009
277838008
266923002
26587008
225787000
247842002
733460004
723118001
702469009
447087000
247785002
286671009
55781004
101000119102
165002
285850008
8349005
12479006
37240003
304866004
118193001
225431009
25462005
247584000
286774009
284599006
55539008

788159003
1141698003
286695006
39491008
228286007
228475007
420614009
247854002
247613008
106139001
427013000
284764009
370564005
423875000
192450008
247596007
225443005
1149369006
286786007
161128009
225799007
714419007
15384005
26243003
714093000
26321000146104
365309002
271782001
1171000175109
248038001
702470005
247905005
1041000119100
247866008
365551005
285742008
365946005
228303000
704678007
890091002
284695009
225627007
8185002
231511005
47914002
440583007
285170004
838500001
425248002
191459006

285275001
284511008
32102004
225816008
102515001
247878007
704340003
425131000
242974004
836301008
162175006
102913002
836473006
301846009
248051006
103292006
67195008
140911000119109
286798002
160583004
285182008
713989000
716442002
277826004
224976008
247982005
281004
225639004
307051006
1144747004
424958004
304878000
225804002
473447008
18871009
225640002
698725008
1010648002
83765003
81104004
31081000119101
102901007
225045006
409029008
36389000
228298002
7668000
285268002
248030008
225033002

230064005
285142001
42737008
7267002
90681000119107
225434001
69547003
1686006
247942003
247667002
286674001
192029008
870269009
50611000119105
449867007
424196004
724757005
46023009
1156699004
103300005
248029003
247655004
286686003
310531007
247930008
248042003
66108005
284641004
714370004
722977005
130965009
160636006
224945002
228357007
365976003
79341000119107
225823009
41870008
6389006
225446002
286662000
225811003
2301009
284665001
1156286005
130989002
315348000
234164004
285130006
225021007

284504009
286698008
141331000146103
405791002
248132003
90415008
276069001
733817003
365886003
830144008
765108007
736315009
41996009
240452007
9288000
162555008
365473001
191954008
39672001
50829006
247631009
408689001
49359006
422566002
162220005
247917007
248066009
58077008
716438000
20930002
224969003
704383009
240464004
274654003
162219004
225974000
228321002
424461008
37777005
609372001
716504005
248120002
191451009
247792007
724483001
129860001
703205008
286800009
699393002
271721006

719350008
44906001
285256006
365107007
228494002
425805004
160612007
247929003
247703006
248054003
285191007
365939001
228482006
216004
422781006
1148974002
283990005
225835008
106121005
427586006
286740005
247830007
285796007
247991009
716391009
277829006
191463004
165292004
423571001
840333006
53763004
720406004
247643005
32422007
11882005
266928006
103298005
762298000
426116001
247767009
422768004
1157202002
228280001
723113005
30819006
1141693007
95861000
309253009
286739008
160576006

288621000119102
82935009
33084007
285844003
89069006
247590001
53427000
1149438008
60742000
723153008
247894000
365298003
247618004
719362007
228279004
284706008
228445002
247829002
735549008
44440005
225901009
25772007
422379007
22091000146104
105542008
228292001
248091009
286727000
225471004
419128007
1145283003
247780007
472990007
286746004
425266007
449279001
840321001
719751005
228469003
365940004
35607004
427797008
140571000119108
609586001
247755007
735688001
716491008
102509001
247817006
408373006

247978008
439576009
224970002
4512007
735550008
725122008
247882009
698616008
82959004
719374006
17842005
18318000
129872007
472989003
415806002
285747002
32410009
57097000
713844000
225913004
288771005
286758004
88317000
365837000
191966002
40806005
23085004
225518001
66085007
247805009
304873009
423115005
13752003
51078006
18343006
225633003
26852004
304861009
160823009
95933007
276237000
365672004
284516003
54407007
289142005
722600006
247966009
1145007008
284690004
281772007

286715003
225506005
40979000
284491007
13740005
103286000
735537007
231517009
225645007
160648009
765437001
367545001
191978003
3544004
31457007
409630004
102510006
77375009
77176002
286771001
417523004
25094008
224982006
307078008
714845005
276111005
285760008
42035005
59602008
279622009
160588008
286703002
365964003
16698651000119100
118199002
225458002
192630004
63438003
276249004
311535006
67227000
10171000132106
55533009
55346003
32875003
290621000119101
426533003
386798001
110358001
284487002

286783004
228397005
39538002
247593004
284601008
52236005
719365009
247833009
308658001
225486005
424099008
228511006
191466007
275472008
247776002
83943005
267072000
103295008
309536001
704379009
364736008
248094001
407645004
118201000
70713009
284475009
247764002
67348001
102920009
229012002
286795004
53138005
609583009
248070001
247902008
720823003
224973000
5240007
86808004
100801000119107
146371000119104
247788000
242030003
228430009
31271002
247845000
274651006
284703000
60259009
228442004

225531006
304857003
248069002
247695002
102506008
429683003
1145004001
225624000
714411005
52833006
409036009
1149081002
704424002
279926005
301029007
416661002
106136008
102919003
416571005
40915004
284519005
129881001
448717002
13127006
424582000
704343001
102899003
719390006
702955000
126301000146100
714423004
713017009
225807009
19233004
271695004
35429005
228373001
225636006
225449009
62564004
284625000
276107004
365594000
8441000175102
247857009
225462008
672571000119109
247683002
247808006
129832003

248759003
68434003
89561004
78222005
191970005
423217007
247870000
271947006
247671004
284499009
285629002
304869006
723093008
165312001
284613003
704448006
225048008
228295004
300894000
102932008
34413007
428623008
285630007
225648009
724730008
27816006
304870007
228361001
224985008
276306002
46421000119102
407633008
1137691001
400978007
247869001
225450009
397940009
365927009
39072000
413295004
285207005
285151009
247658002
420809008
413300002
225941000
56435009
90471005
66393002
160633003

365979005
286848005
225036005
1402001
23682002
833326008
724450008
228336004
284662003
247727008
33300005
141991000146103
165280004
192085004
309585006
370971007
276290001
870305003
716475005
113164004
77416000
90483007
248135001
9908006
90406001
248228001
267023007
714861007
160621008
248796007
22264002
285138004
231431000119104
228348001
365980008
286568007
225661009
139041000146106
110476007
472950009
365915006
225024004
288041000119101
284637003
283881002
53467004
702979003
228405006
213013002
248760008

735522008
425959000
102956007
286649004
711561004
230266001
57187006
247740003
248005005
440422002
449892005
289495001
304646005
228312003
762620006
26929004
43311000
231502005
248123000
425363002
704400005
284743005
365903007
276289005
413096007
286650004
76789006
279314007
247914000
2073000
284755004
716499005
1144527009
228417008
365898008
307199009
472949009
247634001
17326005
162328000
150381000146108
274675006
422517004
1141689001
21921000119103
127301001
286824001
247646002
225872002
285220008

288291000119102
428687006
285799000
191519005
286836007
228523000
228324005
365331005
286743007
112091009
416993008
225498000
225012006
129868008
445535007
433082007
423562005
422611005
1156789004
357705009
82302008
247926005
397660003
371050006
82870007
413587002
83253003
90207007
285219002
365704005
422716006
88845000
248017007
73453007
767080003
247739000
248053009
285245006
103290003
9345005
716460002
228322009
365965002
191953002
225973006
165304009
228448000
247885006
712544000
286697003

247644004
284709001
191724005
76804006
247758009
724654009
160647004
103289007
427645006
247873003
62766000
64031009
285131005
34177005
365175003
102893002
724756001
102501003
283878007
766068002
736649005
225834007
248041005
70720002
225629005
788897000
61212007
365151003
2815001
288251000119107
228461000
160635005
724666003
286673007
240565001
1137675004
247783009
285221007
191965003
788861009
285257002
416975007
424241004
31563000
191736004
228334001
247746009
443919007
225630000
714852007

247975006
716496003
87739003
247619007
423385005
52198001
284620005
33617007
225515003
224978009
284619004
700229002
52813007
221000119102
277828003
394873005
71038003
698948009
81147004
304655008
723086009
246650003
225527000
225642005
240361006
297265001
304643002
365928004
78894008
162189001
75007009
225019002
236667007
247620001
423525008
315018008
70936005
248131005
28127009
247897007
724846005
413329000
131561000146100
284607007
713398008
365916007
286685004
1156449006
231504006
247963001

228310006
70997004
704960000
225654005
698592004
224991005
228514003
395106006
288535006
281510005
716484005
26581009
248065008
711640003
247632002
102513008
672561000119103
39731000146107
225846006
225489003
225020008
724449008
230280008
247709005
225912009
711639000
304860005
103303007
713448008
39370001
34116005
225666004
704301008
284644007
361055000
129871000
248790001
722842006
425296002
247836001
1004004007
225793008
713821003
7545002
60393006
26301000146107
247578003
307089001
304872004
80583007

304859000
723926008
53209001
870266002
150351000146103
281509000
106134006
736318006
249988004
150341000146101
284758002
307077003
26507005
71600001
365241005
248106009
449888003
38617005
43150009
407632003
228400001
285843009
284632009
268612007
51921000
106020009
723112000
95631006
160800006
266929003
134419005
247911008
285294006
417233008
444781000124106
225437008
300944002
102171000119108
716435002
247710000
247848003
162190005
229749000
18511000146105
247734005
1148971005
230738008
285270006
423324006
365814006

161719001
304896009
102918006
51474003
3158007
766822004
24109003
285269005
228293006
1145284009
762522008
61846002
230063004
286726009
126311000146103
284492000
228281002
102161000119102
365941000
228398000
719750006
51777006
73145009
247987004
284505005
247607004
418150003
102603008
191977008
286841004
405234008
126321000146108
68761002
268729004
30199009
160824003
61264001
284517007
425578005
191454001
102906002
8273004
409035008
365826001
723914003
247722002
266917007
473453008
733818008
364766001

225809007
248090005
286714004
311827003
247999006
386810004
425743007
716459007
418837001
247861003
439960005
844583007
69690008
1149085006
609585002
228386005
105483008
24936000
286759007
365953001
90691000119105
247696001
716397008
228374007
1141696004
286702007
286760002
160585006
25385007
705086000
73739006
105545005
86785008
129879003
418075002
425275009
370566007
716419009
1085091000119100
225806000
49971008
247959008
708891002
248793004
274650007
225657003
3449007
84387000
702770006
424340000

285744009
89809008
134416003
46991000
24781009
284693002
111558006
421966007
276236009
102931001
247684008
6349000
34652008
86819001
112082005
418428009
228362008
417471002
1157354009
718052004
304868003
74010007
724728006
247718007
43084005
247582001
271694000
368601000119102
247947009
419606008
56576003
286772008
25971005
247923002
424040008
153151000119100
286796003
1149082009
230801000
395663002
785889008
199101006
247743001
191683009
707165003
247984006
716807006
1144814003
141000119100
1091551000119100

53896009
247594005
18521000146100
286784005
64313000
247672006
724753009
286849002
90091006
64161004
285261008
234167006
40277007
127309004
247996004
70208009
765287005
79139007
713452008
403592009
421725003
3531009
90172009
309537005
702565001
40628008
247935003
425403003
166491000119100
723390000
112094001
1591000119103
284508007
129831005
228350009
285273008
247731002
37083002
191457008
165301001
102943000
472991006
35209006
609582004
7684004
225818009
704403007
698691002
386818006
89217008

365956009
272059005
365904001
247824007
225477000
87649007
247635000
365899000
283989001
385337002
724777003
1156450006
19512009
213012007
286825000
87690005
16487009
284604000
386806002
64514005
248004009
95528002
228325006
78616008
68070008
15758551000119100
225047003
228502006
27764006
424268004
228301003
232289002
247812000
225465005
127310009
420169008
90429009
111487009
248016003
714557009
277816006
421437000
228337008
22058002
286837003
192039002
427305007
365968000
125141000119102
719734003

441711008
789062005
397695000
286801008
160644006
247876006
723148003
291711000119109
365875000
230267005
267068004
225500004
89458003
81838009
247647006
724428007
70849001
20420001
284628003
26941006
704197006
365981007
248028006
283882009
780825003
275278005
271723009
182891003
716501002
247795009
247611005
225453006
225524007
225023005
58901008
425202006
160632008
225441007
247800004
248134002
225011004
397847006
25501002
247972009
705049001
417876002
286661007
160619003
79427009
65384007

365993003
423794002
197480006
733192006
19418005
304856007
279497000
18232000
704374004
288441000119106
713488003
16703711000119100
28368009
365887007
276360005
247623004
225789002
118220003
424364004
82814008
870270005
70503004
247960003
160620009
365364005
224954004
248122005
700226009
231501003
284616006
228313008
285208000
186624004
285188007
267077006
429690008
737585009
13052006
247587007
286834005
129862009
703207000
284699003
699391000
106143002
193756007
247701008
71426002
173544001
248798008

160591008
152581000146104
714668003
91947003
247815003
102949001
284526005
365219005
61372001
304255004
247599000
165179006
714095007
409030003
191461002
105539002
52381000119109
129874008
247839008
69479009
773990006
102925004
240600000
225536001
724723002
42543008
247713003
160578007
286846009
737368006
106131003
426251001
102950001
247840005
304863007
225468007
15177007
106167005
95931009
112076007
228379002
285164005
40544009
55956009
115491000119105
228277002
429782000
443265004
277819004
247689003

66257002
1581000119101
248109002
286730007
304243005
86652009
427243007
286729002
428454002
10756261000119100
276240000
228290009
52791002
248020004
285774001
247852003
416780008
225813000
286664004
247677000
289139004
427189007
39946007
12859005
87507007
284502008
228289000
786063001
313432002
162314006
51477005
53339009
54502004
365792003
285762000
449006002
247737003
285152002
763739002
424300006
248019005
280428001
370560001
291621000119109
424896002
40634001
288773008
91249009
22381000119105
286756000

247864006
472951008
8330006
284514000
112088009
90700008
225801005
247665005
304875002
1141691009
27343009
838502009
365896007
229018003
286652007
247725000
225940004
429998004
365129006
723857007
105540000
228355004
21312008
714831004
78977005
286717006
304688001
68516004
473002001
724760003
225614008
286768009
160845005
248056001
228492003
82339009
416687002
230285003
1380006
53267002
56441002
54587008
182884001
286705009
714413008
420662003
191956005
365962004
247641007
311533004

16962006
1137672001
48694002
1137437005
74691006
286781002
247944002
25107009
31492004
191733007
288631000119104
26433004
228343005
300989001
271787007
271892003
704662005
286676004
302202009
309838005
80490004
724759008
704381006
416383008
365909006
289140002
248044002
228306008
160972001
247653006
130967001
160638007
224947005
78990003
4721006
67877007
277820005
230796005
472999008
1149156003
199099004
228467001
725898002
716493006
17491008
225493009
284611001
365998007
84900008
160614008

169505001
304664003
365628002
15867007
162553001
90352007
224972005
193185007
231507004
428823006
27433005
76094002
787770001
300108008
840600006
1155691007
472987001
724481004
32091000146102
401237008
247920004
1148784009
228479001
228517005
280948003
716481002
153091000119109
248068005
279644004
281144009
426798008
285176005
25364007
285214007
745745001
289152009
704406004
268669006
228480003
698626001
286688002
365859003
398665005
641000124109
225481000
247827000
225903007
787769002
247932000
110483000

23413007
304652006
26318006
365650001
716477002
285136000
311542006
288769005
248047009
16265951000119100
285790001
247879004
76868007
26298008
224951007
153261000119109
69403006
704299001
89948007
713566001
419045004
709012003
423174004
425653002
698781002
762707000
716465007
724992007
288241000119105
365913004
1157171003
286679006
247880001
284635006
276304004
84328007
11941006
276110006
192071009
723115003
225796000
423884000
248035003
70691001
703478008
238966008
229022008
225038006
286667006
247616000

285846001
284660006
127298000
284623007
154551000146100
424272000
425390006
87388001
224975007
365901009
225508006
445179000
9066006
111491004
276292009
788866004
304661006
247786001
225496001
225014007
162550003
416479009
162172009
286806003
102910004
406161008
444951002
1141651006
79365001
365949003
225533009
426839005
232284007
277823007
1149159005
723152003
285173002
33314005
307125007
225026002
229675006
284741007
365950003
162562004
228395002
15928101000119100
82494000
409038005
142261000119100
248060003

225484008
16703821000119100
285205002
95318007
14621004
737341006
160651002
285185005
704377006
247968005
281770004
17169009
735662004
36386007
57948007
247892001
715737004
415241007
28810003
103017008
36480000
399090003
716490009
286680009
284647000
192083006
80608005
225521004
248059008
105479008
762435002
247904009
225849004
404640003
32009006
427820006
192611004
698188003
102516000
426174008
225906004
81730008
102946008
228383002
7058009
47041000146107
304636008
228440007
715818002
274653009

370563004
248113009
734998001
1141699006
698955006
102504006
285254009
22230001
225626003
247693009
16430000
225837000
247320008
698687007
285741001
160582009
61387006
6140007
365572008
415658005
18117002
286733009
191708009
247749002
304648006
87076008
12348006
417938007
247831006
425507004
102499006
428819003
373664004
246563002
228427002
275474009
16703551000119100
285266003
225638007
103293001
228371004
225825002
288551000119109
248101004
247916003
78962002
102922001
284753006
87798009
284696005

230799003
247981003
285229009
248072009
700247008
783161005
247843007
285161002
55644006
1144748009
37273005
716441009
286721004
284497006
365937004
248226002
112105008
371632003
228358002
191972002
704446005
443371007
365507001
109006
224987000
113381000119100
276243003
1082511000119100
228346002
247993007
762516004
36646009
285230004
407635001
81511006
95927003
397775001
289136006
286753008
423402005
228452000
43994002
90099008
286708006
70630002
365925001
307413004
247575000
704341004
38691007

449869005
27379001
63395003
248096004
307084006
285242009
247762003
247855001
76369008
160829008
446172000
224999007
286765007
714372007
413460004
80149009
129834002
62351001
406124004
247668007
12551000146107
95932002
284630001
228483001
248133008
212572003
284756003
225010003
365484008
278870006
247965008
84002002
42394000
365885004
286651000
277818007
248018002
74715005
304244004
284629006
285177001
280427006
782501005
1156447008
225812005
472952001
162221009
5509004
225022000
365496001

284515004
721055005
284744004
40807001
417350008
724722007
225009008
722013004
277831002
425818007
198288003
284527001
263916005
165293009
45418009
706876006
284617002
310532000
248121003
288545008
228356003
365897003
1144992001
762622003
286823007
609371008
102457005
365999004
57553009
724734004
129861002
285189004
870268001
52184009
247989001
714371000
247678005
443483005
28669007
160613002
304874003
224981004
44276009
225800006
34551000146106
423834007
733190003
722978000
225836009
765109004

248043008
247654000
286741009
285255005
78205008
444019000
415136009
228278007
165281000
247990005
62788000
733816007
56890008
724758000
53489000
57954008
703206009
247781006
247588002
95633009
429530004
103299002
724824002
30240001
286675000
105481005
228332002
247928006
247666006
247941005
53956006
285190008
1144530002
129562004
386702006
278857002
225824003
8684002
102948009
45659008
284642006
424537004
16690551000119100
365197001
228471003
442099003
89357009
284707004
248031007
361270009

406557007
360918006
304898005
73917004
191726007
84403003
286745000
228344004
230065006
286728005
61569007
413307004
286663005
37567005
130988005
284503003
21897009
225594000
285267007
191452002
191664002
424009001
225505009
276112003
276238005
247818001
10761061000119100
160822004
286716002
19072006
709073001
284691000
231506008
285746006
446180007
16305561000119100
366033007
1003584006
231518004
365951004
74506000
225472006
248067000
12136001
44870007
247630005
102511005
105416005
247744007
225632008

80422002
283902008
16039007
228319007
311476004
286757009
714424005
160650001
284489004
56452008
304900007
270428008
160587003
286704008
247732009
81935006
228320001
30189004
191980009
414059009
719739008
1144845004
365963009
225459005
191464005
83351003
709008009
52910006
2314005
15625571000119100
712542001
7052005
417697003
445112001
160649001
285758006
284490008
424742005
247605007
365275006
44780000
228291008
225644006
703464007
247871001
103287009
281143003
247806005
83956003
309252004

133935000
286769001
248055002
365975004
225530007
307079000
15511000146101
207871000119100
53297005
247895004
1153575004
225902002
365639004
416106008
160637002
472976009
248255005
422930008
82361000119107
28154007
277843001
721157004
286687007
225656007
267124003
719387000
140871000146100
224993008
81215003
225435000
266927001
267112005
247768004
699417003
714670007
53314000
286770000
631000124104
56578002
386738004
433206003
281773002
279611005
1155690008
424848002
1141694001
304862002
103301009
16399001
275470000

247617009
129873002
228446001
105543003
1157237004
365287004
247977003
419567006
17971005
67564005
365661009
247883004
191955009
472988006
225447006
225529002
421023003
1144472003
225795001
288770006
90224001
160846006
286782009
422501005
234165003
19865006
714669006
365848007
58436003
229023003
442084003
102908001
247913006
102507004
363652006
225623006
407634002
129833008
736769008
788879008
103284002
401010000
247809003
225463003
247753000
247810008
788867008
102898006
191455000
141601000119107

418716000
20602000
422742006
704344007
406160009
174486004
230265002
83507006
162171002
1149161001
103296009
29139005
224401008
237461000119103
289143000
41784005
724672003
424145001
8357008
150571000146100
248058000
225050000
81703003
29231000119109
10743001000119100
225635005
247925009
225451008
17284008
919001
285628005
169937006
165311008
6049005
247834003
765400007
229011009
284498001
225049000
30059008
110357006
228294000
871840004
225037001
19657006
14003003
304858008
285845002
284531007
1145005000

228384008
428041000124106
225647004
419399001
103018003
230300007
299726008
224984007
34883005
365583004
276305003
192037000
311543001
277834005
58756001
409037000
723114004
248264000
723092003
427867005
42688000
298753001
247846004
267127005
160575005
284614009
736320009
51746009
103304001
129870004
285295007
85745007
18791000146107
247694003
281257007
247858004
247765001
110475006
225660005
699303006
225025003
53724006
102921008
840636009
286691002
285058000
276108009
3185000
248071002
419284004

284602001
1148924004
418107008
736319003
37335008
126943008
271591004
129882008
248136000
1144976006
932006
273760003
58424009
228443009
6475002
228372006
102601005
76180001
765289008
442212003
279315008
405788002
48167000
762515000
700248003
840464007
51493001
284638008
762326005
472948001
162327005
361049005
415510005
1137690000
716474009
276291002
268663007
312991009
36321004
47295007
11806006
248227006
365938009
246562007
27179007
286545003
225001006
702956004
285243004
716410008

285218005
248783006
52594007
838276009
135811000119107
4364002
284626004
247950007
162315007
724451007
789170003
32834005
417284009
716503004
405273008
247669004
34822003
25297005
390862006
225013001
247704000
57933001
705047004
228524006
225873007
424037008
365926000
247670003
285150005
18966001
420180008
228359005
286744001
129869000
422423006
722499006
307083000
719391005
82116008
26021000119107
127312001
248100003
762351006
272745007
192019001
247728003
247937006
365914005
230289009
365342001

422717002
228335000
708571001
130964008
228406007
309842008
449347008
112080002
247949007
59923000
426224004
386816005
228512004
162200009
286835006
716409003
26439000
225942007
424423005
285149005
102945007
417633001
88822006
247716006
225848007
261935004
286732004
284486006
365902002
225475008
304657000
1083821000119100
247822006
228347006
716498002
228418003
236720004
1149080001
4941000175101
89598003
286638005
39178003
127300000
444767004
724755002
1144885005
714862000
360890004
248006006
423678000

54038000
7956006
702981001
247657007
286720003
401231009
248795006
274652004
285137009
7571003
735128000
286754002
248236005
371026009
247862005
716483004
247747000
225790006
24500009
871870009
105413002
42176003
55050000
365907008
102903005
407628009
724665004
472997005
250070007
190330002
247874009
225502007
286719009
48285002
372089002
397724004
225641003
102514002
118195008
276242008
719382006
286766008
1144864005
365770002
161057005
277533007
307074005
1156332000
228299005
247735006

284597008
266921000
1157096002
71691000146104
225491006
1088941000119100
286707001
723913009
225514004
285852000
1742007
105550004
27596001
160969008
224990006
228515002
703184001
102927007
271789005
63909006
302772006
10939881000119100
285212006
82415003
13141000146106
225538000
442183006
397598006
286844007
248146003
415661006
10586006
404910002
386782008
225905000
286778007
3763000
431432003
248098003
302760000
247825008
713447003
33254005
74396008
247898002
365164002
160970009
39416002
20422009
286791008

712545004
225653004
698624003
54723008
713914004
284697001
230798006
228503001
233823002
365944008
248224004
716495004
423675002
225526009
228389003
247974005
247699008
64044004
83779006
102502005
304666001
304853004
52163004
225665000
225478005
277521002
129876005
1155693005
102915009
423741006
1144750001
247813005
1144475001
1137674000
237451000119100
192044009
64750001
1137357005
304642007
225855009
160604004
365606002
247910009
286819004
762332000
87305000
713460009
428493006
102952009
274951009

704404001
40863000
285174008
424805008
165307002
409068001
285248008
365894005
698949001
1142113007
285110007
228377000
284759005
367241000119104
408579009
247687001
286820005
765765000
58440007
129864005
285186006
248022007
225041002
247675008
275927006
277822002
160616005
247986008
36734001
425209002
225706007
101421000119107
77096008
44911000119109
285224004
38628009
302759005
313182004
365996006
365080005
423315002
165296001
225831004
722494001
130970002
440575001
61157009
32806003
228365005
83631006

365230008
408580007
247922007
365869009
719143004
830285008
247998003
247837005
289174003
720438009
228341007
405746006
11542009
286678003
247711001
281110002
870265003
247663003
248046000
247651008
66227006
426788002
37872007
229016004
247723007
284645008
285198001
61921000119107
224949008
44525005
365920006
165284008
722843001
723121004
76039005
130969003
85550003
284760000
285109002
228353006
276294005
286666002
102940002
270472006
473000009
230283005
247849006
225843003
274646000
1156282007

247850006
24199005
386705008
871869008
365441007
284633004
82371000119101
22621000119103
714415001
1141941008
225028001
87118001
60032008
238967004
365919000
248034004
55929007
441941000124104
365891002
165299008
247971002
365375009
706869001
247638003
288311000119103
735237008
55009008
105522004
191787001
246565009
403593004
423002004
33624008
228316000
102497008
248127004
304651004
285183003
16219201000119100
277813003
50983008
207363009
65064003
134417007
45505004
228304006
284694008
716500001
365959002
365387002

247983000
275277000
395664008
285227006
733903006
719743007
225876004
247707007
365960007
716443007
17029006
32174002
713451001
165287001
160641003
286804000
365935007
1010649005
18963009
247995000
285252008
427160005
72413003
765286001
199102004
42996007
160584005
365420001
248013006
719731006
449413009
225839002
716418001
285215008
277825000
95925006
247946000
1004005008
225599005
286670005
266924008
10761021000119100
386807006
724693000
230060001
225771003
737225007
248037006
285146003
247719004

52455008
110302009
38924009
285780009
247720005
1141697008
365923008
286735002
365972001
248025009
247614002
247934004
225840000
230286002
413462007
105546006
286669009
76652004
112095000
424509006
41591006
228410005
397640006
716479004
34563004
127308007
416246006
870309009
286723001
66677002
88293003
300943008
238976006
64336009
119591000146101
32482005
423874001
420996007
234168001
366002005
419916003
286816006
225852007
284763003
230059006
160628002
285779006
365984004
9182005
83553004

16276361000119100
432524006
365911002
724879005
58585005
286751005
370565006
704680001
449835009
191962000
224965009
32388005
225798004
109956006
161901003
247801000
698726009
267384006
284512001
1144478004
102900008
304877005
150361000146100
225803008
43659006
718495005
102607009
129836000
286711007
81712001
225466006
16230791000119100
34879005
417531009
413088002
224977004
304865000
191738003
230497000
421741002
247853008
182890002
286763000
13289004
425886001
247796005
733461000
77303001
40907002
311540003

229019006
247585004
284495003
191458003
198280005
248049007
224953005
277850002
286775005
47505003
75408008
711610000
229020000
63024004
424773009
118192006
276245005
16703601000119100
247865007
421075007
424100000
149141000119102
307049007
311539000
712759008
225454000
248143006
366979004
40680004
224989002
276302000
723117006
284605004
247602005
285264000
59978006
161129001
247597003
426282002
16266831000119100
421529006
286787003
28102002
733193001
709014002
225827005
103291004
247890009
131182003
704375003

386673006
328271000119104
102924000
285848000
286682001
307050007
32709003
248074005
225442000
130985008
38190007
394871007
63990000
284500000
102912007
247784003
225815007
247877002
81302005
271594007
472994003
285276000
228381000
162174005
365562005
449368009
365947001
286694005
24033006
225628002
735939003
225535002
228287003
247691006
228474006
21001001
248062006
285171000
422761005
285743003
1145036008
192041001

FSN
Agnosia for pain (finding)
Obstinate character (finding)
Ex-problem drinker (finding)
Park drinker (finding)
Vaginal penetration using an object (finding)
Mental distress (finding)
Dementia (disorder)
Rarely has breakfast (finding)
Feeling suicidal (finding)
Psychoactive substance-induced organic anxiety disorder (disorder)
Sexually active with men (finding)
Reduced level of agitation (finding)
Forced grasping (finding)
Uncomplicated senile dementia (disorder)
Forgets what has just read (finding)
Relationship problems with family members due to medical condition of child (
Finding of number of historical sexual partners (finding)
Intrusive thoughts (finding)
Victim of rape (finding)
Able to recognize familiar people (finding)
Inhibited sexual desire (finding)
Finding related to ability to control anger (finding)
Not immunized against pertussis (finding)
Fornication (finding)
Tends to be critical of others (finding)
Suicide attempt (finding)
Vocal abuse in children (disorder)
Disturbance in mood (finding)
Dementia associated with normal pressure hydrocephalus (disorder)
Abusive emotional relationship with husband (finding)
Illogical thinking (finding)
Phencyclidine-induced anxiety disorder (disorder)
Able to give and take (finding)
Not up to date with immunizations (finding)
Drug seeking behavior (finding)
Mental health impairment (finding)
Positive transference (finding)
Repetitive complex twisting of objects near eyes (finding)
Affectionate character (finding)
Gets drowsiness (finding)
Manual clitoral stimulation (finding)
Dyspareunia due to non-psychogenic cause in the female (finding)
Depersonalization (finding)
Suspicious behavior (finding)
Racing thoughts (finding)
Finding of level of interest (finding)
Impatient character (finding)
Altered behavior in Alzheimer's disease (disorder)
Psychological abuse complicating childbirth (finding)

Compulsive buying (finding)
Personal relationship breakdown (finding)
Drinks beer and hard liquor (finding)
Adult victim of physical abuse by male partner (finding)
Seems in a trance (finding)
Craving for non-food item (finding)
Smokes tobacco daily (finding)
Exaltation (finding)
Character trait finding of tolerance of boredom (finding)
Telling untruths (finding)
Compulsive touching (finding)
Incongruous laughing (finding)
Impairment of caregiver child attachment (finding)
Finding related to ability to remember month of year (finding)
Tends to be excessively psychologically independent (finding)
Smokes drugs in cigarette form (finding)
Spatial disorientation (finding)
Moody (finding)
Unable to control emotions (finding)
Unable to find way around a familiar environment (finding)
Passive aggressive relationship (finding)
Ex-snuff user (finding)
Hypomanic personality trait (finding)
Digit sucking (finding)
Non-smoker for medical reasons (finding)
Numbness of hand (finding)
Mental condensation (finding)
Electra complex (finding)
Self-electrocution (finding)
Amnesia for remote events (finding)
Social interaction alteration (finding)
Dominated by caregiver (finding)
Finding related to ability to write (finding)
Feeling unhappy (finding)
Sexual inadequacy (finding)
Transportation barrier impedes ability to use community resources (finding)
Stress (finding)
Character trait finding of effort at work (finding)
Fear about medication side effects (finding)
Ketoacidotic coma due to type 2 diabetes mellitus (disorder)
Poor compliance with inhaler (finding)
Demonstrates knowledge of infant feeding (finding)
Difficulty recognizing consequences of sexual behavior (finding)
Difficulty writing (finding)
Inappropriate orgasm (finding)
Misuse of medication (finding)
Dependent attachment (finding)
Threatening suicide (finding)
Tends to lack curiosity (finding)
Depressed mood in Alzheimer's disease (disorder)

Victim of neglect (finding)
Fear of speaking on the phone (finding)
Able to recognize objects by sight (finding)
Dissociative neurological symptom disorder co-occurrent with cognitive symptoms (finding)
Fear of ear disease (finding)
Hypochondriacal delusion (finding)
Finding relating to drug misuse behavior (finding)
Skier (finding)
Borderline cognitive developmental delay (disorder)
Asymptomatic human immunodeficiency virus infection in pregnancy (disorder)
Chronic sorrow following life event (finding)
Eliminating in public (finding)
Obsessional thoughts of causing harm to self (finding)
Arms not swung when walking (finding)
Psychologically abused elder (finding)
Sounds seem unnaturally clear (finding)
Finding of stability of mood (finding)
Diminished judgement (finding)
Fear of heights (finding)
Elevated mood (finding)
Tends to fail to learn from adverse experience (finding)
Disturbance in structure of associations (finding)
Organic hallucinosis (disorder)
Indolent multiple myeloma (disorder)
Screws up eyes (finding)
Asymptomatic neurosyphilis (disorder)
Compliant behavior (finding)
Pedophilia, opposite sex (disorder)
Able to recognize own emotional pain and distress (finding)
Sensation seeking (finding)
Dissatisfied with sexual relationship (finding)
Adult antisocial behavior (finding)
Benzodiazepine misuse (finding)
Anxiety about fainting (finding)
Femininity (finding)
Dementia due to Huntington chorea (disorder)
Second person verbal auditory hallucinations (finding)
Psychotic behavior caused by ingestible alcohol (finding)
Feeling aggressive (finding)
Nonpersistence (finding)
Eats regularly (finding)
Intermittent drowsiness (finding)
Finding of drug injecting equipment hygiene (finding)
Sodomy (finding)
Patient denies drug use (finding)
Psychogenic syncope (disorder)
Frankl behavioral rating definitely positive (finding)
Victim of kidnapping (finding)
Stealing at school (finding)
Making insensitive remarks (finding)

Loss of confidence (finding)
Finding of mental alertness (finding)
Finding related to ability to interact with others (finding)
Attention seeking behavior (finding)
Does not direct attention (finding)
Unable to control drinking once started (finding)
Conversion - mental defense mechanism (finding)
Sexual hypesthesia (finding)
Difficulty performing normal routines due to substance use (finding)
Memory aided by use of lists (finding)
Knight's move in thought (finding)
Evidence of cessation of misuse of drugs (finding)
Numbness of face (finding)
Delusion associated with sexual hallucinations (finding)
Hepatic coma due to acute hepatitis C (disorder)
Abusive behavior towards animals (finding)
Does comprehend written material (finding)
Euthymic mood (finding)
Mixed sex play (finding)
Lack of thinking ability (finding)
Decreased emotional excitability (finding)
Ready for enhanced sleep pattern (finding)
Finding related to ability to recognize faces by sight (finding)
Hallucinosi s caused by drug (disorder)
Finding of quantity of drinking (finding)
Regression through actualizing (finding)
Vertigo (finding)
Human immunodeficiency virus risk lifestyle (finding)
Finding of frequency of sexual activity (finding)
Uses finger cot as protection for sex (finding)
Adult habitual masturbation (finding)
Compulsive cleaning (finding)
Wears undignified clothing (finding)
Recurrent major depressive disorder co-occurrent with anxiety in full remission
Inappropriate elimination (finding)
Pathological guilt (finding)
Recurrent severe major depressive disorder co-occurrent with anxiety (disorder)
Chronic sleep deprivation (finding)
Turning against the self - mental defense mechanism (finding)
Asymptomatic occlusion of artery (disorder)
Hyperaffectivity (finding)
Complies with safety precaution (finding)
Self-dramatization (finding)
Central positional vertigo (disorder)
Conflicting stages of grief among family members (finding)
Difficulty coping with grief responses (finding)
Fear of hematological disease (finding)
Able to understand two part instructions (finding)
Difficulty understanding single word instructions (finding)
Drunk driving (finding)

Psychogenic rumination (disorder)
Able to make considered choices (finding)
Pays attention to own choice of activity (finding)
Getting lost (finding)
Déjà entendu (finding)
Increasing sexual awareness (finding)
Chews products containing tobacco (finding)
Hyperactive behavior (finding)
Beer drinker (finding)
Risk prone health behavior (finding)
Excessive euphoria (finding)
Memory: address recall unsuccessful (finding)
Brain stem vertigo (disorder)
Memory: present month not known (finding)
Battered baby (finding)
Finding of memory for present place (finding)
Ex-cigarette smoker (finding)
Always able to care for child (finding)
Unable to think clearly (finding)
Dissociative neurological symptom disorder co-occurrent with dizziness (disorder)
Normal level of erotic interest (finding)
Gouging own rectum (finding)
Able to make decision on safe information to give over telephone (finding)
Lacks confidence (finding)
Child/parent violence (finding)
Fear of medical treatment (finding)
Finding related to communication with community resources (finding)
Fear of going out (finding)
Anosodiaphoria (finding)
Abnormal craving for drugs (finding)
Relative frigidity (finding)
Palikinesia (finding)
Deficient knowledge of dietary regimen (finding)
Masturbation (finding)
Delusions in Alzheimer's disease (disorder)
Able to remember own date of birth (finding)
Feeling lonely (finding)
Dual personality traits (finding)
Asymptomatic colonization of skin caused by virulent and/or therapy-resistant
Suicidal behavior (finding)
Altered thought processes (finding)
Urinating in public (finding)
Observation of parental sex act (finding)
Noncompliance with immunization regimen (finding)
Psychogenic torticollis (disorder)
Pattern of absenteeism from present employment (finding)
Neglect of physical health (finding)
Abusive sexual relationship with partner (finding)
Interested (finding)
School discipline problem (finding)

Hepatic coma due to subacute liver failure (disorder)
Mixes past with present (finding)
Fear of collapsing (finding)
Command hallucination (finding)
Sexually obscene thoughts (finding)
Uremic coma (disorder)
Collapse due to asphyxiation (finding)
Psychological addiction (finding)
Able to remember name of current prime minister (finding)
Excessive exercise (finding)
Memory: present time not known (finding)
Psychogenic disorder of the genitourinary system (disorder)
Altered body image (finding)
Physical activity target moderate exercise (finding)
Able to divide attention (finding)
Clinical function (finding)
Light cigarette smoker (1-9 cigs/day) (finding)
Manic - mental defense mechanism (finding)
Extradural hemorrhage following injury with open intracranial wound AND loss
Unenthusiastic (finding)
Concern about breast appearance (finding)
Anxiety about having a fit (finding)
Drug-induced vertigo (disorder)
Pituitary coma (disorder)
Demonstrates knowledge of medication management (finding)
Asymptomatic occlusion of middle cerebral artery (disorder)
Inability to cope (finding)
Unable to adopt sick role (finding)
Difficulty coping with postpartum changes (finding)
Terrified (finding)
Unable to remember objects (finding)
Amphetamine misuse (finding)
Casual sexual partner (finding)
Ex-tobacco user (finding)
Heavy drinker - 7-9u/day (finding)
Seduction of female (finding)
Arranging objects in straight line - stereotyped routine (finding)
Displacement - mental defense mechanism (finding)
Intracranial injury with loss of consciousness (disorder)
High ego strength (finding)
Butting (finding)
Hitting other person (finding)
Juvenile onset Huntington's disease (disorder)
Patient non-compliant with footwear (finding)
Concerned about appearance of ear (finding)
Fear of anesthetic (finding)
Abnormal behavior (finding)
Suicidal remark (finding)
Patient does not understand why taking all medication (finding)
Seasonal variation of mood (finding)

Compulsive eating pattern (finding)
Cannot remember birth dates of children (finding)
Suicidal intent (finding)
Reflecting stage of grief (finding)
Wide level of interest (finding)
Anxiety about collapsing (finding)
Feeling stressed (finding)
Unable to write (finding)
Reliving traumatic memories (finding)
Caffeine user (finding)
Pessimistic (finding)
Able to recognize objects by touch (finding)
Psychologically abused spouse (finding)
Finding related to ability to use decision making strategies (finding)
Wears dull clothes (finding)
Silent cerebral infarct (disorder)
Adjustment to life threatening illness (finding)
False recognition (finding)
Emotional stress (finding)
Feeling abandoned (finding)
Cigarette smoker (finding)
Asymptomatic occlusion of extracranial carotid artery (disorder)
Stopped smoking before pregnancy (finding)
Victim of child neglect (finding)
Lack of self awareness (finding)
Problematic behavior in children (finding)
Unresolved independence-dependence conflict (finding)
Thoughts about dying (finding)
Extremely efficient use of mnemonics (finding)
Fear of contracting venereal disease (finding)
Labile personality trait (finding)
Necking (finding)
Variability of mood (finding)
Anxiety attack (finding)
Adult victim of abuse (finding)
Psychogenic headache (finding)
Conflicting stages of grief (finding)
Aggressive ex-smoker (finding)
Panic disorder with agoraphobia, severe agoraphobic avoidance AND mild pani
Finding of memory for present month (finding)
Predictability of behavior finding (finding)
Organic amnesia of language (disorder)
Mental state finding (finding)
Tends to be disorganized (finding)
False memories (finding)
Mixed cortical and subcortical vascular dementia (disorder)
Examination fear (finding)
Smoked before confirmation of pregnancy (finding)
Ex-electronic cigarette user for more than one year (finding)
Primitive idealization - mental defense mechanism (finding)

Regression through recapitulation (finding)
Antidepressant misuse (finding)
Language-related cognitive disorder (disorder)
Ideas of reference (finding)
Slow flow of thought (finding)
Senile dementia (disorder)
Isolated calendar skills (finding)
Pedophilia, limited to incest (disorder)
Increased excitability (finding)
Psychosomatic musculoskeletal symptoms (finding)
Cognitive impairment co-occurrent and due to human immunodeficiency virus
Pervasive developmental disorder with cognitive developmental delay and comorbidities
Elective mutism (disorder)
Habitual hand biting (finding)
Sexually active (finding)
Finding related to ability to remember own age (finding)
Low motivation (finding)
Alcoholic binges exceeding safe amounts (finding)
Uses positive self talk (finding)
Enjoys having sex (finding)
Demonstrates knowledge of wound healing process (finding)
Acrophobia (finding)
Comfort eating (finding)
Does not seek care for symptoms needing evaluation (finding)
Jumping from cliff (finding)
Difficulty controlling aggression (finding)
Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic disorder
Wandering (finding)
Sexual overexposure (finding)
Vertigo produced by neck pressure (finding)
Dementia caused by heavy metal exposure (disorder)
Normal sensory perception (finding)
Finding related to ability to remember faces (finding)
Suicidal (finding)
Finding relating to tobacco chewing (finding)
Fear of sweating (finding)
Feels everything is futile (finding)
Absenteeism (finding)
Inappropriate self disclosure (finding)
Finding of sexual partners (finding)
Severe major depressive disorder co-occurrent with anxiety single episode (disorder)
Oral clitoral stimulation (finding)
Takes inadequate exercise (finding)
Obsessional thoughts of dirt (finding)
Fear of shaking (finding)
Knows the complaints procedure (finding)
Postconcussion syndrome (disorder)
Improvement in level of self control (finding)
Giddiness (finding)
Victim of harsh discipline (finding)

Catatonic stupor (finding)
Family isolation (finding)
Gouging own body parts (finding)
Feels at risk of crime in the neighborhood (finding)
Pervasive developmental disorder with disorder of intellectual development wi
Feeling of being slowed down (finding)
Memory: important event not known (finding)
Demonstrates knowledge of community services (finding)
Non-smoker (finding)
Lack of psychological resilience (finding)
Methadone misuse (finding)
Finding related to sexual state (finding)
Male prostitution (finding)
Feeling isolated (finding)
Benign recurrent vertigo (disorder)
Nail biting (finding)
Sexually inhibited behavior (finding)
Mannerism (finding)
Cruel behavior (finding)
Drinks with acquaintances (finding)
Fear of walking (finding)
Anxiety about blushing (finding)
Aerobic exercise three or more times per week (finding)
Situation avoidance behavior (finding)
Finding of pattern of alcohol consumption through week (finding)
Impairment of acceptance of health status (finding)
Gouging other person (finding)
Adult victim of physical abuse by female partner (finding)
Unable to remember faces (finding)
Ineffective family coping: disabling (finding)
Running away from school (finding)
Ex-very heavy cigarette smoker (40+/day) (finding)
Non-organic enduring personality change (finding)
Organized infant behavior (finding)
Does adhere to rules and boundaries (finding)
Well baby (finding)
Planning unworkable projects (finding)
Psychoactive substance-induced organic dementia (disorder)
Able to remember current year (finding)
Irregular meal times (finding)
Able to adhere to self-monitoring regimen with difficulty (finding)
Memory: present place not known (finding)
Anaerobic exercise zero times a week (finding)
Callous character (finding)
Perfectionistic character (finding)
Immature emotional adjustment (finding)
Able to make friends (finding)
Victim of sexual abuse (finding)
Hallucinations of pain (finding)
Normal motivation (finding)

Teratophobia (finding)
Ready for enhanced management of therapeutic regimen (finding)
Delusional memories (finding)
Physical abuse complicating pregnancy (finding)
Human immunodeficiency virus World Health Organization 2007 stage 1 co-occ
Making inappropriate approaches towards others (finding)
Repetitive complex twisting movements (finding)
Able to adopt sick role (finding)
Does use pacifier (finding)
Anxiety about loss of control (finding)
Aerobic exercise four times a week (finding)
Tactile hallucinations (finding)
Cutting self (finding)
Deficit behavior (finding)
Able to recognize pain in body part (finding)
Gregarious character (finding)
Able to use arithmetic reasoning (finding)
Decreased alcohol consumption (finding)
Abnormal psychosexual phase (finding)
Panic disorder (disorder)
Behavior negatively reinforced (finding)
Avoidant disorder of childhood (disorder)
Ready for positive enhanced fluid balance (finding)
Moribund (finding)
Difficulty performing logical sequencing (finding)
Does not seek routine healthcare (finding)
Finding of independence of thought (finding)
Intravenous nondependent opioid abuse (disorder)
Follows same drug-related routine every day (finding)
Psychogenic constipation (disorder)
Incongruent personal values (finding)
Dangerous plans (finding)
Anxious character (finding)
Noncompliance with safety precautions (finding)
Sedative, hypnotic AND/OR anxiolytic-induced persisting dementia (disorder)
Able to sustain attention (finding)
Altruistic character (finding)
Giving away money (finding)
Wanders during day and at night (finding)
Somatic syndrome absent (finding)
Maternal tobacco abuse (finding)
Conflicting attitude towards exercise (finding)
Feels own body is unreal (finding)
Misuses drugs vaginally (finding)
Lifestyle (finding)
Repetitive rubbing of body parts (finding)
Temporary disruption in family processes (finding)
Smearing of feces (finding)
Hopeful for the future (finding)
Essential vertigo (finding)

Thought block (finding)
Nitrogen narcosis (disorder)
Cardiac syncope (finding)
Brain stem laceration with loss of consciousness (disorder)
Anxiety disorder caused by methylenedioxymethamphetamine (disorder)
Finding related to ability to cope with pain (finding)
Oriented to time (finding)
Emotionally subdued (finding)
Heat syncope (finding)
Pedophilia, nonexclusive type (disorder)
Illicit drug injection in last 12 months (finding)
Multi-infarct dementia with delirium (disorder)
Posttraumatic vertigo (disorder)
High risk sexual behavior (finding)
Difficulty preventing undesirable behavior (finding)
Somatic syndrome present (finding)
Delusion of unworthiness (finding)
Adopts sick role (finding)
Eidetic images (finding)
Protein kinase cAMP-dependent type I regulatory subunit beta-related neurode
Older adult behavior alteration (finding)
Stepparent relationship problem (finding)
Phallic psychosexual phase (finding)
Manic behavior (finding)
Well female elder (finding)
Panic (finding)
Sexual activity - two to three times per week (finding)
Inserting foreign bodies into own orifices (finding)
Thoughts of self harm (finding)
Erotic feeling (finding)
Victim of physical assault (finding)
Difficulty processing information (finding)
Excessively focused attention (finding)
Multi-infarct dementia with depression (disorder)
Humble character (finding)
Delusion of control of voice (finding)
Able to understand generalized pain (finding)
Able to think clearly (finding)
Difficulty maintaining relationships (finding)
Slow learner (finding)
Social outcast (finding)
Undecided about sexual orientation (finding)
Incomplete clearmindedness (finding)
Elementary hallucination (finding)
Abuses volatile solvents (finding)
Difficulty establishing relationships (finding)
Finding of role relationship pattern (finding)
Anxiety disorder of adolescence (disorder)
Recurrent mild major depressive disorder co-occurrent with anxiety (disorder)
Hepatic coma due to hepatitis (disorder)

Fear of abandonment (finding)
Lucid (finding)
Generally unwell (finding)
Abstinent alcoholic (finding)
Role playing (finding)
Fighting at school (finding)
Character trait finding of level of anxiety (finding)
Defensive aggression (finding)
Misery and unhappiness reaction of childhood (finding)
Social fear (finding)
Hypersexuality state (finding)
Reduced drugs misuse (finding)
Lifelong psychologic disorder (finding)
Dealing with drugs (finding)
Habit (finding)
Frozen watchfulness (finding)
Anal penetration using an object (finding)
Preoccupation with death (finding)
Oppositional defiant disorder co-occurrent with chronic irritability-anger (disorder)
Emotionally distant (finding)
Well premature female newborn (finding)
Pulling out sutures (finding)
Unusual smell in nose (finding)
Recurrent moderate major depressive disorder co-occurrent with anxiety (disorder)
Smashing up furniture (finding)
Able to resist dangerous thoughts with ease (finding)
Destructive motor activity (finding)
Somatoform pain disorder (disorder)
Thought broadcast (finding)
Occasional drinker (finding)
Understands principles of advocacy (finding)
Nihilistic delusion (finding)
Delusion concerning appearance (finding)
Difficulty sleeping (finding)
Tongue sucking or chewing (finding)
Able to process information at normal speed (finding)
Difficulty comprehending written material (finding)
Basic learning problem in reading (finding)
Impaired social interaction (finding)
Regression - mental defense mechanism (finding)
Post-radiotherapy somnolence syndrome (disorder)
Demonstrates knowledge of contraception (finding)
Motor function behavior finding (finding)
Compulsion expressed as ritual (finding)
Psychologic conversion disorder (disorder)
Distorted body image (finding)
Sense of identity finding (finding)
Fear of being watched (finding)
Indecisive character (finding)
Finding related to orientation (finding)

Inappropriate illness behavior (finding)
Excessive self-esteem (finding)
Psychogenic aphonia (disorder)
Cognitive impairment caused by ingestible alcohol (disorder)
Finding of expression of emotions (finding)
Agitation due to dementia (finding)
Appropriate disclosure of information about self (finding)
Acalculia (finding)
Echopraxia (finding)
Intolerant non-smoker (finding)
Behavior not reinforced (finding)
Mucosal numbness (finding)
Attracting adverse public attention (finding)
Demoralization (finding)
Symptomatic pedophilia (disorder)
Finding of oral habit (finding)
Unrelieved tension (finding)
Traumatic subarachnoid hemorrhage with loss of consciousness (disorder)
Disorientation as to self (finding)
Able to remember old motor skills (finding)
Countertransference (finding)
Sexual activity - monthly (finding)
Memory deficit due to and following ischemic cerebrovascular accident (disorder)
Physically abusive to partner (finding)
Expansive ideation (finding)
Multiple personality traits (finding)
Conflict (finding)
Profligate behavior (finding)
Normal level of assertiveness - character trait (finding)
Non-situational panic attack (finding)
Unorthodox sexual object choice (finding)
Demonstrates knowledge of expected responses to operative procedure (finding)
Homosexual relationship (finding)
Antisocial behavior (finding)
Maintenance stage for readiness to change nutrition behavior (finding)
Wakefulness finding (finding)
Excessive somnolence (finding)
Mocking (finding)
Cervical vertigo (disorder)
Consciousness and/or awareness finding (finding)
Panic disorder with agoraphobia, mild agoraphobic avoidance AND mild panic attacks
Acute post-trauma stress state (disorder)
Unable to remember today's date (finding)
Rigid character (finding)
Preoccupation with compensation (finding)
Well controlled integrated attention (finding)
Finding related to ability to recognize objects (finding)
Self-mutilation of hands (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AND
Fear of genital disease (finding)

Unable to reproduce geometric figure at five minutes (finding)
Ecstatic (finding)
Minimal cognitive impairment (finding)
Able to reproduce geometric figure at five minutes (finding)
Impaired judgement (finding)
Finding related to ability to concentrate (finding)
Selective abstraction (finding)
Delusion of guilt (finding)
Patronizing behavior (finding)
Normal female sexual function (finding)
Memory: count down unsuccessful (finding)
Grayout (finding)
Perception disturbance co-occurrent and due to intoxication by central nervous
Drinking bout (finding)
Attempts to show superiority (finding)
Inappropriate affect (finding)
Unable to use visuospatial reasoning (finding)
Physically active (finding)
Compulsive repeating (finding)
Biting own arm (finding)
Ischemic vascular dementia (disorder)
Psychophysiologic insomnia (disorder)
Pseudologia fantastica (finding)
Ready to stop smoking (finding)
Illicit drug use (finding)
Normal enjoyment of sex (finding)
Social phobia, fear of public speaking (disorder)
Vertical vertigo (finding)
Well adult (finding)
Acute confusion (finding)
Knows about freedom of speech (finding)
Cyclic mood swings (finding)
Difficulty understanding own emotions (finding)
Fear of abuse (finding)
Abnormal sexual state and development (finding)
Oral-genital stimulation (finding)
Biting other person (finding)
Able to manage own physical health needs (finding)
Shaken baby syndrome (finding)
High level of neuroticism (finding)
Dementia caused by volatile inhalant (disorder)
Feeling calm (finding)
Tobacco use in mother complicating childbirth (finding)
Thought insertion (finding)
Frequency-intensity-time-type activity level 0; no moderate or vigorous activity
Disturbance of consciousness (finding)
Avolition (finding)
Demonstrates knowledge of wound care (finding)
Pseudohallucinations (finding)
Parental concern about child (finding)

Low self-control (finding)
Somatoform autonomic dysfunction - respiratory tract (disorder)
Difficulty reasoning (finding)
Non-familial Alzheimer's disease of late onset (disorder)
Able to recognize social cues (finding)
Denial stage of grief (finding)
Reality testing (finding)
Dizziness following neck extension (finding)
Senile dementia with delusion (disorder)
Finding of individual style of dress (finding)
Unable to demonstrate health literacy (finding)
Disorder of excessive somnolence (disorder)
Knows rights (finding)
Compulsive neurosis (disorder)
Momentary confabulation (finding)
Dementia due to Creutzfeldt Jakob disease (disorder)
Does not adhere to rules and boundaries (finding)
Fear of not coping with treatment (finding)
Pervasive developmental disorder with disorder of intellectual development and
Repetitive tiptoe walking (finding)
Behavior showing increased motor activity (finding)
High self-esteem (finding)
Able to think abstractly (finding)
Passivity of drive (finding)
Unconscious fantasy (finding)
Finding of use of memory retrieval aids (finding)
Panic disorder with agoraphobia, mild agoraphobic avoidance AND moderate p
Punching self (finding)
Repetition of words (finding)
Delay in seeking medical advice (finding)
No known exposure to tobacco smoke (finding)
Dementia due to metabolic abnormality (disorder)
Behavior finding (finding)
Fear of cardiovascular disease (finding)
Finding of tolerance to alcohol (finding)
Competitive athlete (finding)
Multiple current sexual partners (finding)
Maintains contact with family (finding)
Psychogenic tremor (disorder)
Bondage (finding)
Victim of violent environment (finding)
Tends not to be sociable (finding)
Fear of the dark (finding)
Hyperosmolar coma due to diabetes mellitus (disorder)
Overanxious disorder of childhood (disorder)
Dementia due to chromosomal anomaly (disorder)
Feeling unloved (finding)
Anxiety about making mistakes (finding)
Impaired psychomotor performance (finding)
Finding of perceptual performance (finding)

Finding of thought process (finding)
Vasovagal syncope due to immersion (finding)
Has imaginary friend (finding)
Very difficult to manage behavior (finding)
Complies with immunization regime (finding)
Concrete thinking (finding)
Unformed visual hallucinations (finding)
Socialized childhood truancy (finding)
Plans to assault (finding)
Preoccupation with food (finding)
Sharing of sex aids (finding)
Able to perform health maintenance (finding)
Finding related to ability to use verbal reasoning (finding)
Compulsive scratching behavior (finding)
Guilty ideas (finding)
Multiple sexual contacts (finding)
Asymptomatic Severe acute respiratory syndrome coronavirus 2 infection (finding)
Able to recognize objects (finding)
Fear of blood (finding)
Complies with bed rest (finding)
Global Deterioration Scale level 3 - mild cognitive decline (finding)
Epileptic dementia with behavioral disturbance (disorder)
Improved self image (finding)
Shares syringes (finding)
Perseveration (finding)
Mentally alert (finding)
Asocial behavior (finding)
Underestimates intellectual ability (finding)
Hand sucking (finding)
Psychotic disorder with hallucinations caused by synthetic cathinone (disorder)
Finding of flow of thought (finding)
Anxious avoidant attachment (finding)
Vacuum activity (finding)
Refusal to eat in presence of others (finding)
Vertigo when trying to urinate (finding)
Alcoholic coma (disorder)
Repetitive tapping movements (finding)
Parental nudity (finding)
Unable to analyze information (finding)
Unable to use communication device to communicate with community resource (finding)
Inhibited orgasm (finding)
Fear of not waking from general anesthetic (finding)
Early onset Alzheimer's disease with behavioral disturbance (disorder)
Garrotting other person (finding)
Emotional hypersensitivity (finding)
Vaginal penetration by penis (finding)
Overprotected (finding)
Heightened tactile perception (finding)
Parent/child conflict (finding)
Purposeless (finding)

Fear of falling (finding)
Obsessional thoughts of harm occurring to property (finding)
Finding of speed of thought (finding)
Hallucinations co-occurrent and due to late onset dementia (disorder)
Familial dementia Danish type (disorder)
Exaggeration of normal character trait (finding)
Bradykinesia (finding)
Impaired quality of life (finding)
Judgement intact (finding)
Injects drugs intramuscularly (finding)
Memory deficit due to and following spontaneous intracerebral hemorrhage (d
Tends to appear indifferent to praise or criticism (finding)
Numbness of limbs (finding)
Impaired executive functioning (finding)
Overestimates own body weight (finding)
Demonstrates knowledge of patient controlled analgesia (finding)
Good neonatal condition at birth (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset, with de
Resistiveness to physical care (finding)
Sexual harassment by male (finding)
Acute dizziness (finding)
Improved mood (finding)
Provocative behavior (finding)
Transient epileptic amnesia (finding)
Panic disorder with agoraphobia, moderate agoraphobic avoidance AND moder
Multi-infarct dementia due to atherosclerosis (disorder)
Newborn behavior alteration (finding)
Uses a legal advocate (finding)
Psychophysiologic disorder (finding)
Arteriosclerotic dementia with paranoia (disorder)
Noise phobia (finding)
Obsessional thoughts of incompleteness (finding)
Level of anxiety (finding)
Finding of breakfast routine (finding)
Gynephobia (finding)
Androphobia (finding)
Social role conflict (finding)
Moderate cigarette smoker (finding)
Reckless character (finding)
Excessive daytime sleepiness with sleep paralysis (disorder)
Feeling mixed emotions (finding)
Battered husband - history (finding)
Cortical vertigo (disorder)
Dissociative auditory hallucinations (finding)
Reflecting (finding)
Able to recognize impact of self on others (finding)
Claustrophobia (finding)
Finding related to logical sequencing ability (finding)
Becomes angry very easily (finding)
Temper problem (finding)

Poor short-term memory (finding)
Normal capacity for emotion (finding)
Misuses drugs orally (finding)
Solvent misuse (finding)
Unusual solitary sexual activity (finding)
Auditory hallucinations (finding)
Deficient knowledge of infant care (finding)
Abstinent from drug misuse in normal environment (finding)
Psychodynamic complexes (finding)
Perceptual disturbances co-occurrent and due to anxiolytic withdrawal (disorder)
Victim of child sexual exploitation (finding)
Feeling content (finding)
Able to comprehend short daily used sentences (finding)
Dyscalculia (finding)
Delusional perplexity (finding)
Uses lubricant during sexual activity (finding)
Intermittent orthostatic proteinuria (finding)
Verbal auditory hallucinations (finding)
Psychosexual dysfunction (finding)
High level of egocentricity (finding)
Plans to set fire (finding)
Panic disorder without agoraphobia with mild panic attacks (disorder)
Broody behavior (finding)
Character trait finding of co-operativeness and compliance (finding)
Onset of confusion (finding)
Precoital stimulation (finding)
Current non-smoker (finding)
Does not adopt sick role (finding)
Finding related to ability to control behavior (finding)
Feeling more empowered (finding)
Illicit drug use unknown (finding)
Parental overdependence (finding)
Perceptual disturbances and seizures co-occurrent and due to sedative withdrawal (disorder)
Alcoholic family syndrome (finding)
Fear of losing control of bowels in public (finding)
Subarachnoid hemorrhage following injury with open intracranial wound AND I
Numbness (finding)
Finding of tobacco smoking consumption (finding)
Paranoid delusion (finding)
Feels drinking is out of control (finding)
Termination stage for readiness to change nutrition behavior (finding)
Unpredictable behavior (finding)
Habitual nocturnal eating of own hair (finding)
Finding relating to immediate recall (finding)
Not confused (finding)
Compulsion to act on thoughts (finding)
Incongruity of mood (finding)
Head-banging (finding)
Agonistic behavior (finding)
Repetitive spinning of whole body (finding)

Drug habit takes priority over financial obligations (finding)
Obtains clean syringes (finding)
Caregiver role strain (finding)
Personal motivation (finding)
Non-virginal state (finding)
Vertigo due to and following ischemic cerebrovascular accident (disorder)
Social isolation (finding)
Pressured by parents (finding)
Neglectful parenting (finding)
Heavy drinker (finding)
Explosive behavior (finding)
Asomatognosia (finding)
Normal libido (finding)
Gullible (finding)
Victim of abusive sexual relationship with husband (finding)
Mood stable (finding)
Deficient knowledge of physical therapy (finding)
Moderate drinker (finding)
Over-compliant character (finding)
Uses contraception (finding)
Ready for enhanced power (finding)
People seem to be actors in a film (finding)
Erratic character (finding)
Weak mother-infant attachment (finding)
New sexual contact (finding)
Drug habit takes priority over family obligations (finding)
Aversion (finding)
Finding relating to displaying ethical principles (finding)
Alcohol-induced anxiety disorder (disorder)
Repetitive pressing on eyes (finding)
Right-left disorientation (finding)
Calm character (finding)
Alzheimer's disease co-occurrent with delirium (disorder)
Non-drinker for religious reasons (finding)
Physical tolerance to alcohol (finding)
Loss of direction of thought (finding)
Tends to bear grudges (finding)
Hepatic coma due to viral hepatitis C (disorder)
Isolated explosive outburst (finding)
Bizarre delusion (finding)
Drinking binge (finding)
Deficient knowledge of medication regimen (finding)
Intelligence quotient low (finding)
Possession of drugs (finding)
Panic disorder with agoraphobia, moderate agoraphobic avoidance AND panic disorder
Intracranial injury with prolonged coma with open wound (disorder)
Tends to lack conscientiousness (finding)
Black and white thinking (finding)
Paramnesia (finding)
Awareness of disability (finding)

Hepatic coma (disorder)
Finding relating to psychosocial functioning (finding)
Fear of eye disease (finding)
Hangover (finding)
Drugs - partial non-compliance (finding)
Malaise and fatigue (finding)
Disorientated (finding)
Sexually attracted to neither male nor female sex (finding)
Moderate level of psychoticism (finding)
Loss of consciousness co-occurrent and due to open fracture of vault of skull (d
Finding related to ability to cope (finding)
Learning finding (finding)
Impairment of mental alertness (finding)
Formed hallucinations of animals (finding)
Well female child (finding)
Educational barrier impedes ability to use community resources (finding)
Dementia due to iron deficiency (disorder)
Able to cope with pain (finding)
Impulsive behaviour (finding)
Finding of level of extraversion (finding)
Neglect of leg (finding)
Able to problem solve (finding)
Victim of sexual harassment (finding)
Frequency-intensity-time-type activity level 4 (finding)
Forgets recent activities (finding)
Fear of public speaking (finding)
Jamais vu (finding)
Very heavy cigarette smoker (40+ cigs/day) (finding)
Semiconscious (finding)
Hookah pipe smoker (finding)
Demonstrates knowledge of sexual behavior (finding)
Foreign body chewing (finding)
Anticipatory anxiety, mild (finding)
Character trait finding of level of assertiveness (finding)
Verbal aggression (finding)
Emotional state finding (finding)
Psychophysiologic dysphagia (disorder)
Visual agnosia for objects (finding)
Actions not completed (finding)
Somatoform autonomic dysfunction - gastrointestinal tract (disorder)
Able to read (finding)
Psychosomatic factor in physical condition (finding)
Able to acculturate (finding)
Participates in perioperative plan of care decisions (finding)
Avoidant disorder of adolescence (disorder)
Thoughts of revenge (finding)
Finding related to attentiveness (finding)
Able to be aware of self (finding)
Awake (finding)
Ex-smoker (finding)

Sex exploration (finding)
Able to recognize faces by sight (finding)
Inappropriate laughter (finding)
Seems in a dream (finding)
Hallucinations associated with bereavement (finding)
Finding relating to alcohol drinking behavior (finding)
Repetitive routines (finding)
General paresis - neurosyphilis (disorder)
Involuntary role reversal (finding)
Witness of indecent exposure (finding)
Problem behavior in adult (finding)
Deficient knowledge of traditional therapy (finding)
Exposed to tobacco smoke in public places (finding)
Feelings of omnipotence (finding)
Neonatal agitation (disorder)
Finding related to compliance with treatment (finding)
Acute fugue state due to acute stress reaction (disorder)
Whiteout (finding)
Sexual curiosity (finding)
Finding related to the ability to verbalize understanding (finding)
Dissocial character (finding)
Behavior problem of childhood and adolescence (finding)
Diminished libido due to mood (finding)
Illusions (finding)
Does not understand instructions of more than two parts (finding)
Acute vestibular syndrome due to episodic vestibular disorder (disorder)
Asymptomatic stenosis of intracranial artery (disorder)
Fear of mental disorder (finding)
Drinks alone (finding)
Physically threatening behavior (finding)
Inhibited behavior (finding)
Asymptomatic bacteriuria in pregnancy - delivered with postnatal complication
Intracranial hemorrhage following injury with prolonged loss of consciousness /
Psychogenic pylorospasm (disorder)
Unusually creative thinking (finding)
Brain stem laceration with open intracranial wound AND loss of consciousness
Finding of long-term memory performance (finding)
Victim of elder abuse (finding)
Under-stimulation (finding)
Drinks at home (finding)
Anticipatory anxiety, severe (finding)
Cortex contusion without open intracranial wound AND with loss of consciousness
Extrasensory perception (finding)
Neglect of right side of body (finding)
Anxiety about dying (finding)
Finding of illness behavior (finding)
Drug-induced dementia (disorder)
Akinetic-rigid form of Huntington's disease (disorder)
Selective inattention (finding)
Firesetting (finding)

Works as prostitute (finding)
Disinhibited behavior (finding)
Victim of statutory rape (finding)
Forgets what has just heard (finding)
Low self-esteem (finding)
Mild cognitive disorder (disorder)
Difficulty understanding written language (finding)
Anxiety about saying the wrong thing (finding)
Visual hallucinations (finding)
Male homosexual (finding)
Ex-tobacco chewer (finding)
Attachment behavior (finding)
Dissatisfaction with body image (finding)
Primary degenerative dementia of the Alzheimer type, senile onset, with delirium
Thoughts of deliberate self harm (finding)
Social withdrawal (finding)
Weekend drinker (finding)
Concussion with less than 1 hour loss of consciousness (disorder)
Memory: important person known (finding)
Unable to use 'I' statements (finding)
Ritual hand washing (finding)
Plans for deliberate self harm without intent (finding)
Unable to resist obsessional thoughts (finding)
Numbness of foot (finding)
Dementia due to chronic subdural hematoma (disorder)
Theft (finding)
Magical thinking (finding)
Forgets to complete personal care (finding)
Reaction-formation - mental defense mechanism (finding)
Dementia due to prion disease (disorder)
Preoccupation with appearance (finding)
Tends to take pleasure in the suffering of others (finding)
Able to comprehend concept of danger (finding)
Asymptomatic sinoatrial node dysfunction (disorder)
Finding related to sexual relationship (finding)
Health condition feared but not present (finding)
Fear of losing emotional control (finding)
Character trait finding of level of hostility (finding)
Dementia due to disorder of central nervous system (disorder)
Gender identity finding (finding)
Stokes-Adams attack (disorder)
Likes to wear fashionable clothes (finding)
Perception of things changing shape (finding)
Demonstrates knowledge of procedure (finding)
Runaway reaction of childhood (finding)
Psychosocial problems related to multiparity (finding)
Fear of sexual dysfunction (finding)
Panic disorder with agoraphobia, mild agoraphobic avoidance AND severe panic
Able to manage stress (finding)
Finding of drinking environment (finding)

Battered spouse syndrome (finding)
Able to maintain life roles (finding)
Suffocating other person (finding)
Beyond parental control (finding)
Genital psychosexual phase (finding)
Has never reached orgasm (finding)
Memory: present year not known (finding)
Secure attachment (finding)
Dementia due to Rett's syndrome (disorder)
Does not use moist powdered tobacco (finding)
Anaerobic exercise three or more times per week (finding)
Phonophobia (finding)
Jumping from bridge (finding)
Able to remember month of year (finding)
Eating habit unknown (finding)
Regular daily routine (finding)
Intracranial injury with prolonged coma (disorder)
Verbalizes medication refill plans (finding)
Prolonged loss of consciousness (finding)
Eroticized transference (finding)
Financially abusive behavior (finding)
Fear of crowds (finding)
Masochistic personality trait (finding)
Memory: present year known (finding)
Dysfunctional family due to alcoholism (finding)
Does accept health status (finding)
Always follows the same route - stereotyped routine (finding)
Fear of vomiting in public (finding)
Resistance to changes in household contents (finding)
Decreased level of spiritual stress (finding)
Sadistic torture (finding)
Finding of Frankl behavioral rating scale (finding)
Identification - mental defense mechanism (finding)
Obsessional thoughts of causing harm to others (finding)
Enjoys light exercise (finding)
Misuse of prescription only drugs (finding)
Promiscuous behavior (finding)
Clouded consciousness (finding)
Cannot face food (finding)
Feeling tense (finding)
Able to feel confident (finding)
Injecting drug user (finding)
Defiant behavior (finding)
Numbness of saddle area (finding)
Things appear vividly colored (finding)
Able to understand instructions of more than two parts (finding)
Denies alcohol use (finding)
Compulsive pedophilia (disorder)
High risk heterosexual behavior (finding)
Ex-light cigarette smoker (1-9/day) (finding)

Feeling intoxicated (finding)
Difficulty agreeing with care plan (finding)
Caregiver difficulty interpreting non-verbal communication (finding)
Drinks with friends (finding)
Impaired cognitive function due to acquired brain injury (disorder)
Frankl behavioral rating definitely negative (finding)
Finding related to ability to recognize objects by sight (finding)
Slapping other person (finding)
Ready for enhanced individual coping (finding)
Labile affect (finding)
Finding related to ability to resist thoughts (finding)
Found hanging self (finding)
X-linked intellectual disability with acromegaly and hyperactivity syndrome (disorder)
Unpleasant memories (finding)
Ex-electronic cigarette user for less than one year (finding)
Cannot remember names of intimates (finding)
Synesthesia (finding)
Finding of company when drinking (finding)
Does not understand two word instructions (finding)
Vertigo of central origin (disorder)
Eating feces (finding)
Child victim of nutritional neglect (finding)
Drugged state (finding)
Zoophobia (finding)
Fear of complications of pregnancy (finding)
Character trait finding of level of curiosity (finding)
Psychalgia (finding)
Inappropriate sexual behavior (finding)
Anxiety about breathlessness (finding)
Wears daywear during the night (finding)
Trivial cigarette smoker (less than one cigarette/day) (finding)
Time seems to go very slowly (finding)
Lack of emotional response (finding)
Tussive syncope (finding)
Cleans drug injection equipment (finding)
Finding of semantic memory (finding)
Never smoked tobacco (finding)
Risk activity involvement (finding)
Obsessional thoughts (finding)
Heightened perception (finding)
Character trait finding (finding)
Auto-masturbation (finding)
Cortex contusion with open intracranial wound AND loss of consciousness (disorder)
Post-traumatic dementia (disorder)
Inappropriate movement of face (finding)
Unable to remember name of current prime minister (finding)
Chronic vertigo (finding)
Post-anoxic coma (disorder)
Feeling diffident (finding)
Chews loose leaf tobacco (finding)

Stopped drinking alcohol (finding)
Finding related to ability to recognize objects by touch (finding)
Dizziness due to drug (disorder)
Dispiritment (finding)
Erotic day dreaming (finding)
Absenteeism at work (finding)
Difficulty adhering to rules and boundaries (finding)
Fear of appearing ridiculous (finding)
Does not comprehend speech (finding)
Finding of memory for own age (finding)
Does not recognize photographs of self (finding)
Misuse of analgesic (finding)
Noncompliance with dental treatment (finding)
Consistent appropriate expression of anger (finding)
Contemplation stage for readiness to change nutrition behavior (finding)
Sexually active in last month (finding)
Physically abusive behavior (finding)
Psychogenic vomiting (disorder)
Emotional immaturity (finding)
Negativism (finding)
Organic anxiety disorder (disorder)
Asymptomatic West Nile virus infection (disorder)
Empowered (finding)
Demonstrates knowledge of fetal development (finding)
Powerlessness, moderate (finding)
Mentally abusive behavior (finding)
Excited delirium syndrome (disorder)
Hepatic coma due to viral hepatitis (disorder)
Fear of tunnels (finding)
User of moist powdered tobacco (finding)
Sharpened thinking (finding)
Cutting own wrists (finding)
Finding of drinking pattern (finding)
Excessive orgasm (finding)
Abusive emotional relationship with child (finding)
Cognitive dysfunction following surgical procedure (disorder)
Hyperacusis (disorder)
Agnosia for smell (finding)
Fear of traveling in vehicles (finding)
Physical AND emotional exhaustion state (disorder)
Basic learning problem in writing (finding)
Finding related to health literacy (finding)
Obsessional thoughts of explosions (finding)
Latent psychosexual phase (finding)
Noesis (finding)
Well premature newborn (finding)
Hyperosmolar coma due to type 2 diabetes mellitus (disorder)
Unable to agree with care plan (finding)
Drinks with spouse (finding)
Autosomal dominant Alzheimer disease due to mutation of presenilin 1 (disord

Loss of capacity to feel emotions (finding)
Finding related to behavior accompanying sex (finding)
Lateral vertigo (finding)
Unable to remember old motor skills (finding)
Sudden bereavement due to life event (finding)
Victim of trampling (finding)
Craves for drugs (finding)
Victim of homosexual aggression (finding)
Dissociative hallucinations of bodily sensation (finding)
Difficulty making considered choices (finding)
Child victim of maltreatment (finding)
Level of physical activity unknown (finding)
Focal Alzheimer's disease (disorder)
Social exclusion (finding)
Feeling faint (finding)
Sexually assaultive behavior (finding)
Able to remember routines (finding)
Substance misuse decreased (finding)
Hallucination of self giving off a smell (finding)
Erotophobia (finding)
Hypervigilant behavior (finding)
Acute posttraumatic stress disorder following military combat (disorder)
Poor auditory sequential memory (finding)
Psychological abuse complicating pregnancy (finding)
Ready for enhanced knowledge (finding)
Overtly sexualized behavior in childhood (finding)
Enjoys intermediate exercise (finding)
Formication (finding)
Sociable mood (finding)
Able to process information accurately (finding)
Physical activity target minimal exercise (finding)
Conversion muteness (disorder)
Abstinent from drug misuse when receiving blocking therapy (finding)
Finding relating to reminiscing (finding)
Unable to communicate concern to community service provider (finding)
Narcotic drug user (finding)
Behavior ignored (finding)
Depression worse later in day (finding)
Unable to remember name of reigning monarch (finding)
Psychogenic genitourinary tract symptoms (finding)
Parafunctional habit (finding)
Able to recall five digit number at five minutes (finding)
Able to analyze information (finding)
Fasting (finding)
Always has breakfast (finding)
Cognitive deficit due to and following embolic cerebrovascular accident (disorder)
Unable to use verbal reasoning (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset, with de
Perception hysteria (finding)
Self-advocates (finding)

Able to control aggression (finding)
Allo-erotism (finding)
Flicking objects near eyes (finding)
Brain stem contusion without open intracranial wound AND with loss of consci
Poor concentration (finding)
Unable to remember current year (finding)
Child affected by Munchausen's by proxy (finding)
Verbal memory for events (finding)
Able to resist obsessional thoughts (finding)
Self-mutilation (finding)
Posttraumatic stress disorder, delayed onset (disorder)
Dementia following injury caused by exposure to ionizing radiation (disorder)
Passive aggressive character (finding)
Bullying (finding)
Complex mannerisms - stereotype (finding)
Tends to lie repeatedly without reason (finding)
Theophobia (finding)
Intravenous drug user (finding)
Lacks ethical principles (finding)
Restlessness and agitation (finding)
Alethia (finding)
Family tension (finding)
Above average intellect (finding)
Digit span forwards (finding)
Personality trait typical of long term functioning (finding)
Family coping: potential for growth (finding)
Able to channel aggression (finding)
Unable to acculturate (finding)
Finding related to ability to use arithmetic reasoning (finding)
Inhales drugs (finding)
Underestimates own body weight (finding)
Separation anxiety disorder of childhood, early onset (disorder)
Compulsive gambling (disorder)
Obsessive behavior (finding)
Male juvenile homoerotism (finding)
Plans to commit sexual crime (finding)
Neologism (finding)
Acceptance stage of grief (finding)
Déjà vu (finding)
Irregular meal frequency (finding)
Arachnophobia (finding)
Improvement in level of depressed mood (finding)
Victim of threats (finding)
Victim of bullying (finding)
Abusive sexual relationship with husband (finding)
Examination phobia (finding)
Finding relating to sexual behavior (finding)
Agoraphobia with panic attacks (disorder)
Sexual incompatibility (finding)
Bargaining stage of grief (finding)

Formication of skin (finding)
Anxiety disorder caused by methamphetamine (disorder)
Suicidal thoughts (finding)
Habitual hair twisting (finding)
Self-referential character (finding)
Manipulative personality (finding)
Verbalizes activity tolerance (finding)
Age-related cognitive decline (finding)
Fracture of vault of skull with loss of consciousness (disorder)
Sexually attracted to male sex (finding)
Medication satisfactory (finding)
Hostile behavior (finding)
Depressive delusion of catastrophe (finding)
Worried (finding)
Global Deterioration Scale level 1 - no cognitive decline (finding)
Dementia due to limbic encephalitis (disorder)
Pinching other person (finding)
Asymptomatic calcium pyrophosphate deposition disease (disorder)
Global Deterioration Scale level 2 - very mild cognitive decline (finding)
Squirring (finding)
Stress reaction with psychomotor agitation (disorder)
Difficulty understanding two part instructions (finding)
Rubbing own skin (finding)
Pedantic character (finding)
Isolated artistic skills (finding)
Immature personality (finding)
Enduring personality change after psychiatric illness (finding)
Statutory rape (finding)
Psychological tolerance to alcohol (finding)
No contact with family (finding)
Feels afraid of being an alcoholic (finding)
Perceptual disturbances co-occurrent and due to psychoactive substance withd
Psychogenic formication (disorder)
Refusing lumpy foods (finding)
Verbalizes medication compliance (finding)
Unable to control anger (finding)
Finding related to substance use (finding)
Sexuality matured to pubertal state (finding)
Pseudobulbar affect (finding)
Unable to have sexual intercourse (finding)
Automatic compliance (finding)
Finding related to ability to remember day of the week (finding)
Does not seek care for symptoms needing treatment (finding)
Does not use snuff (finding)
Complicated grieving (finding)
Throwing self in front of vehicle (finding)
Body integrity dysphoria (finding)
Habitual eating of own hair (finding)
Mature emotional adjustment (finding)
Familial Alzheimer's disease (disorder)

Vaginal penetration by hand (finding)
Finding of level of consciousness (finding)
Catastrophization (finding)
Fear of social group activities (finding)
Finding related to maturity of sexuality (finding)
Chronic post-traumatic stress disorder following military combat (disorder)
Postconcussion state (finding)
Family functions effectively (finding)
Normal state of mind (finding)
Histrionic behavior (finding)
Normal perception (finding)
Pervasive developmental disorder with disorder of intellectual development an
Feeling unwanted (finding)
Finding of sense of purpose (finding)
Organic disorder of body schema (finding)
Finding of level of egocentricity (finding)
Heavy smoker (over 20 per day) (finding)
Finding of adherence to rules and boundaries (finding)
Current drinker of alcohol (finding)
Dementia co-occurrent and due to Down syndrome (disorder)
Heterosexual (finding)
Planning suicide (finding)
Able to think creatively (finding)
Myxedema coma (disorder)
Able to resist dangerous thoughts (finding)
Scalp rubbing (finding)
Able to control drinking (finding)
Improvement in response to trauma (finding)
Respects others (finding)
Sister-sister sex play (finding)
Does not abstain from drinking (finding)
Irresponsible character (finding)
Victim of intimate partner abuse (finding)
Hepatic coma due to viral hepatitis B (disorder)
Sense of personal capacity (finding)
Character trait finding of ability to learn from adverse experience (finding)
Violent spouse (finding)
Does not adapt after personal crisis (finding)
Able to cope (finding)
Penile insertion (finding)
Anaerobic exercise twice a week (finding)
Closed fracture of base of skull with loss of consciousness (disorder)
Tends to be stable in affect (finding)
Unable to remember month of year (finding)
Purposely unmarried and sexually abstinent (finding)
Suggestible (finding)
Demonstrates knowledge of behavior change process (finding)
Unaware of rules and boundaries (finding)
Deglutition syncope (finding)
Passive smoker (finding)

Exercise physically impossible (finding)
Victim of racial abuse (finding)
Able to understand pain in body part (finding)
Avoidance coping (finding)
Unable to control drinking (finding)
Finding of snuff use (finding)
Spitting at other person (finding)
Multi-infarct dementia (disorder)
Memory deficit due to and following cerebrovascular accident (disorder)
Painful clitoral erection (finding)
Asleep (finding)
Phobia (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in partial remission At
Physical bullying (finding)
Concerned about appearance (finding)
Ex-smoker for more than 1 year (finding)
Fetishistic transvestism (disorder)
Tactile alteration (finding)
Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic atta
Post-injection delirium sedation syndrome (finding)
Avoids even trivial exercise (finding)
Compulsive tidying (finding)
Moderate level of egocentricity (finding)
Difficulty using arithmetic reasoning (finding)
Tends to avoid one to one social interactions (finding)
Vertigo due to brain injury (disorder)
Frequency of substance misuse (finding)
Finding of level of psychoticism (finding)
Defecation syncope (finding)
Hypoglycemic coma due to type 2 diabetes mellitus (disorder)
Thoughts of violence (finding)
Compulsive counting (finding)
Glove anesthesia (finding)
Character trait finding of orderliness (finding)
Primary degenerative dementia of the Alzheimer type, senile onset in remissio
Level of interest - normal (finding)
Disturbance in thinking (finding)
Damaging own wounds (finding)
Parental marital problems (finding)
Problem with mental function (finding)
Unable to recognize faces by sight (finding)
Good self-image (finding)
Convulsive syncope (finding)
Arson (finding)
Fearful character (finding)
Low level of egocentricity (finding)
Finding of semantic memory performance (finding)
Psychosocial problems related to unwanted pregnancy (finding)
Recurrent major depressive disorder in partial remission co-occurrent with anx
Heavy cigarette smoker (20-39 cigs/day) (finding)

Slowness and poor responsiveness (finding)
Difficulty understanding more than three word instructions (finding)
Rumination - thoughts (finding)
Intermittent confusion (finding)
Sibling relationship problem (finding)
Lifetime non-drinker of alcohol (finding)
Introvert (finding)
Anxiety disorder caused by stimulant (disorder)
Face numbness, speech problem and monoparesis of arm (finding)
Altered behavior due to Pick's disease (disorder)
Autosomal dominant Alzheimer disease due to mutation of presenilin 2 (disorder)
Victim of terrorism (finding)
Binge drinker (finding)
Cleans own needles (finding)
Finding related to awareness of self (finding)
Neglect of arm (finding)
Venereophobia (disorder)
Anal penetration (finding)
Smoking reduced (finding)
Able to use decision making strategies (finding)
Oriented to place (finding)
Victim of sexual assault by intimate partner (finding)
Traumatic brain injury with brief loss of consciousness (disorder)
Character trait finding of level of pride (finding)
High level of psychoticism (finding)
Disturbance of cognitive learning (finding)
Transvestic disorder (disorder)
Transient global amnesia (finding)
Post-trauma response (finding)
Preoccupation with body size (finding)
Complex mannerisms - behavior (finding)
Hepatic coma due to viral hepatitis A (disorder)
Patient requests non-blood medical management (finding)
Tends to exaggerate emotional expression inappropriately (finding)
Clitoral erection (finding)
Complies with exercise regime (finding)
Ex-drinker (finding)
Psychogenic stammering (disorder)
Sleep state misperception (finding)
Victim of mental abuse (finding)
Able to manage generalized pain (finding)
Unable to recognize objects (finding)
Panic disorder with agoraphobia, moderate agoraphobic avoidance AND mild p
Hypoesthesia of special senses (finding)
Smoking restarted (finding)
Unstable self-image (finding)
Drinking day (finding)
Speed of associations (finding)
Unable to recognize own fingers (finding)
Wears many layers of clothing (finding)

Sedative, hypnotic AND/OR anxiolytic-induced psychotic disorder with hallucinations (finding)
Deficient knowledge of fluid volume management (finding)
Hallucinations (finding)
Agony (finding)
Markedly diminished pleasure (finding)
Hepatic coma due to alcoholic liver failure (disorder)
Finding relating to moist tobacco use (finding)
Stopped smoking (finding)
Finding related to ability to prevent undesirable behavior (finding)
Free-floating anxiety (finding)
Repressing thoughts (finding)
Delusional transference (finding)
Sexually provocative behavior (finding)
Dementia due to pellagra (disorder)
Numbness of toe (finding)
Implement sucking (finding)
Euphoria (finding)
Rationalization - mental defense mechanism (finding)
Disorientated in place (finding)
Difficulty controlling anger (finding)
Objective vertigo (finding)
Psychogenic factor (finding)
Recurrent anxiety (finding)
False sense of well-being (finding)
Anxiety about appearing ridiculous (finding)
Ex-moderate cigarette smoker (10-19/day) (finding)
Sexual nondevelopment (finding)
Use of day finding (finding)
Fear of speaking to people in authority (finding)
Marijuana user (finding)
Fear of musculoskeletal cancer (finding)
Father has sole parental responsibility (finding)
Drinks alcoholic cider (finding)
Unrealistic planning (finding)
Idealization - mental defense mechanism (finding)
Intellectual precocity (finding)
Numbness and tingling sensation of skin (finding)
Accident prone (finding)
Able to control emotions (finding)
Sexual exposure (finding)
Compulsive behavior (finding)
Ineffective family coping: compromised (finding)
Psychodynamic attachment finding (finding)
Role-related finding (finding)
Finding related to recognition (finding)
Palinopsia (finding)
Difficulty making plans (finding)
Character trait finding of decisiveness (finding)
Defecating in public (finding)
Physical stress (finding)

Client of prostitutes (finding)
Demonstrates knowledge of exercise (finding)
Tends not to be self-conscious (finding)
Altered sexuality patterns (finding)
Drinks at other people's homes (finding)
Bisexual - predominantly homosexual (finding)
Organic dementia associated with acquired immunodeficiency syndrome (disorder)
Flying phobia (finding)
Unable to remember own age (finding)
Personality AND/OR personality trait (finding)
Alcohol consumption during pregnancy (finding)
Pinching self (finding)
Play aggression (finding)
Deficient knowledge of family planning methods (finding)
Vomiting associated with other psychological disturbances (disorder)
Forgets what has just done (finding)
Recovery of memory (finding)
Deficient knowledge of food and/or nutrition (finding)
Character trait finding of anger control (finding)
Behavioral problems at school (finding)
Finding relating to institutionalization (finding)
Difficulty adopting sick role (finding)
Erotic stimulus (finding)
Palinacousia (finding)
Sexually active in last six months (finding)
Able to show empathy (finding)
Finding of use of imagination (finding)
Drowsy (finding)
Increased physical activity (finding)
Disobedience (finding)
Caregiver has sole parental responsibility (finding)
Lack of spontaneous movement (finding)
Partner relationship problem (finding)
Fear of contracting disease (finding)
Finding related to ability to recognize sounds (finding)
Hears voices laughing at self (finding)
Finding related to ability to control aggression (finding)
Drinks with work colleagues (finding)
Depressed mood with postpartum onset (finding)
Hypotonic-hyporesponsive episode (finding)
Pulling own teeth out (finding)
Fear of disconnection from ventilator (finding)
Panic disorder with agoraphobia AND moderate panic attacks (disorder)
Compulsive water drinking (finding)
Abnormal motivation (finding)
Sexual orientation unknown (finding)
Able to recognize faces (finding)
Able to concentrate (finding)
Scattered attention (finding)
Senile dementia with depression (disorder)

Rape fantasy (finding)
Difficulty in initiating movement (finding)
Overlying behavior (finding)
Gains from sick role (finding)
Well elder (finding)
Obsessional thoughts of giving others illness (finding)
Conflicting attitude towards treatment (finding)
Nervous tension (finding)
Recipient of obscene telephone call (finding)
Amnesic mild cognitive disorder (disorder)
Sexual activity - two to three times per month (finding)
Taphophobia (finding)
Normal level of emotional excitability (finding)
Empty nest syndrome (finding)
Parental withholding from school (finding)
Constant vertigo (finding)
Acute stress disorder (disorder)
Ischemic stroke with coma (disorder)
Aggressive character (finding)
Ex-light drinker - (1-2u/day) (finding)
Able to recognize warning sounds (finding)
Able to abstain from drinking (finding)
Able to remember people (finding)
Anxiety about sweating (finding)
Feeling trapped (finding)
Euphoric sociability (finding)
Dementia associated with alcoholism (disorder)
Worried about not coping with baby (finding)
Inserting objects into wound (finding)
Impaired impulse control (finding)
Fear of reaction regarding family planning choices (finding)
Submissive attachment (finding)
Pressured by others (finding)
Exerting inappropriate parental pressure (finding)
Cerebellar vertigo (disorder)
Worried about being a bad father (finding)
Dementia associated with neurosyphilis (disorder)
Acute vestibular syndrome due to cerebrovascular disease (disorder)
Boredom (finding)
Group delinquent reaction of childhood (finding)
Presenile dementia with delusions (disorder)
Abusive emotional relationship with spouse (finding)
Cutting own throat (finding)
Finding related to dying process (finding)
Passive character (finding)
Drinks in company (finding)
Pseudomasturbation (finding)
Thoughts of sexual violence (finding)
Stealing food from home (finding)
Memory recall finding (finding)

Very heavy cigarette smoker (finding)
Self-scalding (finding)
Masculinity (finding)
Narcissistic character (finding)
Asymptomatic human immunodeficiency virus A1 infection (disorder)
Does not recognize self (finding)
Aggressive biting (finding)
Sedative, hypnotic AND/OR anxiolytic-induced anxiety disorder (disorder)
Collecting objects - stereotyped routine (finding)
Grandiose delusions (finding)
Intellectualization - mental defense mechanism (finding)
Psychogenic backache (disorder)
Pervasive developmental disorder with disorder of intellectual development and
Non-labyrinthine vertigo (disorder)
Uses moist tobacco occasionally (finding)
Feeling nervous (finding)
Depressive symptoms due to primary psychotic disorder (disorder)
Pedophilia, same AND opposite sex (disorder)
Complies with drug therapy (finding)
Vertigo preceded by unsteady feeling (finding)
Stealing from siblings (finding)
Disinhibited thoughts (finding)
Schizoid fantasy - mental defense mechanism (finding)
Wanders during the day (finding)
Repetitive complex twisting movements of whole body (finding)
Uncooperative behavior (finding)
Primary degenerative dementia of the Alzheimer type, senile onset, uncomplicated
Strangling other person (finding)
Able to adapt after personal crisis (finding)
Dementia co-occurrent and due to neurocysticercosis (disorder)
Persistence (finding)
Aerobic exercise zero times a week (finding)
Self-incineration (finding)
Persistent effect of alcohol (finding)
Finding of use of stratagems to control drinking (finding)
Mixed dementia (disorder)
Victim of exploitation (finding)
Cortex laceration with open intracranial wound AND loss of consciousness (disorder)
Disturbance in physical behavior (finding)
Positive self thoughts (finding)
Acting out - mental defense mechanism (finding)
Open to exploitation (finding)
Psychosomatic factor in physical condition, psychological component of unknown
Stealing from parents (finding)
Complies with rehabilitation regime (finding)
Sleep deprivation (finding)
Asymptomatic coronary heart disease (disorder)
Malignant vasovagal syndrome (finding)
Chewing hair (finding)
Abnormal grief reaction to life event (finding)

Difficult to manage behavior (finding)
Low level of neuroticism (finding)
Problem related to substance use (finding)
Excessive spitting (finding)
Craving for food or drink (finding)
Immature behavior (finding)
Absent for social reasons (finding)
Decreased social isolation (finding)
Finding of visual short-term memory performance (finding)
Vigilant (finding)
Pedophilia targeting children of female sex (disorder)
Dissociative neurological symptom disorder co-occurrent with alteration of con
Repetitive hand wringing (finding)
Asymptomatic bartonellosis (disorder)
Irrelevant answer (finding)
Eats snacks frequently (finding)
Finding of volition (finding)
Psychogenic cough (finding)
Olfactory hallucinations (finding)
Basic learning problem (finding)
Persistent thoughts (finding)
Occasional overeating (finding)
Brother-brother sex play (finding)
Inappropriately left alone (finding)
Poor self-esteem (finding)
Catatonia (finding)
Self-mutilation of eyes (finding)
Hypotensive syncope (finding)
Able to recognize need for pressure area care (finding)
Anosognosia (finding)
Feeling excited (finding)
Deficient knowledge of child development (finding)
Rabies coma (disorder)
Verbosity and circumstantial detail obscuring reason for contact (finding)
Tends to resent authority (finding)
Unable to maintain self-esteem (finding)
Drinks on empty stomach (finding)
Altered behavior due to substance use (finding)
Female juvenile homoerotism (finding)
Frankl behavioral rating positive (finding)
Does not understand written language (finding)
Excessive exercising to lose weight (finding)
Uncomplicated presenile dementia (disorder)
Suppressed emotion (finding)
Concern about body image related to pregnancy (finding)
Kinesthetic alteration (finding)
Asymptomatic occlusion of posterior cerebral artery (disorder)
Placid character (finding)
Pulling at own ear (finding)
Symbolic dysfunction (finding)

Able to understand verbal language (finding)
Capgras' syndrome (finding)
Able to think independently (finding)
Finding of level of mood (finding)
Snuff user (finding)
Cognitive developmental delay (disorder)
Keeps trying to stop smoking (finding)
Repetitive complex twisting movements of limbs (finding)
Lysergic acid diethylamide reaction (finding)
Self-neglect (finding)
Unable to remember day of the week (finding)
Finding related to self-esteem (finding)
Uses dental dam as protection for sex (finding)
Delusion of persecution (finding)
Incongruent personal expectations (finding)
Physically well (finding)
Pleasant memories (finding)
Needs an advocate (finding)
Motivation finding (finding)
Head pressing (finding)
Tenacious character (finding)
Fear of open spaces (finding)
Able to find way around a familiar environment (finding)
Overgenerosity (finding)
Able to adapt to sensory changes in body part (finding)
Anxiety about losing emotional control (finding)
Uncomplicated arteriosclerotic dementia (disorder)
Memory: own date of birth not known (finding)
Loses previous role (finding)
Collapse due to cardiac arrest (finding)
Sexual aggression (finding)
Asymptomatic bacteriuria (finding)
Loud thoughts (finding)
Hemi-neglect (finding)
Juvenile masturbation (finding)
Ex-cigarette smoker amount unknown (finding)
Severe vertigo (finding)
Cognitive impairment due to toxicity of substance (finding)
Ready for enhanced nutrition (finding)
Integrated attention for short spells (finding)
Unresponsive (finding)
Reduced level of persistent sadness (finding)
Secret drinker (finding)
Fear of metabolic disease (finding)
Dysphoric mood (finding)
Demonstrates knowledge of oral hygiene (finding)
Vertigo preceded by head injury (disorder)
Difficulty reading (finding)
Character trait finding of task completion (finding)
Moderate drinker - 3-6u/day (finding)

Type A behavior pattern (finding)
Male mature sexual state (finding)
Personal identity confusion (finding)
Able to understand own emotions (finding)
Vulvoclitoral habituation (finding)
Short-term memory within normal limits (finding)
Finger-flicking (finding)
Reduced distortion in thinking (finding)
Avoidance-avoidance conflict (finding)
Minimally conscious state minus (disorder)
Self-aggrandisement (finding)
Finding of clarity of thought (finding)
Memory assessment finding (finding)
Able to comprehend speech (finding)
Very heavy drinker (finding)
Banging own head against object (finding)
Gets no exercise (finding)
Fear of empty streets (finding)
Gambling disorder predominantly offline (disorder)
Psychic conflict (finding)
Able to control behavior (finding)
Multi-infarct dementia with delusions (disorder)
Lacks emotional nurturance (finding)
Charles Bonnet syndrome - acoustic variant (disorder)
Current non-drinker of alcohol (finding)
Drinks in public houses (finding)
Desire to become member of the opposite sex (finding)
Co-operative character (finding)
Enthusiastic (finding)
Verbalizes plan for reduction of medication compliance barriers (finding)
Able to participate in social activities (finding)
Excessive feelings of physical efficiency (finding)
Normal development of sexuality (finding)
Pessimistic character (finding)
Use of health care provider for social contact (finding)
Rarely has evening meal (finding)
Signs of drug withdrawal (finding)
Able to understand more than three word instructions (finding)
Committed sexual relationship (finding)
Finding related to ability to maintain self-esteem (finding)
Panic disorder with agoraphobia (disorder)
Unusual change in behavior (finding)
Not up to date with immunization due to alternative schedule (finding)
Combativeness (finding)
Withdrawn (finding)
Fear of urinary disease (finding)
Does comprehend speech (finding)
Well adolescent (finding)
Fear of fainting (finding)
Drug compliance checked (finding)

Making impulsive remarks (finding)
Fear of drinking liquids due to dysphagia (finding)
Feeling wound up (finding)
Group sex play (finding)
Gambling disorder predominantly online (disorder)
Micrographia (finding)
Obsessional thoughts of germs (finding)
Loss of consciousness co-occurrent and due to closed fracture of vault of skull (
Dementia paralytica juvenilis (disorder)
Able to understand one part instructions (finding)
Confabulation (finding)
Infatuation (finding)
Socialization alteration (finding)
Dual-role transvestism (finding)
Using decision making strategies (finding)
Formed hallucinations of objects (finding)
Pederasty (disorder)
Altered growth and development: social skills (finding)
Dementia co-occurrent with human immunodeficiency virus infection (disorder
Wears a turban (finding)
Does direct attention (finding)
Character trait finding of personal organization (finding)
Anal erotism (finding)
Finding of judgement (finding)
Psychogenic pruritus (disorder)
Derealization (finding)
Increased stress (finding)
Sex within a relationship only (finding)
Stocking anesthesia (finding)
Anxiety and fear (finding)
Chaotic attachment (finding)
Does not seek preventative healthcare (finding)
Brain injury with open intracranial wound AND loss of consciousness (disorder)
Laughing (finding)
Circumstantiality (finding)
Fear of thunderstorm (finding)
Primary degenerative dementia of the Alzheimer type, senile onset, with depre
Attunement relationship (finding)
Boyfriend relationship problem (finding)
Neglected elder (finding)
Comments on own reading (finding)
Finding related to ability to reason (finding)
Repetitive spinning movements (finding)
Fast learner (finding)
Finding of quantity of eating (finding)
Non-amnestic Alzheimer disease (disorder)
Compulsive handwashing (finding)
Demonstrates knowledge of treatment regime (finding)
Self-mutilation of genitalia (finding)
Moderate ego strength (finding)

Emotionally warm character (finding)
Coming to terms with altered body image (finding)
Lack of exercise (finding)
Finding relating to reinforcement of behavior (finding)
Powerlessness, low (finding)
Horizontal vertigo (finding)
Hyperosmolar hyperglycemic coma due to diabetes mellitus without ketoacido
Somatoform autonomic dysfunction (disorder)
Fear of wetting self in public (finding)
Frequency-Intensity-Time-Type activity level 2; 5-11 occasions of a mix of mode
Abusive behavior towards people (finding)
Fearful mood (finding)
Psychogenic dysuria (finding)
Hair-splitting (finding)
Effort syncope (finding)
Asymptomatic viremia (finding)
Well male adolescent (finding)
Adductor spastic dysphonia of conversion reaction (disorder)
Smoker (finding)
Character trait finding of conscientiousness (finding)
Loss of interest in previously enjoyable activity (finding)
Tactile agnosia (finding)
Transference (finding)
Thought commentary (finding)
Does adjust to work situation (finding)
Spouse unsympathetic (finding)
Position agnosia (finding)
Bisexual (finding)
Powerlessness, severe (finding)
Performance anxiety (finding)
Drinker of hard liquor (finding)
Character trait finding of predisposition to startle (finding)
Finding of erotic interest (finding)
Asymptomatic microscopic hematuria (disorder)
Finding relating to sexuality and sexual activity (finding)
Caring towards others (finding)
Psychogenic feeding disorder of infancy and childhood (disorder)
Coitus condomatus (finding)
Withdrawn behavior (finding)
Rigidity of thinking (finding)
Pedophilia, same sex (disorder)
Behavioral and psychological symptoms of dementia (finding)
Forgetful (finding)
Loosening of associations (finding)
Inhalant-induced persisting dementia (disorder)
Cognitive deficit due to and following cerebrovascular disease (disorder)
Ready for enhanced spiritual well-being (finding)
Affective personality trait (finding)
Heightened global phobia (finding)
Extremely emotionally deprived (finding)

Moderately suggestible (finding)
Shares drug equipment (finding)
Disorientation to person, time and place (finding)
Forgets what was going to do (finding)
Undressing in public (finding)
Carphologia (finding)
Able to understand written language (finding)
Fear of activities in public (finding)
Abnormal eating pattern (finding)
Confident (finding)
Hepatic coma due to acute hepatitis B (disorder)
Does not chew tobacco (finding)
Arteriosclerotic dementia with depression (disorder)
Psychogenic dysphonia (disorder)
Depressive preoccupation (finding)
Temper tantrum (finding)
Inadequate personality (finding)
Vertigo preceded by prolonged dental work or oral surgery (finding)
Numbness of finger (finding)
Deficient knowledge of sexual behavior (finding)
Finding of compliance with footwear (finding)
Heightened erotic interest (finding)
Dizziness on standing up (finding)
Finding related to development of sexuality (finding)
Extrapsychic conflict (finding)
Maintains self-control (finding)
Easily distracted (finding)
Delusional conclusion (finding)
Fear of contracting human immunodeficiency virus infection (finding)
Vaginal penetration (finding)
Tends to turn anger against self (finding)
Mood-incongruent delusion (finding)
Repetitive questioning (finding)
Head-hitting (finding)
Stillness (finding)
Victim of infant neglect (finding)
Feeling frustrated (finding)
Inappropriate jocularity (finding)
Increased motivation (finding)
Maternal tobacco use in pregnancy (finding)
Hepatic coma due to chronic hepatitis C (disorder)
Lack of judgement (finding)
Syncope caused by centrifugal force in flying (finding)
Follows drug-related rituals (finding)
Mimicry (finding)
Specific fear (finding)
Suspiciousness and marked evasiveness (finding)
Gouging own flesh (finding)
Onychotillomania (finding)
Selling drugs (finding)

Homosexual behavior (finding)
Idealizing transference (finding)
Biting own hand (finding)
Thought alienation (finding)
Well child (finding)
Bullying of child (finding)
Demonstrates knowledge of diet regime (finding)
Panic attack (finding)
Able to agree with care plan (finding)
Hyposexuality state (finding)
Child behavior alteration (finding)
Feeling proud (finding)
Fear of being a burden to others (finding)
Fear of needles (finding)
Disharmony with partner (finding)
Compulsive drug taking (finding)
Memory finding (finding)
Fear of infection (finding)
Transient hallucinations (finding)
Orgasm impairment (finding)
Repetitive finger tapping (finding)
Developing organized infant behavior (finding)
Decline in Edinburgh postnatal depression scale score (finding)
Factitious psychosis (finding)
Stress overload (finding)
Conflicting attitude towards dietary regime (finding)
Abusive emotional relationship (finding)
Able to understand two word instructions (finding)
Moderate cognitive impairment (finding)
Sometimes able to care for child (finding)
Does abstain from drinking (finding)
Noncompliance with antiretroviral medication regimen (finding)
Pressured by peers (finding)
Cerebellar contusion with open intracranial wound AND loss of consciousness (
Embarrassing behavior (finding)
Anticipatory anxiety (finding)
Drug addict (finding)
Anxiety about forced dependence (finding)
Bizarre thoughts (finding)
Concussion with loss of consciousness (disorder)
Hitting other person with object (finding)
Wife committed adultery (finding)
Finding related to ability to recognize other persons (finding)
Victim of forced sexual activity (finding)
Fear of general anesthetic (finding)
Negative attitude (finding)
Cognitive deficit due to and following hemorrhagic cerebrovascular accident (d
Delusion of being loved (finding)
Anxiety about body function or health (finding)
Noncompliance with dietary regimen (finding)

Sexual intercourse difficult (finding)
Catatonic excitement (finding)
Hypoemotivity (finding)
Denial - mental defense mechanism (finding)
Psychogenic cyclical vomiting (disorder)
Delayed healthcare provision resulting in neglect (finding)
Fear of the bogey man (finding)
School phobia (finding)
Religious delusion (finding)
Maladaptive behavior (finding)
Unable to tell the time (finding)
Attachment avoidant (finding)
Fear of cancer of respiratory system (finding)
Severely abnormal behavior (finding)
Displays of aggression (finding)
Tendency to wander (finding)
Jumping from height (finding)
Drinks at night clubs (finding)
Parental anxiety (finding)
Fear of hypertension (finding)
Alexithymia (finding)
Barbiturate misuse (finding)
Able to tell the time (finding)
Optimistic (finding)
Obsessive compulsive disorder caused by psychoactive substance (disorder)
Hysterical trance (finding)
Insecure avoidant attachment (finding)
Ashamed of drinking (finding)
Regression through acting out (finding)
Loss of initiative (finding)
Behavior disorder as sequela of cerebral infarction (disorder)
Global Deterioration Scale level 5 - moderately severe cognitive decline (finding)
Trying to give up using electronic cigarette (finding)
Drug compliance poor (finding)
Fear of contracting radiation sickness (finding)
Homicidal thoughts (finding)
Victim of child abuse (finding)
Mental defense mechanism finding (finding)
Marital conflict (finding)
Concerned about own drug use (finding)
Able to recall random address at five minutes (finding)
Stealing from fellow residents (finding)
Creative thought (finding)
Hysterical micropsia (disorder)
Exercise below recommended level (finding)
Wears odd shoes (finding)
Poverty of thought (finding)
Approach-approach conflict (finding)
Brain stem contusion with open intracranial wound AND loss of consciousness
Enjoys heavy exercise (finding)

Finding of attitude to drinking (finding)
Able to plan (finding)
Distortion of memory (finding)
Fear (finding)
Love (finding)
Cortical vascular dementia (disorder)
Fear of genital cancer (finding)
Drinking takes priority over family obligations (finding)
Confrontational behavior (finding)
Own reflection in mirror seems unreal (finding)
Feeling powerless (finding)
Post-intensive care syndrome (disorder)
Memory: own age not known (finding)
Anger reaction (finding)
Syncope and collapse (finding)
Somnolence syndrome (disorder)
Isolated musical skills (finding)
Pervasive developmental disorder with cognitive developmental delay and mar
Difficulty comprehending speech (finding)
Childhood or adolescent antisocial behavior (finding)
Jealousy (finding)
Conversion dysphonia (disorder)
Aversion to particular food (finding)
Normal psychomotor development (finding)
Amorphosynthesis (finding)
Funny turn (finding)
Excessive eating - polyphagia (finding)
Unable to adapt after personal crisis (finding)
Ex-cigar smoker (finding)
Weak orgasm (finding)
Catatonic rigidity (finding)
Biting own toes (finding)
Adult victim of nutritional neglect (finding)
Makes rules about drinking (finding)
Finding of tobacco use and exposure (finding)
Fear associated with healthcare (finding)
Positive thoughts (finding)
null
Motivated to preserve dentition (finding)
Secondary transvestism (finding)
Finding of memory for counting down (finding)
Guilt stage of grief (finding)
Perceptual disturbance due to alcohol withdrawal (finding)
Stabbing other person (finding)
Fantastical confabulation (finding)
Anxiety disorder of childhood (disorder)
Never used tobacco (finding)
Obtains clean needles (finding)
Battered husband (finding)
Sexual intercourse unsuccessful (finding)

Human immunodeficiency virus World Health Organization 2007 stage 1 co-occurrence (finding)
Ready for enhanced family coping (finding)
Non-consummation of sexual intercourse (finding)
Self-doubt (finding)
Has access to planned means of suicide (finding)
Non-familial Alzheimer's disease of early onset (disorder)
Clumsy child (finding)
Hallucinations in several modalities at once (finding)
Fighting (finding)
Asymptomatic multiple myeloma (disorder)
Feeling safe (finding)
Numbness of vulva (finding)
Able to perform logical sequencing (finding)
Drinks alcohol evenly through week (finding)
Somatic hallucination (finding)
Alzheimer's disease (disorder)
Latent homosexual state (finding)
Situational panic attack (finding)
Pattern of overeating and vomiting (finding)
Smiling (finding)
Deficient knowledge of community services (finding)
Throwing self onto floor (finding)
Finding related to ability to remember new motor skills (finding)
Isolated skills associated with general impairment (finding)
Never injecting drug user (finding)
Lacking belief in own ability (finding)
Information conversion problem (finding)
Somatic syndrome finding (finding)
Aimless overactivity (finding)
Delusions (finding)
Poking fingers into wound (finding)
Does not understand single word instructions (finding)
Interacts with others normally (finding)
Undue priority given to drug-related activities (finding)
Finding related to ability to remember name of current prime minister (finding)
Psychosomatic abdominal pain (finding)
Primary transvestism (finding)
Preoccupation with litigation (finding)
Well in self (finding)
Conscientious (finding)
Traumatic brain injury with more than 24 hours loss of consciousness without recovery (disorder)
Psychosomatic factor in physical condition, moderate psychological component (finding)
Inadequate interpersonal communication skills (finding)
Demonstrates knowledge of fall prevention (finding)
Dementia co-occurrent and due to Pick's disease (disorder)
Traumatic brain injury with prolonged loss of consciousness (disorder)
Tends to restrict autonomy of others (finding)
Direction of thought (finding)
Patient aware of caregiver's feelings about dying (finding)
Able to remember new motor skills (finding)

High risk bisexual behavior (finding)
Nightmares associated with chronic post-traumatic stress disorder (disorder)
Reflex hallucinations (finding)
Dementia associated with another disease (disorder)
Eccentric character (finding)
Exposed to tobacco smoke at work (finding)
Drinking session (finding)
Finding related to ability to think abstractly (finding)
Tends to procrastinate (finding)
Obsessive-compulsive personality trait (finding)
Compulsive uncontrollable drug taking (finding)
Wears brightly colored clothes (finding)
Feeling ashamed (finding)
Deficient knowledge of therapeutic regimen (finding)
Syncope witnessed by provider of history other than subject (finding)
Transient altered mental status (finding)
Lacks necessary supervision (finding)
Minimal outside social stimulation (finding)
Autosomal dominant Alzheimer disease due to mutation of amyloid precursor p
Cotard's syndrome (disorder)
Pipe smoker (finding)
Repetitive touching of objects (finding)
Child deprivation syndrome (finding)
Traumatic intracranial subdural hematoma with brief loss of consciousness (dis
Pornographomania (finding)
Smoldering myeloma (disorder)
Shyness disorder of childhood (disorder)
Grinding teeth (finding)
Unable to remember motor skills (finding)
Finding related to ability to use visuospatial reasoning (finding)
Difficulty understanding community service provider role (finding)
Explosive type organic personality disorder (disorder)
Graffiti writing (finding)
Irreversible coma (disorder)
Asymptomatic enteric carriage of Entamoeba (finding)
Hallucinations of temperature (finding)
Self-care behavior (finding)
Arbitrary inference (finding)
Paroxysmal vertigo (finding)
Dialysis dementia (disorder)
Able to tolerate pain in body part (finding)
Drinking episode (finding)
Finding of libido (finding)
Psychogenic air hunger (disorder)
Able to maintain self-esteem (finding)
Memory: count down successful (finding)
Exercises regularly (finding)
Obsessional thoughts of throwing things away (finding)
Abstinent from drug misuse in protected environment (finding)
Moderate level of neuroticism (finding)

Thought echo (finding)
Biting own tongue (finding)
Social phobia, fear of eating in public (disorder)
Personality trait causing subjective distress (finding)
Will not try (finding)
Anxiety disorder caused by opioid (disorder)
Frequency-intensity-time-type activity level 1; 1-4 occasions of a mix of moderate
Vertigo produced by neck hyperextension (finding)
Oriented to person (finding)
Obsessional thoughts of being robbed (finding)
Disorientation for person (finding)
Masochistic behavior (finding)
Habitual pulling own hair (finding)
Intermittent explosive outburst (finding)
Finding of enjoyment of life (finding)
Excitability (finding)
Negative symptoms co-occurrent and due to primary psychotic disorder (disorder)
Well male newborn (finding)
Impairment of registration (finding)
Sexual relationship problem (finding)
Object biting (finding)
Uses a citizen advocate (finding)
Challenging behavior (finding)
Trailing phenomenon (finding)
Fear of being left alone (finding)
Delusion of misidentification (finding)
Panic disorder with agoraphobia, severe agoraphobic avoidance AND severe pa
Finding of capacity for emotion (finding)
Sexual pyromania (disorder)
Fear of injury (finding)
Single current sexual partner (finding)
Exercise grading unknown (finding)
Perceptual disturbances co-occurrent and due to hypnotic withdrawal (disorder)
Identification with the aggressor - mental defense mechanism (finding)
Asymptomatic secondary neurosyphilis (disorder)
Relocation stress syndrome (finding)
Inflated self-opinion (finding)
Unable to remember new motor skills (finding)
Psychogenic skin symptoms (disorder)
Aggression due to dementia (finding)
Difficulty in thinking independently (finding)
Primary degenerative dementia of the Alzheimer type, senile onset (disorder)
Homicidal behavior (finding)
Asymptomatic bacteriuria in pregnancy (disorder)
Obsessive-compulsive disorder (disorder)
Undue priority given to drink-related activities (finding)
Dissociative visual hallucinations (finding)
Complex posttraumatic stress disorder (disorder)
Fear of dentist (finding)
Does not acculturate (finding)

Eccentric behavior (finding)
Does not understand instructions of more than three words (finding)
Tolerant non-smoker (finding)
Thought finding (finding)
Difficulty bonding with unborn baby (finding)
Ambitendence (finding)
Cruelty towards animals (finding)
Oral penetration (finding)
Same generation sex partner (finding)
Feeling relief (finding)
Cruelty towards people (finding)
Victim of child sexual abuse (finding)
Ego-dystonic sexual orientation (finding)
Never smoked any substance (finding)
Anxiety about going crazy (finding)
Not interested in stopping smoking (finding)
Frenzy (finding)
Vascular dementia in remission (disorder)
Fear of coitus (finding)
Able to use visuospatial reasoning (finding)
Fear of heart disease (finding)
Finding of movement of visual image (finding)
Eating frequently (finding)
Anxiety about not coping with parenthood (finding)
Asymptomatic amebic infection (disorder)
Inappropriate verbal response (finding)
Unable to reason (finding)
General mental state finding (finding)
Eye poking (finding)
General nervous symptoms (finding)
Allogophobia (finding)
Feeling emotionally hurt (finding)
Psychogenic urinary incontinence (finding)
Increased thinking (finding)
Inadequate use of communication device to communicate with community res
Dizzy spells (finding)
Multi-infarct dementia, uncomplicated (disorder)
Greediness (finding)
Social drinker (finding)
Attempts to promote omnipotence (finding)
Compulsive self-biting behavior (finding)
Treated for drug use in last 12 months (finding)
Fear of lymphatic disease (finding)
Finding relating to aggressive behavior (finding)
Deficient knowledge of travel health (finding)
Finding of memory for address recall (finding)
Reversal - mental defense mechanism (finding)
Ready to learn (finding)
Mixed anxiety and depressive disorder (disorder)
Compulsive checking (finding)

Drinks in morning to get rid of hangover (finding)
Mild anxiety (finding)
Complies with infection control regimen (finding)
Temperamental (finding)
Asymptomatic left ventricular systolic dysfunction (disorder)
Repression through forgetting (finding)
Chews plug tobacco (finding)
No psychomotor agitation (finding)
Finding relating to laughing (finding)
Drug-induced coma (disorder)
Difficulty understanding verbal language (finding)
Retrospective falsification (finding)
Self-mutilation of penis (finding)
Asymptomatic reversible pulpitis (disorder)
Preoccupation (finding)
Well male adult (finding)
Cognitive deficit due to and following ischemic cerebrovascular accident (disorder)
Neck-tongue syndrome (disorder)
Knows about freedom of choice (finding)
Uses 'I' statements (finding)
Grieving before death (finding)
Fear of breast disease (finding)
Progressive aphasia in Alzheimer's disease (disorder)
Perception that things appear colorless (finding)
Unable to cope with pain (finding)
Asymptomatic irreversible pulpitis (disorder)
Approach avoidance relationship (finding)
Hearing loss remits during vertigo attacks (finding)
Deficient knowledge of infant feeding (finding)
Restricted affect (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND : (finding)
Mistakes people's identity (finding)
Cultural belief conflict (finding)
Drowning other person (finding)
Misuses drugs (finding)
Situational low self-esteem (finding)
Failure of orgasm (finding)
Fear of having digestive disease (finding)
Dissatisfaction with community resource services (finding)
Fear of using public toilets (finding)
Primary tocophobia (finding)
Disempowered (finding)
Victim of sexual assault by member of household (finding)
Foot licking (finding)
Juvenile homoerotism (finding)
Able to play with other children (finding)
Low intelligence (finding)
Difficulty analyzing information (finding)
Mixed avoidant attachment (finding)
Severe anxiety (panic) (finding)

Ambivalent relationship (finding)
Perceptual disturbances and seizures co-occurrent and due to alcohol withdraw
Decisional conflict (finding)
Pervasive developmental disorder with disorder of intellectual development an
Concussion with more than 24 hours loss of consciousness with return to pre-e
Hypoxic-ischemic coma (disorder)
Perception AND/OR perception disturbance (finding)
Increased sociability (finding)
Oscillation of surroundings (finding)
Concussion with 1-24 hours loss of consciousness (disorder)
Slapping self (finding)
Feeling hopeless (finding)
Spouse committed adultery (finding)
Twirling (finding)
Finding of grieving process stage (finding)
Public masturbation (finding)
Normal cognition (finding)
Dental phobia (finding)
Panic disorder without agoraphobia with severe panic attacks (disorder)
Global Deterioration Scale level 4 - moderate cognitive decline (finding)
Shares needles (finding)
Maintained capacity for enjoyment (finding)
Pulling other person's hair (finding)
Senile and presenile organic psychotic conditions (disorder)
Retrograde amnesia (finding)
Finding of activity exercise pattern (finding)
Fear of endocrine disease (finding)
Drowsiness of the newborn (disorder)
Battered wife - history (finding)
Smoking started (finding)
Normal concentration (finding)
Constant movement (finding)
Pleasant fantasy (finding)
Paranoid ideation (finding)
Noncompliance with self-monitoring regimen (finding)
Thinks realistically (finding)
Vulnerable personality (finding)
Relationship problems with family members due to medical condition (finding)
Able to recognize generalized pain (finding)
Perception that things appear gray (finding)
Fear of animals (finding)
No nervous symptoms (finding)
Congenital auditory agnosia (finding)
Memory impairment due to depressive disorder (finding)
Formed visual hallucinations (finding)
Able to modify behavior and lifestyle to support health improvement (finding)
Asymptomatic cerebrovascular disease (disorder)
Plans to kill (finding)
Limited reasoning ability (finding)
Finding of intellectual ability (finding)

Wishes to postpone menstruation (finding)
Castration anxiety complex (finding)
Microphobia (finding)
Disturbance in speed of associations (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AI
Sexual orientation confusion (finding)
Bromhidrosiphobia (finding)
Thoughts of raping (finding)
Drinks at restaurants (finding)
Complies with diagnostic test protocol (finding)
Penoscrotodynia (disorder)
Male adolescent aberrant sex behavior (finding)
Heavy cigarette smoker (finding)
Character trait finding of empathic sensitivity (finding)
Never able to care for child (finding)
Behavior reinforced (finding)
Problem drinker (finding)
Relationship problems with family members due to mental condition (finding)
Finding related to habits (finding)
Frontloading (finding)
Able to comprehend language (finding)
Pain self-management deficit, chronic (finding)
Reckless driving (finding)
Acting conspicuously in public (finding)
Manageable behavior (finding)
Amnesia for day to day facts (finding)
Victim of abusive sexual relationship with partner (finding)
Numbness of skin (finding)
Psychogenic dysmenorrhea (finding)
Careless character (finding)
Inappropriate urination (finding)
Usually able to care for child (finding)
Epileptic vertigo (disorder)
Enduring personality change after catastrophic experience (finding)
Glossolalia (finding)
Girlfriend relationship problem (finding)
Pain self-management deficit, acute (finding)
Repetitive flicking movements (finding)
Caregiver able to cope (finding)
Presenile dementia with paranoia (disorder)
Delinquent behavior (finding)
Intelligence quotient high (finding)
Infant behavior alteration (finding)
Finding of intellectual faculties (finding)
Prolonged grief disorder (finding)
Heightened perception of taste (finding)
Trivial drinker - <1u/day (finding)
Child victim of psychological or emotional abuse (finding)
Decreased despair (finding)
Finding of eating routine (finding)

Mothered excessively (finding)
Concern about sexual orientation (finding)
Character trait finding of emotional warmth (finding)
Intracranial injury with prolonged coma without open wound (disorder)
Teasing (finding)
Phobic disorder (disorder)
Psychogenic vocal cord dysfunction (disorder)
Able to tolerate generalized pain (finding)
Verbalizes chronic illness diagnosis and severity (finding)
Fear of local anesthetic (finding)
Binge eating disorder (disorder)
Irritability after vaccination (finding)
Hypnapompic hallucinations (finding)
Satisfied with management of pain (finding)
Sundowning (finding)
Injects drugs subcutaneously (finding)
Overprotective parent (finding)
Emotionally detached (finding)
Tends to plan ahead (finding)
Finding related to use of protection for sex (finding)
Asymptomatic human immunodeficiency virus A2 infection (disorder)
Delusion of own appearance (finding)
Able to be optimistic (finding)
Notified addict (finding)
Demonstrates knowledge of pregnancy (finding)
Low level of psychoticism (finding)
Tends not to plan ahead (finding)
Ex-heavy drinker - (7-9u/day) (finding)
Incestuous concubinage with girls (finding)
Deficient knowledge of patient controlled analgesia (finding)
Foot tapping (finding)
Non-drinker for medical reasons (finding)
Bigamy (finding)
Parenting finding (finding)
Verbalizes plan for reduction of exercise barriers (finding)
Abusive parenting (finding)
Dominance aggression (finding)
Able to manage pain in body part (finding)
Hepatic coma due to chronic hepatic failure (disorder)
Pressured by partner (finding)
Apprehension (finding)
Unresponsive to communication while sleep walking (finding)
Emotionally stable (finding)
Erection without orgasm (finding)
Strange and inexplicable behavior (finding)
Volatile Mood (finding)
Finger agnosia (finding)
Asymptomatic (finding)
Sexual behaviour unknown (finding)
Hepatic coma due to chronic hepatitis B (disorder)

Formed hallucinations of people (finding)
Delusion of parasitosis (finding)
Normal mood symptoms (finding)
Absent minded (finding)
Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attack
Self-inducing a prolapse (finding)
Insulin coma (disorder)
Non-ketotic non-hyperosmolar coma due to diabetes mellitus (disorder)
Comments on own thoughts (finding)
Fear of heart attack (finding)
Delusion of catastrophe (finding)
Projection - mental defense mechanism (finding)
Xenophobia (finding)
Time agnosia (finding)
Inappropriate behavior (finding)
Verbalizes plan to support exercise (finding)
Feels should cut down drinking (finding)
Persistent substance misuse (finding)
Demonstrates knowledge of physical therapy (finding)
Asymptomatic periapical periodontitis (disorder)
Insecure attachment (finding)
Panic disorder with agoraphobia, severe agoraphobic avoidance AND panic attack
Perceptual disturbances and seizures co-occurrent and due to psychoactive substances
Patterns appear intricately detailed (finding)
Adolescent unwed mother (finding)
Difficulty solving problems (finding)
Posturing behavior (finding)
Hyperosmolar coma due to secondary diabetes mellitus (disorder)
Resistance to changes in environment (finding)
Verbalizes medication self-dose adjustment methods (finding)
Panic disorder without agoraphobia (disorder)
Conscientious character (finding)
Pedophilia, exclusive type (disorder)
Flapping movements of arms (finding)
Psychological pseudocyesis (finding)
Psychosexual dysfunction associated with inhibited sexual excitement (finding)
Unassertive character (finding)
Satisfied with body image (finding)
Post-ictal coma (disorder)
Unable to comprehend concept of danger (finding)
Nicotine-filled electronic cigarette user (finding)
Asymptomatic bacteriuria in pregnancy - not delivered (disorder)
Sexual hallucinations (finding)
Psychogenic stupor (disorder)
Does not agree with care plan (finding)
Inappropriate shouting (finding)
Able to manage own aggression (finding)
Psychomotor retardation (finding)
Daytime somnolence (finding)
Hyperacusis of right ear (disorder)

Tolerant ex-smoker (finding)
Forgets what was going to say (finding)
Complaining of memory impairment (finding)
Low level of suggestibility (finding)
Alteration in family processes (finding)
Delusional mood (finding)
Recurrent isolated sleep-related hallucinations (disorder)
Unable to plan (finding)
Breath holding with temper (finding)
Psychogenic voice disorder (disorder)
Dangerous and harmful thoughts (finding)
Situational syncope (finding)
Systematized delusion (finding)
Intracranial hemorrhage following injury with brief loss of consciousness (disorder)
Uncontrollable excitement (finding)
Normal sexual state and development (finding)
Sexually attracted to male and female sex (finding)
Petting (finding)
Deficient knowledge of fetal development (finding)
Acarophobia (finding)
Hypoglycemic coma due to diabetes mellitus (disorder)
Intrapsychic conflict (finding)
Narcosis (finding)
Numbness of lower limb (finding)
Non-compliance of drug therapy (finding)
Repetition of phrases (finding)
Self-stimulative behavior (finding)
Limited sensory perception (finding)
Stress due to family tension (finding)
Rapidly progressive dementia (disorder)
Genital self-exploration (finding)
Dementia with behavioral disturbance (disorder)
Predictable behavior (finding)
Noncompliance with diagnostic testing (finding)
Behavioral tolerance to alcohol (finding)
Plans to rape (finding)
Non-verbal auditory hallucinations (finding)
Male hypererotism (finding)
Senile dementia with depressive or paranoid features (disorder)
Memory: important person not known (finding)
Personality change (finding)
Abnormal development of sexuality (finding)
Sensitivity (finding)
Kicking other person (finding)
Fantasizing (finding)
Victim of other person's behavior (finding)
Deficient knowledge of fall prevention (finding)
Cognitive disorder in remission (disorder)
Dyssocial behavior of child or adolescent (finding)
Female homosexual (finding)

Finding of sexual orientation (finding)
Polyphagia symptom (finding)
Finding related to ability to remember old motor skills (finding)
Fear of becoming fat (finding)
Sexually abusive behavior (finding)
Maladaptive behavior associated with physical illness (finding)
Sexual preoccupation (finding)
Finding related to ability to remember objects (finding)
Intrusive memories (finding)
Finding related to ability to comprehend (finding)
Dementia due to infectious disease (disorder)
Satisfied with healthcare (finding)
Fear of insects (finding)
Battered wife (finding)
Tends to humiliate others (finding)
Unpleasurable affect (finding)
Female adolescent sexual promiscuity (finding)
Proximity seeking behavior (finding)
Impaired cognition (finding)
Delusional perception (finding)
Physical aggression (finding)
Numbness of tongue (finding)
Heavy drinking session (finding)
Predation (finding)
Cross-sexual pubertal traits (finding)
High risk sexual behavior of adolescence (finding)
Jumping from building (finding)
Never used moist powdered tobacco (finding)
Nonacceptance of illness (finding)
Reflex disturbances due to substance use (finding)
Drinks with children (finding)
Multisensory dizziness (disorder)
Fear of having a fit (finding)
Unwilling (finding)
Intracranial hemorrhage following injury with moderate loss of consciousness (
Verbalizes routine for medication administration (finding)
Cerebellar laceration without open intracranial wound AND with loss of conscic
Dream anxiety disorder (disorder)
Vandalism (finding)
Does adapt after personal crisis (finding)
Fear relating to body function (finding)
Hypoglycemic coma due to type 1 diabetes mellitus (disorder)
Drinking takes priority over financial obligations (finding)
Inattention (finding)
Grandiose character (finding)
Acute stupor state due to acute stress reaction (disorder)
Ready for enhanced decision making (finding)
Finding of drinking habits (finding)
Non-compliance with renal dialysis (finding)
Able to identify choices (finding)

Chronic psychogenic pain (disorder)
Wandering due to dementia (finding)
Finding related to ability to comply with treatment (finding)
Character trait finding of flexibility (finding)
Attends exercise classes (finding)
Obsessional thoughts of causing accidents (finding)
Syncope due to autonomic failure (finding)
Cognitive deficit due to and following nontraumatic intracerebral hemorrhage (
Finding related to ability to recall random address at five minutes (finding)
Familial Alzheimer's disease of late onset (disorder)
Never been sexually active (finding)
Tends to wear unfashionable clothes (finding)
Stupor (finding)
Mechanical clitoral stimulation (finding)
Maintained direction of thought (finding)
Asymptomatic stenosis of extracranial artery (disorder)
Conflict concerning adopted or foster child (finding)
Reinforced aggression (finding)
Head-butting other person (finding)
Average intellect (finding)
Admits alcohol use (finding)
Finding of tobacco smoking behavior (finding)
Stealing from home (finding)
Finding of memory performance (finding)
Use of Catha edulis (finding)
Difficulty in remembering dates (finding)
Sensory agnosia (finding)
Patient misunderstood treatment instructions (finding)
Does not understand two part instructions (finding)
Tedium vitae (finding)
Amnesia for important personal information (finding)
False perception (finding)
Chaotic eating (finding)
Working through the pain of grief (finding)
Excitement (finding)
Insufficient rest/sleep for age (finding)
Enjoys moderate exercise (finding)
Not wanting to think about something (finding)
Diurnal variation of mood (finding)
Aversion to food or drink (finding)
Feeling dirty (finding)
Family bereavement (finding)
Social phobia (disorder)
Inability to resist compulsive behaviors (finding)
Difficulty self monitoring disease (finding)
Victim of abusive sexual relationship (finding)
Harm avoidance behavior (finding)
Rolls own cigarettes (finding)
Unio mystica (finding)
Psychogenic alopecia (disorder)

Exercise history finding (finding)
Abusive emotional relationship with partner (finding)
Anxiety disorder (disorder)
Dementia due to herpes encephalitis (disorder)
Psychopathic personality trait (finding)
Self-object transference (finding)
Intimidation (finding)
Difficulty coping (finding)
Lack of pride (finding)
Inadequate social skills (finding)
Presenile dementia co-occurrent with human immunodeficiency virus infection
Memory deficit due to and following embolic cerebrovascular accident (disorder)
Psychoactive substance-induced organic hallucinosis (disorder)
Finding related to ability to reproduce geometric figure at five minutes (finding)
Preoccupation with body weight (finding)
Exciting ideas (finding)
Poor daily routine (finding)
Female sexual finding (finding)
Dissatisfaction with parenting responsibilities (finding)
Oedipus complex (finding)
Pervasive developmental disorder with disorder of intellectual development and
Hypnotic state (finding)
Not easily wakened from sleep walking (finding)
Ex-pipe smoker (finding)
Finding related to ability to resist dangerous thoughts (finding)
Extrovert (finding)
Binging (finding)
Victim of sexual grooming (finding)
Needle phobia (finding)
Verbally threatening behavior (finding)
Drinks alcohol unevenly through week (finding)
Unable to recall random address at five minutes (finding)
Hepatic coma due to acute hepatitis B with delta agent (disorder)
Unable to remember own date of birth (finding)
Loss of self-esteem (finding)
Bullying of adult (finding)
Abulia (finding)
Waxy flexibility (finding)
Long-term memory within normal limits (finding)
Tends to blame others (finding)
Deficient knowledge of diagnostic testing (finding)
Asymptomatic occlusion of anterior cerebral artery (disorder)
Stripping own skin (finding)
Fear of deafness (finding)
Sexuality related problem (finding)
Charles Bonnet syndrome (disorder)
Abnormal perception (finding)
Erotographomania (finding)
Poking own eyes (finding)
Orgasm too easily aroused (finding)

Drinks wine (finding)
Tobacco dependence caused by smoking tobacco (disorder)
Religious belief and healthcare recommendation conflict (finding)
Asymptomatic human immunodeficiency virus infection (disorder)
Fear of swallowing (finding)
Excessive masturbation (finding)
Tongue sucking (finding)
Finding related to ability to understand own emotions (finding)
Aggressive behavior (finding)
Laughs spontaneously (finding)
Forgets what has just seen (finding)
Intelligence quotient normal (finding)
Sexually active in last year (finding)
Ineffective family coping (finding)
Senile dementia with delirium (disorder)
Non-smoker for personal reasons (finding)
Peer problem (finding)
Social interaction finding (finding)
Fear of being in a small group (finding)
Anxiety hyperventilation (disorder)
Isolated asymptomatic elevation of creatine phosphokinase (disorder)
Astrapophobia (finding)
Asymptomatic trichomoniasis (disorder)
Foreplay (finding)
Anxiety disorder caused by ketamine (disorder)
Decreased stress tolerance (finding)
Heightened auditory perception (finding)
Very heavy drinker - greater than 9 units/day (finding)
Tends to be sensitive to criticism (finding)
Caregiver-child relationship problem (finding)
Mood finding (finding)
Ready for enhanced parenting (finding)
Abusive sexual relationship (finding)
Fear of social gatherings (finding)
Paranoid schizoid position relationship (finding)
Resigned tolerance (finding)
Apoplectic vertigo (finding)
Consciousness related finding (finding)
Neglected spouse (finding)
Extrinsic motivation (finding)
Smokes drugs through a pipe (finding)
Unable to recognize objects by sight (finding)
Increased stress tolerance (finding)
Disturbance in content of thought (finding)
Psychosocial dysfunction due to chronic pain (finding)
Light drinker (finding)
Cocaine misuse (finding)
Cognitive disorder (disorder)
Anxiety about wetting self (finding)
Depressive hypochondriacal delusion (finding)

Psychosexual phase (finding)
Dementia of the Alzheimer type with behavioral disturbance (disorder)
Sexual offending behavior (finding)
Non-compliant character (finding)
Coming to terms with dying (finding)
Cerebral irresponsivity (finding)
Ready for enhanced religiosity (finding)
Uncooperative character (finding)
Victim of bullying when not in school (finding)
Physical abuse complicating childbirth (finding)
Comments on own actions (finding)
Drinks at work (finding)
Female mature sexual state (finding)
Bizarre behavior (finding)
Unable to recognize familiar people (finding)
Fear of phone boxes (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset (disorder)
Not involved in managing own affairs (finding)
Anticipation - mental defense mechanism (finding)
Bizarre delusion associated with bodily sensation (finding)
Finding of frequency of eating (finding)
Maternal tobacco use (finding)
Mitmachen (finding)
Trampling (finding)
Sexual frustration (finding)
Faddy behavior (finding)
Street drinker (finding)
Non-nicotine-filled electronic cigarette user (finding)
Post-ictal drowsiness (finding)
Harmful thoughts (finding)
Seduction (finding)
Dysfunctional grieving (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset, with de
Finding related to ability to read (finding)
Agnosia for temperature (finding)
Routinely consumes majority of food intake at night (finding)
Hallucination of others giving off a smell (finding)
Gouging own vagina (finding)
Idiopathic recurrent stupor (disorder)
Minimal shared activities (finding)
Aimless destructive behavior (finding)
Psychotic symptoms absent (finding)
Redirected aggression (finding)
Cognitive deficit due to and following nontraumatic subarachnoid hemorrhage
Difficulty with parenting responsibilities (finding)
Hyperemotivity (finding)
Difficulty directing attention (finding)
Criminal behavior (finding)
Primary degenerative dementia (disorder)
Impulsive character (finding)

Fear of surgical masks (finding)
Engages in sexual activity before marriage (finding)
Delusion of infidelity (finding)
Continuously shifting in seat (finding)
Egomania (finding)
Pathologic promiscuity (finding)
Dominated by others (finding)
Getting lost inside the home (finding)
Autonomous attachment (finding)
Demonstrates knowledge about care of infant (finding)
Approach avoidance behavior (finding)
Able to monitor own comprehension (finding)
Finding related to ability to remember current year (finding)
Anal penetration by penis (finding)
Self-effacing (finding)
Time seems to go unnaturally fast (finding)
Wears odd socks (finding)
Vascular dementia (disorder)
Finding of level of hope (finding)
Silent micro-hemorrhage of brain (disorder)
Non-smoker for religious reasons (finding)
Charged with drunk driving offence (finding)
Oral penile stimulation (finding)
Does agree with care plan (finding)
Ocular vertigo (finding)
Emotionally blunted character (finding)
Unable to make considered choices (finding)
Foolish business investment (finding)
Sexuality matured to prepubertal state (finding)
Cognitive impairment co-occurrent and due to primary psychotic disorder (disorder)
Unexpected bereavement due to life event (finding)
Hard working character (finding)
New relationship (finding)
Neglect of personal hygiene (finding)
Never used snuff (finding)
Amphetamine-induced anxiety disorder (disorder)
Flashbacks have stopped (finding)
Vascular dementia of acute onset (disorder)
Agoraphobia without history of panic disorder with limited symptom attacks (disorder)
Brain injury without open intracranial wound AND with loss of consciousness (disorder)
Sexual harassment (finding)
Simple phobia (disorder)
Drug compliance good (finding)
Low predisposition to startle (finding)
Difficulty abstaining from drinking (finding)
Coma due to diabetes mellitus (disorder)
Psychogenic hyperventilation (finding)
Finding of enjoyment of sex (finding)
Puzzled (finding)
Delayed verbal memory (finding)

Feeling hatred (finding)
Decreased level of confusion (finding)
Anxiety (finding)
Has adequate sleep (finding)
Pacing up and down (finding)
Character trait finding of level of suggestibility (finding)
Posturing routine (finding)
Verbal repetition (finding)
Fear of school (finding)
Fear of pregnancy (finding)
Vascular dementia with behavioral disturbance (disorder)
Mood-congruent hallucination (finding)
Unable to control spontaneous drinking bouts (finding)
Agitated wandering (finding)
Collapse (finding)
Hysterical simulation of disease (finding)
Noncompliance with exercise regimen (finding)
Isolation - mental defense mechanism (finding)
Tower block syndrome (finding)
Emotional upset (finding)
Fugue (finding)
Psychomotor symptom co-occurrent and due to psychotic disorder (disorder)
Deficient knowledge of oral hygiene (finding)
Abnormal affect (finding)
Finding of memory for present year (finding)
Finding of regularity of eating (finding)
Disruptive behavior (finding)
Drinks with strangers (finding)
Microlight flier (finding)
Negative automatic thoughts (finding)
Ineffective denial (finding)
Aerobic exercise twice a week (finding)
Shooting self (finding)
Compulsive purposeless behavior (finding)
Basic motor learning problem (finding)
Ecstasy (finding)
Anxiety about vomiting in public (finding)
Non-diabetic hypoglycemic coma (disorder)
Multiple historical sexual partners (finding)
Reduced level of anxiety (finding)
Asymptomatic bacteriuria in pregnancy - delivered (disorder)
Casual sexual relationship (finding)
Delirium co-occurrent with dementia (disorder)
Does not comprehend language (finding)
Psychosomatic factor in physical condition, minor psychological component (fir
Wears nightwear during the day (finding)
Unable to control aggression (finding)
Finding related to ability to talk about problems (finding)
Cerebellar laceration with open intracranial wound AND loss of consciousness (
Tobacco consumption unknown (finding)

Uses contraceptive sheath (finding)
Able to use verbal reasoning (finding)
Finding related to ability to recognize familiar people (finding)
Intersexuality (finding)
Usually has breakfast (finding)
Sexual molestation (finding)
Feeling bitter (finding)
Asymptomatic neuropathy due to diabetes mellitus (disorder)
Stage fright (finding)
Cannabis misuse (finding)
Sexual anesthesia (finding)
Pleasurable affect (finding)
Disinhibition caused by ingestible alcohol (finding)
Numbness of pinna (finding)
Underactive infant (finding)
Action stage for readiness to change nutrition behavior (finding)
Sexually active with women (finding)
Sexual dysfunction co-occurrent and due to prolapse of female genital organ (d
Victim of emotional deprivation in childhood (finding)
Violent acts towards others (finding)
Freezing in one posture (finding)
Feeling comfortable (finding)
Uses a female condom (finding)
Chews fine cut tobacco (finding)
Normal sense of identity (finding)
Difficulty understanding three word instructions (finding)
Hepatic coma due to chronic hepatitis B with delta agent (disorder)
Self-inflicted skin problems (finding)
Normal grief reaction to life event (finding)
Somatic passivity (finding)
Ready for enhanced family processes (finding)
Able to recognize surroundings (finding)
Heteromanipulatory vulvoclitral habituation (finding)
Memory aided by use of labels (finding)
Complies with fluid balance management (finding)
Finding of frequency of drinking (finding)
Deficient knowledge of symptom (finding)
Childhood and adolescent disturbance with elective mutism (disorder)
Uses gloves as protection for sex (finding)
Dementia associated with multiple sclerosis (disorder)
Splitting - mental defense mechanism (finding)
Finding of short-term memory performance (finding)
Vasovagal syncope (finding)
Non-compliant with peritoneal dialysis prescription (finding)
Abusive behavior (finding)
Fear of saying the wrong thing (finding)
Difficulty controlling behavior (finding)
Aggression caused by ingestible alcohol (finding)
Repetitive complex twisting of hands near eyes (finding)
Tobacco user (finding)

Sexual harassment by female (finding)
Difficulty using decision making strategies (finding)
Tongue-rolling (finding)
Finding related to ability to recognize parts of own body (finding)
Difficulty understanding instructions of more than two parts (finding)
Slashing other person with sharp object (finding)
Unable to process information at normal speed (finding)
Able to direct attention (finding)
Running away from home (finding)
Mild major depressive disorder co-occurrent with anxiety single episode (disorder)
Able to recognize own fingers (finding)
Obsessional thoughts of contamination (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND Ketoacidotic coma due to diabetes mellitus (disorder)
Mature personality (finding)
Psychogenic inhibited male orgasm (finding)
Conversion aphonia (disorder)
Health belief conflict (finding)
Panic disorder with agoraphobia AND mild panic attacks (disorder)
Lack of interest (finding)
Loss of consciousness (finding)
Minimally conscious state (disorder)
Does not seek consistent healthcare (finding)
Ready for enhanced urinary elimination (finding)
Dementia associated with cerebral anoxia (disorder)
Subcortical dementia (disorder)
Able to understand humor (finding)
Epilepsy co-occurrent and due to dementia (disorder)
Fear of bridges (finding)
Finding of memory for important event (finding)
Does not use denial as a defense mechanism (finding)
Passive aggression - mental defense mechanism (finding)
Obsessional thoughts of disease (finding)
Scratching other person (finding)
Preoccupation with disaster (finding)
Stereotyped routines (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND Row with wife (finding)
Mild memory disturbance (finding)
Fear of cancer of endocrine system (finding)
Knows how to make a complaint (finding)
Repetitious behavior (finding)
Shoplifting (finding)
Agoraphobia (disorder)
Developmental delay in social skills (disorder)
Syphilophobia (disorder)
Non-penetrative sexual behavior (finding)
Memory lapses (finding)
Devaluation - mental defense mechanism (finding)
Cannot remember name of school (finding)

Emotionally cold (finding)
Breaking windows (finding)
Traumatic brain injury with loss of consciousness (disorder)
Lashing out at other person (finding)
Mild binge eating disorder (disorder)
Inadequate immune status (finding)
Dementia associated with Parkinson's Disease (disorder)
Does not enjoy having sex (finding)
Feeling like wanting to escape (finding)
Finding related to ability to remember sounds (finding)
Poor self-image (finding)
Excessive self-criticism (finding)
Feeling of discouragement (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND
Isolated visuospatial skills (finding)
Anxiety due to dementia (finding)
Unable to use arithmetic reasoning (finding)
Planning extravagant projects (finding)
Wears clothes of all one color (finding)
Feeling empty (finding)
Regularly eats 3 meals/day (finding)
Previously injecting drug user (finding)
Sexual activity - daily (finding)
Stubborn character (finding)
Prelogical thinking (finding)
Alteration in parenting (finding)
Fussy infant (finding)
Demonstrates knowledge of labor and delivery (finding)
Decreased stress (finding)
Health-related behavior finding (finding)
Sexually disinhibited behavior (finding)
Ready for enhanced hope (finding)
Migrainous vertigo (disorder)
Anxiety about swallowing (finding)
Reduced level of fear (finding)
Minimally conscious state plus (disorder)
Able to recognize sounds (finding)
Hypoaffectivity (finding)
Able to write (finding)
Anger stage of grief (finding)
Post-traumatic mutism (disorder)
Swallowing substances (finding)
Finding of number of sexual partners (finding)
Concerned about shape of nose (finding)
Shares drug injecting equipment (finding)
Relationship problem between parent and adopted child (finding)
Panic disorder without agoraphobia with panic attacks in full remission (disorder)
Adult behavior alteration (finding)
Cognitive deficit in attention (finding)
Neglect of common dangers (finding)

Over-confident (finding)
Memory deficit due to and following hemorrhagic cerebrovascular accident (disorder)
Able to remember today's date (finding)
Victim of torture (finding)
Anticipatory grief (finding)
Anxiety disorder caused by synthetic cannabinoid (disorder)
Frequency-intensity-time-type activity level 5; 12 or more occasions of a vigorous activity (finding)
Able to recognize odors (finding)
Deficient knowledge of peritoneal dialysis (finding)
Compulsive hoarding (finding)
Ego strength finding (finding)
Cerebellar contusion without open intracranial wound AND with loss of consciousness (finding)
Incomplete loss of consciousness without amnesia (finding)
Overt sexual harassment by male (finding)
Agnosia for taste (finding)
Self-depreciation (finding)
Parkinsonism co-occurrent with dementia of Guadeloupe (disorder)
Readiness finding (finding)
Flight of ideas (finding)
Postural dizziness (finding)
Disturbance of perception associated with conversion and dissociative phenomenon (finding)
Subjective vertigo (finding)
Does comprehend language (finding)
Phobic avoidance - mental defense mechanism (finding)
Primitive rage (finding)
Aggressive outburst (finding)
Appropriate affect (finding)
Clothes need changing (finding)
Neglect of physical illness (finding)
Truancy (finding)
Increased goal-directed activity (finding)
Delayed start to movement (finding)
Does not talk about problem (finding)
Dizziness (finding)
Hallucinogen hallucinosis (disorder)
Suck finding (finding)
Childhood phobic anxiety disorder (disorder)
Chews betel quid (finding)
Well male elder (finding)
Chronic stress disorder (disorder)
Unable to prevent undesirable behavior (finding)
Abnormal sexual state (finding)
Abnormal sexual behavior (finding)
Misuses drugs rectally (finding)
Noncompliance with treatment (finding)
Smiles back (finding)
Guided mourning (finding)
Drug-related offending behavior (finding)
Cleans drug injection needle with bleach (finding)
Undue concern and preoccupation with stressful events (finding)

Territorial aggression (finding)
Eating behavior and appetite (finding)
Victim of human trafficking (finding)
Demonstrates knowledge of traditional therapy (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset in remis
Well premature male newborn (finding)
Able to resist dangerous thoughts with difficulty (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in partial remission A
Fear of mobilizing (finding)
Delusion of control of handwriting (finding)
Oral psychosexual phase (finding)
In contact with voluntary advocacy group (finding)
Things smell different (finding)
Post-traumatic dementia with behavioral change (disorder)
Vacant episode (finding)
Ex-trivial drinker - less than 1 unit/day (finding)
Moderate anxiety (finding)
Blunted affect (finding)
Finding related to ability to recognize odors (finding)
Substance misuse behavior (finding)
Paranoid character (finding)
Empathic character (finding)
Chronic anxiety (finding)
Dissociative tactile hallucinations (finding)
Unable to perform logical sequencing (finding)
Thought withdrawal (finding)
Presenile dementia (disorder)
Verbalizes prescribed activity plan (finding)
Fear of crossing streets (finding)
Ready for enhanced immunization status (finding)
Fit and well (finding)
Opiate misuse (finding)
Picky eater (finding)
Neglect of part of body (finding)
Has a routine of drug-related activities (finding)
Psychogenic overeating (disorder)
Memory deficit due to and following cerebrovascular disease (disorder)
Dangerous fantasy (finding)
Anxiety about resuming sexual relations (finding)
Persistent postural perceptual dizziness (finding)
Long-term drug misuser (finding)
Victim of verbal abuse (finding)
Problem in relationship with in-laws (finding)
Female prostitution (finding)
Violent motor activity (finding)
Kissing (finding)
Tocophobia (finding)
Reopening scars (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in full remission AND
Removing own nails (finding)

Post-traumatic coma (disorder)
Invades others' personal space (finding)
Able to remember sounds (finding)
Biting self (finding)
Lip sucking (finding)
Familial dementia British type (disorder)
Fear of being laughed at (finding)
Unable to recognize objects by touch (finding)
Thumb sucking (finding)
Impaired concentration (finding)
Lifelong depressive personality trait (finding)
Able to reflect on own behavior (finding)
Highly sociable character (finding)
Primary reinforcement of behavior (finding)
Finding related to use of 'I' statements (finding)
Being out of body (finding)
Sense of smell altered (finding)
Coma (disorder)
Feels effect of alcohol at work (finding)
Psychogenic dyspepsia (disorder)
Deficient knowledge of exercise (finding)
Decreased level of consciousness (finding)
Finding of self-control (finding)
Anxiety disorder of childhood OR adolescence (disorder)
Regression through enacting (finding)
Codependency (finding)
Primary delusions (finding)
Hepatic coma due to acute hepatic failure (disorder)
Has no stratagem to control drinking (finding)
Giving away property (finding)
Obsessive compulsive disorder caused by synthetic cathinone (disorder)
Anticipatory anxiety, moderate (finding)
Unable to remember sounds (finding)
Global Deterioration Scale level 7 - very severe cognitive decline (finding)
Basic learning problem in language (finding)
Psychologically abused parent (finding)
Fear of transport (finding)
Finding of eating pattern (finding)
Character trait finding of impulse control (finding)
Victim of consistent negative messages (finding)
No longer sexually active (finding)
Behavior showing reduced motor activity (finding)
Subcortical leukoencephalopathy (disorder)
Tends not to tolerate boredom (finding)
Schizoid character (finding)
Finding related to ability to make considered choices (finding)
Transient memory loss (finding)
Below average intellect (finding)
Conflicting attitude towards medication management (finding)
Sexual neglect (finding)

Uses moist tobacco daily (finding)
Sexual maladjustment (finding)
Folie à trois (finding)
Lack of libido (finding)
Unable to process information (finding)
Bradyphrenia (finding)
Reduced concentration span (finding)
Fear associated with illness and body function (finding)
Maladaptive personality trait (finding)
Violence between parents (finding)
Failed attempt to stop smoking (finding)
Does not understand own emotions (finding)
Excessively proud character (finding)
Able to adjust to work situation (finding)
Aerobic exercise five times a week (finding)
Manual penile stimulation (finding)
Noncompliance with medication regimen (finding)
Generalized social phobia (disorder)
Lack of awareness (finding)
Delusion of grandiose ability (finding)
Compulsive video gaming (finding)
Neglected parents (finding)
Pushing other person (finding)
Douching used as protection for sex (finding)
Craving for particular drink (finding)
Always eating (finding)
Hitting self (finding)
Feeling a failure (finding)
Finding of attitude (finding)
Abnormal illness behavior (finding)
Compulsive washing (finding)
Pedophilia (disorder)
Domestic nudity (finding)
Finding related to ability to recall five digit number at five minutes (finding)
Fragile self-esteem (finding)
Anxiety about losing control of bowels (finding)
Malicious damage (finding)
Battered woman syndrome (finding)
Caregiver aware of patient's feelings about dying (finding)
Grabbing hold of other person (finding)
Unable to recognize surroundings (finding)
Psychotic symptom present (finding)
Adjustment disorder with mixed anxiety and depressed mood (disorder)
Good quality of life (finding)
Denied opportunity to make informed choices (finding)
Engages in sexual activity outside marriage (finding)
Restlessness (finding)
Panic disorder with agoraphobia AND severe panic attacks (disorder)
Adapting to loss following bereavement (finding)
Finding of initiative (finding)

Repetitive flapping movements (finding)
Acute vestibular syndrome (disorder)
Burning self (finding)
Brother-sister sex play (finding)
Altered behavior (finding)
Anxiety disorder caused by dissociative drug (disorder)
Feeling lost (finding)
Increased need for rest (finding)
Anxiety about becoming fat (finding)
Ready for enhanced comfort (finding)
Anxiety state (finding)
Tongue chewing (finding)
Uncertain behavior (finding)
Memory: own date of birth known (finding)
Basic learning problem in speaking (finding)
Suspicion (finding)
Goaded (finding)
Wanders at night (finding)
Eats between meals (finding)
Showing emotion (finding)
Convicted of drunk driving (finding)
Finding related to ability to remember name of reigning monarch (finding)
Fear of cancer of urinary system (finding)
Referential thoughts (finding)
Character trait finding of sadistic tendency (finding)
Frankl behavioral rating negative (finding)
Battered baby AND/OR child syndrome (finding)
Finding related to awareness of rules and boundaries (finding)
Mood-incongruent hallucination (finding)
Oppositional defiant disorder co-occurrent with chronic irritability-anger with n
Physical activity finding (finding)
Able to remember own age (finding)
Pervasive developmental disorder with disorder of intellectual development an
Parent-child problem (finding)
Appears naked in public (finding)
Able to adhere to rules and boundaries (finding)
Delusion of depersonalization (finding)
Inadequate sleep hygiene (finding)
Anhedonia (finding)
Admitted tobacco consumption possibly untrue (finding)
Enmeshed attachment (finding)
Environmental transference (finding)
Habitual promiscuity (finding)
Institutionalized (finding)
Symptoms of cognitive functions and consciousness (finding)
Difficulty with prenatal rest pattern (finding)
Dementia due to primary malignant neoplasm of brain (disorder)
Dementia caused by toxin (disorder)
Does not want an advocate (finding)
Pedophilia targeting children of male sex (disorder)

Non-compliant behavior (finding)
Fatuous thoughts (finding)
Tends to abandon tasks (finding)
Compulsion to act on dangerous thoughts (finding)
Irrational thoughts (finding)
Did not wait for treatment (finding)
Ponophobia (finding)
Fairly heavy drinker (finding)
Memory: own age known (finding)
Playing loud music - antisocial behavior (finding)
Cannibalism (finding)
Decreased withdrawn behavior (finding)
Victim of sexual aggression (finding)
Manic symptoms co-occurrent and due to primary psychotic disorder (disorder)
Tension (finding)
Falsification (finding)
Asymptomatic occlusion of basilar artery (disorder)
Excessive feelings of mental efficiency (finding)
Poor long-term memory (finding)
Neonatal hypokinesia (disorder)
Dizziness of unknown cause (finding)
Severe vertigo, acute onset (finding)
Fear of neurological disease (finding)
Incomplete masturbation (finding)
Introjection - mental defense mechanism (finding)
Refusing food (finding)
Salience of drink-related activities (finding)
Repetitive complex twisting movements of fingers (finding)
Found wandering the streets (finding)
Clinging to special objects - stereotyped routine (finding)
Panic disorder without agoraphobia with panic attacks in partial remission (disorder)
Able to remember day of the week (finding)
Able to parent effectively (finding)
Psychogenic skin disease (disorder)
Victim of abuse (finding)
Dementia of frontal lobe type (disorder)
Victim of physical abuse (finding)
Disturbance in judgement (finding)
Sexual inhibition (finding)
Subdural hemorrhage following injury with open intracranial wound AND loss of consciousness (disorder)
Suffocating other person through smothering (finding)
Deficient knowledge of preconception health practices (finding)
Female deep pain on intercourse (finding)
Finding related to ability to control emotions (finding)
Heterosexual relationship (finding)
Psychogenic fatigue (finding)
Venal concubinage (finding)
Banging own head against own body parts (finding)
Stealing from work (finding)
Episodic recurrent vertigo (disorder)

Prefers to co-operate with one point of contact (finding)
Aggressive non-smoker (finding)
Able to comply with treatment (finding)
Hallucinosi s (finding)
Social phobia, fear of public washing (disorder)
Circumstantial infidelity (finding)
Optimistic character (finding)
Unable to stop drinking before intoxication (finding)
Chain smoker (finding)
Compliant character (finding)
Agoraphobia without history of panic disorder (disorder)
Mental health problem (finding)
Altruism - mental defense mechanism (finding)
Acenesthesia (finding)
Chronic confusion (finding)
Demanding behavior (finding)
Generalized anxiety disorder (disorder)
Behavior involving feces (finding)
Thoughts of physical assault (finding)
Presenile dementia with delirium (disorder)
Rebound mood swings (finding)
Fears delivery procedure (finding)
Difficulty coming to terms with altered body image (finding)
Spouse inattentive (finding)
Comments on own writing (finding)
Fear of having a heart attack (finding)
Sexual abuse complicating pregnancy (finding)
Relationship problems (finding)
Emotionally cool character (finding)
Libido control (finding)
Neurocognitive disorder (disorder)
Enucleation of own eyes (finding)
Anxiety hysteria (finding)
Formed hallucinations of insects (finding)
Delayed posttraumatic stress disorder following military combat (disorder)
Relationship distress with spouse or intimate partner (finding)
Finding related to ability to sleep (finding)
Hind brain laceration with open intracranial wound and loss of consciousness (c
Globus abdominalis (disorder)
Finding of number of current sexual partners (finding)
Bereavement due to life event (finding)
Feels life is meaningless (finding)
Self-mutilation of ears (finding)
Anal psychosexual phase (finding)
Misused drugs in past (finding)
Pressure of thought (finding)
Well female adolescent (finding)
Breakup of romance (finding)
Dissociative hallucinations (finding)
Fear of lifts (finding)

Destructive behavior (finding)
Has delayed recall (finding)
Hysterical amnesia (finding)
Drinks alcohol daily (finding)
Digit span reverse (finding)
Tends to be intolerant of frustration (finding)
Does acculturate (finding)
Frequency-intensity-time-type activity level 4; 12 or more occasions of a mix of
Avoidance behavior (finding)
Adult dyssocial behavior (finding)
Difficulty complying with treatment (finding)
Malingerer (finding)
Ex-very heavy drinker - greater than 9 units/day (finding)
Predisposed to startle (finding)
Hallucinations of music (finding)
Family conflict (finding)
Habitual drinker (finding)
Repetitive rocking movements (finding)
Psychogenic endocrine malfunction (disorder)
Drug therapy compliance observations (finding)
Able to write messages (finding)
Risk of suicide decreased (finding)
Finding of eroticism (finding)
Emotionally warm (finding)
Arteriosclerotic dementia with delirium (disorder)
Basilar migraine (disorder)
Complies with therapeutic regimen (finding)
Anxiety disorder due to a general medical condition (disorder)
Unprotected sexual intercourse (finding)
Nonspecific paroxysmal spell (finding)
Abstinent from drug misuse (finding)
Alcohol hallucinosis (disorder)
Irresistible craving for drugs (finding)
Sleep related hallucinations (finding)
Frequency-intensity-time-type activity level 3; 12 or more occasions of a moder
Visuospatial agnosia (finding)
Finding relating to complex and social behaviors (finding)
Inappropriate behavior for age (finding)
Sharpened memory for remote events (finding)
General well-being finding (finding)
Hypnagogic hallucinations (finding)
Drinks in licensed premises (finding)
Anxiety about altered body image (finding)
Wooziness (finding)
Fear of ghosts (finding)
Vertigo on awakening (finding)
Passivity of affect (finding)
Ill-at-ease (finding)
Companion sex play (finding)
Unable to read (finding)

Ménage à trois (finding)
Tends not to work hard (finding)
Neglect of clothes (finding)
Finding related to ability to control drinking (finding)
Cruising (finding)
Hears mocking voices (finding)
Disruption of balance between family payload and capacity (finding)
Adult victim of emotional abuse (finding)
Fregoli syndrome (finding)
Boasting (finding)
Persistent depressive disorder (disorder)
Unable to control behavior (finding)
Finding related to ability to recognize self (finding)
Disturbance of memory for order of events (finding)
Aerobic exercise once a week (finding)
Type B behavior pattern (finding)
Cannot sleep at all (finding)
Spiritual beliefs conflicting with healthcare plan (finding)
Altered behavior in dementia due to Huntington chorea (disorder)
Abnormal female sexual function (finding)
Problem behavior (finding)
Able to remember past events (finding)
Suppression - mental defense mechanism (finding)
Unpredictable in mood (finding)
Frequency-intensity-time-type activity level 1 (finding)
Able to understand single word instructions (finding)
Legally incompetent to make decisions (finding)
Psychodynamic finding (finding)
Overvalued idea (finding)
Does not recognize self in mirror (finding)
Tobacco smoking consumption unknown (finding)
Patient feels well (finding)
Attends to adults' choice of activity (finding)
Jaw jutting (finding)
Deficient knowledge of pregnancy (finding)
Akatamathesia (finding)
Average worker - character trait (finding)
Compliant with peritoneal dialysis prescription (finding)
Moderate smoker (20 or less per day) (finding)
Multiple somatic complaints (finding)
Able to sleep (finding)
Low ego strength (finding)
Shell shock (disorder)
Precontemplation stage for readiness to change nutrition behavior (finding)
Recreational drug user (finding)
Demonstrates knowledge of parenting (finding)
Depressive position relationship (finding)
Vertigo, acute onset with vomiting and inability to stand (finding)
Difficulty coping with pain (finding)
Post-cardiorespiratory arrest coma (disorder)

Impaired ability to learn new material (finding)
Parental role conflict (finding)
Gets little exercise (finding)
Non-drinker for personal reasons (finding)
Altered perception (finding)
Finding of amount of thought (finding)
Social disinhibition (finding)
Delirious (finding)
Sedated (finding)
Social maladjustment (finding)
Finding related to ability to recognize own fingers (finding)
Obsessional doubts (finding)
Psychogenic hiccough (finding)
Sexually active with transgender person (finding)
Reappearance of old thoughts (finding)
Cottaging (finding)
Presenile dementia associated with acquired immunodeficiency syndrome (disorder)
Demonstrates knowledge of alcohol abuse (finding)
Is informed (finding)
Unable to direct attention (finding)
Coma in the newborn (disorder)
First relationship (finding)
Highly suggestible (finding)
Abnormal ability to understand (finding)
Elderly vasovagal syndrome (finding)
Functional hallucinations (finding)
Impaired attitude to nutritional status (finding)
Finding of digit span performance (finding)
Increased libido (finding)
Mutual masturbation (finding)
Victim of physical violence (finding)
Nose-picking (finding)
Aimless movement (finding)
Well male child (finding)
Victim of bio-terrorism (finding)
Character trait finding of self-consciousness (finding)
Global Deterioration Scale level 6 - severe cognitive decline (finding)
Noncompliance with fluid volume management (finding)
Social isolation in parenthood (finding)
Catatonia caused by psychoactive substance (finding)
Positional vertigo (finding)
Patient concerned about eyesight (finding)
Fear of losing control of bowels (finding)
Positive attitude (finding)
Loss of interest (finding)
Fear of wetting self (finding)
Apathetic behavior due to dementia (finding)
Emotional relationship (finding)
Presenile dementia with depression (disorder)
Cognitive changes due to organic disorder (finding)

Verbalizes essential medication characteristics (finding)
Indifference (finding)
Difficulty problem solving without conflict (finding)
Conflicting attitude towards care (finding)
Impaired parenting (finding)
Gouging own eyes (finding)
Familial Alzheimer's disease of early onset (disorder)
Finding of thought content (finding)
Currently not sexually active (finding)
Reduced level of decisional conflict (finding)
Vertigo preceded by chewing (finding)
Gustatory hallucinations (finding)
Pattern of absenteeism from previous employment (finding)
Child victim of physical abuse (finding)
Finding of food aversion and cravings (finding)
Physical addiction (finding)
Perceptual disturbances and seizures co-occurrent and due to hypnotic withdrawal
Difficulty expressing intimacy (finding)
Reduced libido (finding)
Traumatic brain injury with more than 24 hours loss of consciousness with return
Neglect of dental care (finding)
Drowning self (finding)
Chews tobacco (finding)
Adult victim of non-domestic sexual abuse (finding)
Anxiety disorder in mother complicating childbirth (disorder)
Anxiety about treatment (finding)
Repetitive spinning of objects (finding)
Believes television is bugged (finding)
Pornographic stimulation (finding)
Pseudohomosexual state (finding)
Difficulty telling the time (finding)
Bonding problems (finding)
Mildly abnormal behavior (finding)
Negativism in catatonia (finding)
Fear of eating in public (finding)
Sexual relationship problem due to sexual orientation confusion (finding)
Penetrative sexual activity (finding)
Secondary reinforcement of behavior (finding)
Hanging self (finding)
Panic disorder with agoraphobia, severe agoraphobic avoidance AND moderate
Unrealistic dental phobia (finding)
Drinks at hotels (finding)
Episode of depression (finding)
Minor memory lapses (finding)
Disorientated in time (finding)
Monomania (finding)
Psychodynamic relationship finding (finding)
Unable to understand own emotions (finding)
Finding relating to grieving and mourning (finding)
Demonstrates knowledge of fluid regime (finding)

Misuses drugs sublingually (finding)
Occasional tobacco smoker (finding)
Conflict avoiding behavior (finding)
Verbalizes discharge instructions regarding activity plan (finding)
Exertional dizziness (finding)
Late onset Huntington's disease (disorder)
Neglect of left side of body (finding)
Regression through acting in (finding)
Autistic thinking (finding)
Finding related to ability to recognize surroundings (finding)
Preoccupation with ruin (finding)
Acute panic state due to acute stress reaction (disorder)
Difficulty processing information at normal speed (finding)
Anxiety about having a heart attack (finding)
Huntington's chorea (disorder)
Adolescent behavior alteration (finding)
Fear of nutritional disease (finding)
No complaints (finding)
Fear of respiratory disease (finding)
Cooperative mental state (finding)
Preoccupation of thought (finding)
Numbness of upper limb (finding)
Fear of natural phenomena (finding)
Frequency-intensity-time-type activity level 5 (finding)
Light drinker - 1-2u/day (finding)
Threatening behavior (finding)
Sense of entitlement (finding)
Normal behavior (finding)
Vertigo associated with recent change in eyeglasses (finding)
Chronic low self-esteem (finding)
Pornographic fantasy (finding)
Ego-syntonic sexual orientation (finding)
Cognitive disorder due to psychosocial stressors (disorder)
Passivity of volitional acts (finding)
Hypomanic mood (finding)
Fear of awareness under general anesthetic (finding)
Pays fleeting attention (finding)
Compliance with suggested dental care (finding)
Believes phones are bugged (finding)
Disruptive vocalization due to brain disease (finding)
Despair stage of grief (finding)
Sexual recrudescence in elderly male (finding)
Toxicophobia (finding)
Increased emotional excitability (finding)
Undoing - mental defense mechanism (finding)
Finding relating to sexual activity (finding)
Husband committed adultery (finding)
Mood-congruent delusion (finding)
Scratches self (finding)
Altered mental status (finding)

Exposing self in public (finding)
Dementia due to deficiency of folic acid (disorder)
Unconscious (finding)
Disorganized thinking (finding)
Unclassified personality trait (finding)
Separation anxiety (disorder)
Fully conscious (finding)
Dysfunctional coping using self defense mechanisms (finding)
Aversion to particular drink (finding)
Asymptomatic prostatitis (disorder)
Flat affect (finding)
Physical condition, moderate psychological component (finding)
Overeating (finding)
Buying drugs (finding)
Primary degenerative dementia of the Alzheimer type, presenile onset, uncom
Poly-drug misuser (finding)
Perioral numbness (finding)
Offensive aggression (finding)
Sexual relationship problem due to gender identity confusion (finding)
Residual cognitive deficit as late effect of cerebrovascular accident (disorder)
Psychotic symptom finding (finding)
Psychogenic loss of appetite (finding)
Amnesia (finding)
Anxiety disorder caused by synthetic cathinone (disorder)
Lip licking (finding)
Dementia due to carbon monoxide poisoning (disorder)
Cocaine-induced anxiety disorder (disorder)
Cutting other person (finding)
Psychotic disorder with hallucinations caused by stimulant (disorder)
Cross-dressing (finding)
Loss of judgement (finding)
Habitual drug user (finding)
Sedentary lifestyle (finding)
Never used electronic cigarette (finding)
Difficulty comprehending language (finding)
Isolated number skills (finding)
Solitary stealing (finding)
Senile dementia of the Lewy body type (disorder)
Sleeptalking (finding)
Psychomotor agitation (finding)
Separation anxiety disorder of childhood (disorder)
Absences (finding)
Self-confidence finding (finding)
Loss of body image (finding)
Disturbance in role performance (finding)
Fear of birds (finding)
Preoccupied with emotional problems (finding)
Severe cognitive impairment (finding)
Sluggish thought (finding)
Able to find way around work environment (finding)

Able to remember motor skills (finding)
Penetration without ejaculation (finding)
Personality trait causing social impairment (finding)
Amyotrophic lateral sclerosis, parkinsonism, dementia complex (disorder)
Lewy body dementia with behavioral disturbance (disorder)
Structure of associations (finding)
Punching other person (finding)
Sleep behavior finding (finding)
Morbid thoughts (finding)
Fear of breast cancer (finding)
Disinhibited behavior due to dementia (disorder)
Brief loss of consciousness (finding)
Current drug user (finding)
Does not understand verbal language (finding)
Manic mood (finding)
Delusion of grandiose identity (finding)
Elation (finding)
Psychogenic adductor spastic dysphonia (disorder)
Good compliance with inhaler (finding)
Feeling bad (finding)
Changed perception of things (finding)
Unsocialized aggressive reaction of childhood (finding)
Fear of contagion (finding)
Exposed to tobacco smoke at home (finding)
Finding relating to grief and dying (finding)
Difficulty following prenatal exercise routine (finding)
Finding of problem solving (finding)
Delusion of special mission (finding)
Burping in public (finding)
Autoscopic hallucination (finding)
Victim of abusive sexual relationship with wife (finding)
Difficulty getting up after drinking (finding)
Character trait finding of level of optimism (finding)
Death anxiety (finding)
Cultural barrier impedes ability to use community resources (finding)
Electronic cigarette user (finding)
Able to process information (finding)
Able to understand three word instructions (finding)
Hallucinatory neuralgia (finding)
Vertigo as sequela of cerebrovascular disease (disorder)
Intracranial hemorrhage following injury with prolonged loss of consciousness
Sexualized behavior (finding)
Dementia due to and following injury of head (disorder)
Simulation of physical illness (finding)
Craving for particular food (finding)
Objects seem unreal (finding)
Repetitive chin tapping (finding)
Finding of memory for important person (finding)
Patchy dementia (disorder)
Finding of cognitive style (finding)

Incongruent personal schedules (finding)
Drinking takes priority over social obligations (finding)
Demonstrates knowledge of who to contact in medical emergency (finding)
Impaired environmental interpretation syndrome (finding)
Uses needle exchange scheme (finding)
Virgin (finding)
Knows partner's method of contraception (finding)
Cheerful mood (finding)
Resistance to changes in patterns of activity (finding)
Panic disorder with agoraphobia AND panic attacks in full remission (disorder)
Oriented to person, time and place (finding)
Emotional problems (finding)
Never chewed tobacco (finding)
Temporary loss of memory (finding)
Tends to manipulate others (finding)
Able to find way around school environment (finding)
Basic learning problem in arithmetic (finding)
Wears nightwear under daywear (finding)
Language barrier impedes ability to use community resources (finding)
Breaking wind in public (finding)
Normal sexual behavior (finding)
Alcohol induced hallucinations (finding)
Anterograde amnesia (finding)
Heightened visual perception (finding)
Talks about problem (finding)
Manipulative behavior (finding)
Rebellious character (finding)
Emotionally deprived (finding)
Finding related to ability to remember motor skills (finding)
Racially abusive behavior (finding)
Difficulty using visuospatial reasoning (finding)
Hyperacusis of bilateral ears (disorder)
Fear of going crazy (finding)
Uses stratagems to control drinking (finding)
Does not understand one part instructions (finding)
Drug habit takes priority over social obligations (finding)
Asymptomatic proteinuria (finding)
Positive attitude towards care (finding)
Difficulty following instructions (finding)
Absence of motivation (finding)
Exhilaration (finding)
Emotional impulsivity (finding)
Traumatic brain injury with moderate loss of consciousness (disorder)
Fussy toddler (finding)
Positive symptoms co-occurrent and due to primary psychotic disorder (disorder)
Demonstrates knowledge of diagnostic testing (finding)
Unable to adhere to rules and boundaries (finding)
Intolerant ex-smoker (finding)
Torture (finding)
Noncompliance with infection control regimen (finding)

Insecurity (finding)
Psychogenic vertigo (finding)
Performs low impact stretching (finding)
Poor grasp of abstract concepts (finding)
Sociable character (finding)
Intent of deliberate self harm with detailed plans (finding)
No longer reaches orgasm (finding)
Symptoms and signs involving appearance and behavior (finding)
Biting own fingers (finding)
Feeling guilt (finding)
Ex-smoker for less than 1 year (finding)
Patient character (finding)
Mentally vague (finding)
Senile dementia with psychosis (disorder)
Fear of problem after anesthetic (finding)
Difficulty understanding two word instructions (finding)
Dissociative olfactory hallucinations (finding)
Finding relating to autonomy and empowerment (finding)
Autotopagnosia (finding)
Able to demonstrate health literacy (finding)
Acculturation difficulty (finding)
Amnesia for recent events (finding)
Hypermnnesia (finding)
Finding of memory for present time (finding)
Abusive emotional relationship with wife (finding)
Global deterioration scale finding for assessment of primary degenerative dem
Perceptual disturbances co-occurrent and due to sedative withdrawal (disorder)
Diminished erotic interest (finding)
Feeling physically tense (finding)
Hyperosmolar coma due to type 1 diabetes mellitus (disorder)
Obsessional thoughts of fire (finding)
Expresses self through style of dress (finding)
Character trait finding of level of sociability (finding)
Swearing (finding)
Unable to comply with treatment (finding)
Demonstrates knowledge of pain management (finding)
Worried about being a bad mother (finding)
Well female adult (finding)
Coping stress tolerance finding (finding)
Fear of water (finding)
Able to comprehend written material (finding)
Arrogant character (finding)
Decrease in level of disorientation (finding)
Finding related to ability to tell the time (finding)
Lack of stimulation (finding)
Third person verbal auditory hallucinations (finding)
Feeling high (finding)
Self efficacy (finding)
Drinks with family (finding)
Scenic visual hallucinations (finding)

Over-affectionate (finding)
Ex-trivial cigarette smoker (<1/day) (finding)
Self destructive behavior (finding)
Use of steroids (finding)
Wears unlaundered clothes (finding)
Hyperacusis of left ear (disorder)
Tends to tolerate boredom (finding)
Olfactory reference disorder (disorder)
Cross-generation sex partner (finding)
Difficulty controlling emotions (finding)
Female hypererotism (finding)
Misused volatile solvents in past (finding)
Hyposensitivity (finding)
Amateur boxer (finding)
Repression through denial (finding)
Chews twist tobacco (finding)
Asymptomatic occlusion of intracranial carotid artery (disorder)
Nyctophobia (finding)
Dizziness and giddiness (finding)
Panic disorder with agoraphobia AND panic attacks in partial remission (disorder)
Looks ill (finding)
Unhealthy alcohol drinking behavior (finding)
Unable to recall five digit number at five minutes (finding)
Agoraphobia without history of panic disorder without limited symptom attack
Psychophysiologic speech and language disorder (disorder)
Uncontrollable sexual urge (finding)
Psychogenic dyskinesia (finding)
Demonstrates knowledge of nutritional requirements related to operative procedure
Litigious character (finding)
Screws up face (finding)
Substance misuse increased (finding)
Occupation-related stress disorder (disorder)
Fear of falling while mobilizing (finding)
Disturbance in affect (finding)
Able to prevent undesirable behavior (finding)
Curious character (finding)
Expected bereavement due to life event (finding)
Anxiety about loss of memory (finding)
Intense sexual enjoyment (finding)
Fast flow of thought (finding)
Anxiety about behavior or performance (finding)
Deficient knowledge of parenting (finding)
Uncompensated short term memory deficit (finding)
Tangential thinking (finding)
Feelings of superiority (finding)
Finding of capacity for enjoyment (finding)
Hang-glider (finding)
Non sequiturs (finding)
Mussitation (finding)
Tends to allow anger to build up (finding)

Abstinent from drug misuse on maintenance replacement (finding)
Easily upset (finding)
Dementia associated with cerebral lipidosis (disorder)
State of erotic tension (finding)
User of smokeless tobacco (finding)
Eating own flesh (finding)
Hypothermic coma (disorder)
Ex-user of moist powdered tobacco (finding)
Silent myocardial ischemia (disorder)
Finding of habit involving hair (finding)
Muzzy headed (finding)
Does not comprehend written material (finding)
Difficulty following postpartum exercise routine (finding)
Eats irregularly (finding)
Groin injector (finding)
Uncontrolled behavior (finding)
Psychological finding of perception (finding)
Self-esteem disturbance (finding)
Palinesthesia (finding)
Well female newborn (finding)
Difficulty using verbal reasoning (finding)
Negative transference (finding)
Mechanical penile stimulation (finding)
Recognizes self (finding)
Verbally abusive behavior (finding)
Loss of motivation (finding)
Role change (finding)
Preparation stage for readiness to change nutrition behavior (finding)
Nosophobia (finding)
Dominating behavior (finding)
Difficulty in coping in new situations (finding)
Fear of choking (finding)
Demonstrates knowledge of drug abuse (finding)
Decreased level of relocation stress (finding)
Adult victim of physical abuse (finding)
Stress reaction causing mixed disturbance of emotion and conduct (disorder)
Sublimation - mental defense mechanism (finding)
Hepatic coma due to viral hepatitis D (disorder)
Able to reason (finding)
Finding relating to rules and boundaries (finding)
Moderate cigarette smoker (10-19 cigs/day) (finding)
Finding related to ability to recognize faces (finding)
Fidgeting (finding)
Character trait finding of self-sufficiency (finding)
Obsessive compulsive disorder caused by stimulant (disorder)
Repression - mental defense mechanism (finding)
Denial about illness severity (finding)
Crack cocaine misuse (finding)
Abusive sexual relationship with wife (finding)
Outbursts of anger (finding)

Deficient knowledge of pain management (finding)
Moderate duration loss of consciousness (finding)
Unable to recognize sounds (finding)
Exercise above recommended level (finding)
Memory: address recall success (finding)
Normal emotional state (finding)
Overgeneralization (finding)
Finding related to ability to remember today's date (finding)
Dementia in remission (disorder)
Sexual dysfunction due to obstetric fistula (finding)
Anal penetration using finger (finding)
Smokes drugs (finding)
Stabbing self (finding)
Hyperosmolar coma due to drug induced diabetes mellitus (disorder)
Physical activity target strenuous exercise (finding)
Depressive delusion of poverty (finding)
Tends to be excessively self-sufficient (finding)
Sadism (finding)
Non-erotic stimulus (finding)
Deficient knowledge of disease process (finding)
Unable to recognize odors (finding)
Irreverent behavior (finding)
Talks about the past (finding)
Delusion associated with smell (finding)
Drugs - total non-compliance (finding)
Anxiety about choking (finding)
Trying to give up smoking (finding)
Inappropriate singing (finding)
Catatonic posturing (finding)
Unfamiliar with process for obtaining community services (finding)
Interpersonal relationship finding (finding)
Dementia due to Parkinson's disease (disorder)
Social isolation (rejection) (finding)
Bereavement in remission (finding)
Able to remember objects (finding)
Homosexual (finding)
Guilty ideas of reference (finding)
Chronic post-traumatic stress disorder (disorder)
Finding of interaction with others (finding)
Finding related to ability to direct attention (finding)
Limited social contact (finding)
Memory: present month known (finding)
Finding relating to advocacy (finding)
Nicotine user (finding)
Health seeking behavior alteration (finding)
Aerophobia (finding)
Combat fatigue (disorder)
Disturbance in suggestibility (finding)
Craving for alcohol (finding)
Panic disorder with agoraphobia, moderate agoraphobic avoidance AND severe

Finding of emotional adjustment (finding)
Physical activity target light exercise (finding)
Flapping movements of hands (finding)
Finding of verbal short-term memory performance (finding)
Able to be hopeful for future (finding)
Fluctuation of level of consciousness (finding)
Emotional bullying (finding)
Fear of writing in public (finding)
Hyperesthesia of special senses (finding)
Able to make decision on safe entry of visitors (finding)
Unable to abstain from drinking (finding)
Current non smoker but past smoking history unknown (finding)
Loss of affect (finding)
Omnipotence - mental defense mechanism (finding)
Perception that things appear flat (finding)
Somatosensory agnosia (finding)
Pervasive developmental disorder with disorder of intellectual development with
Orientated (finding)
Running away (finding)
Obscene thoughts (finding)
Adjunctive behavior (finding)
Vertigo as late effect of stroke (disorder)
Avoidant disorder of childhood OR adolescence (disorder)
Vaginal penetration using tongue (finding)
Changed perception of time (finding)
Shooting other person (finding)
Able to remember name of reigning monarch (finding)
Personality change due to organic disorder (finding)
Throwing self in front of train (finding)
Abnormal unpleasant perception of strong scent (finding)
Finding of type of memories (finding)
Memory: present time known (finding)
Fear of having cancer of digestive system (finding)
Fear of hematological cancer (finding)
Disturbance of attention (finding)
Health seeking behavior (finding)
Hallucinations of bodily sensation (finding)
Picking own skin (finding)
Vaginal penetration using finger (finding)
Reverse tolerance to alcohol (finding)
Isolated memory skills (finding)
Delusional projection - mental defense mechanism (finding)
Schizophrenic reaction (finding)
Maternal concern (finding)
Single historical sexual partner (finding)
Punch drunk syndrome (disorder)
Fear of feathers (finding)
Displays ethical principles (finding)
Irritability and anger (finding)
Complies with fluid regime (finding)

Fear of enclosed spaces (finding)
Feeling agitated (finding)
Lightheadedness (finding)
Difficulty demonstrating health literacy (finding)
Finding of mental state: drive (finding)
Nipping other person (finding)
Dementia due to multiple sclerosis with altered behavior (disorder)
Anxiety disorder caused by drug (disorder)
Difficulty adapting after personal crisis (finding)
Effective family coping behavior (finding)
Coming to terms with loss (finding)
Vertiginous syndrome (disorder)
Unable to concentrate (finding)
Psychogenic sensory disturbance of skin (disorder)
Finding of verbal memory (finding)
Stealing from classmates (finding)
Feeling irritable (finding)
Limited food acceptance (finding)
Finding related to ability to remember own date of birth (finding)
Memory: important event known (finding)
Compulsive arrangement of objects (finding)
Finding related to ability to resist obsessional thoughts (finding)
Deficient knowledge of medication (finding)
Preoccupation with specific bodily feature (finding)
High risk homosexual behavior (finding)
Harmful oral hygiene habit (finding)
Primary degenerative dementia of the Alzheimer type, senile onset, with delusi
Food fads (finding)
Psychosexual identity disorder (disorder)
Neglect of affected side (finding)
Phobic fear of skin cancer (disorder)
Sexual value system confusion (finding)
Hyperirritability (finding)
Alcoholic binges exceeding sensible amounts (finding)
Symptoms of stress (finding)
Refusing solids (finding)
Unable to use decision making strategies (finding)
Unable to recognize warning sounds (finding)
Behavioral disturbance co-occurrent and due to late onset Alzheimer dementia
Body image finding (finding)
Panic disorder with agoraphobia, mild agoraphobic avoidance AND panic attack
Anxiety neurosis (finding)
Panic disorder without agoraphobia with moderate panic attacks (disorder)
Level of mood - normal (finding)
Psychosomatic factor in physical condition, marked psychological component (f
Drinks with business associates (finding)
Breaking own bones (finding)
Does not understand three word instructions (finding)
Finding of commitment to sexual relationship (finding)
Finding related to ability to find way around a familiar environment (finding)

More witty than usual (finding)
Post-traumatic amnesia (finding)
Difficulty comprehending concept of danger (finding)
Able to remember faces (finding)
Psychological resilience (finding)
Able to make decisions (finding)
Wanting to die (finding)
Changed perception of people (finding)
Finding of orientation of sexual relationship (finding)
Able to shift attention (finding)
Feeling despair (finding)
Voice disorder due to psychosexual conflict (disorder)
Deficient knowledge of labor and delivery (finding)
Memory: present place known (finding)
Anaerobic exercise once a week (finding)
Flexible character (finding)
Self-image finding (finding)
Acute vestibular syndrome due to anxiety and fear (disorder)
Mood swings (finding)
Exuberance (finding)
Unable to resist dangerous thoughts (finding)
Ready for enhanced communication (finding)
Seduction of male (finding)
Sexually attracted to female sex (finding)
Asymptomatic bacteriuria in pregnancy with postnatal complication (disorder)
Illusion of intermetamorphosis (finding)
Ex-moderate drinker - (3-6u/d) (finding)
Finding of level of neuroticism (finding)
Destructive behavior toward property (finding)
Able to remember places (finding)
Decline in Edinburgh postnatal depression scale score at 8 months (finding)
Finding relating to showing respect (finding)
Able to manage own wellbeing (finding)
Memory aided by use of diary (finding)
Anxiety about shaking (finding)
Psychologically abused woman (finding)
Resistance to change (finding)
Secondary tocophobia (finding)
Social behavior (finding)
Humor - mental defense mechanism (finding)
Ex-heavy cigarette smoker (20-39/day) (finding)
Sexual abuse complicating childbirth (finding)
Memory impairment (finding)
Obsessive compulsive disorder caused by cocaine (disorder)
Light cigarette smoker (finding)
Submissive behavior (finding)
Secondary psychotic syndrome with hallucinations and delusions (disorder)
Discipline problem (finding)
Habitual finger biting (finding)
Patterns appear interesting (finding)

Ineffective parenthood (finding)
Clenching teeth (finding)
Histrionic character (finding)
Unable to recognize parts of own body (finding)
Heightened olfactory perception (finding)
Demonstrates knowledge of disease process (finding)
Finding related to decision making (finding)
Character trait finding of affective stability (finding)
Finding of pattern of drinking through day (finding)
Hoarding (finding)
Cannot remember wedding anniversary (finding)
Flicking hands near eyes (finding)
Respects life (finding)
Subcortical vascular dementia (disorder)
Aerobic exercise three times a week (finding)
Occasional drug abuser (finding)
Dissociation - mental defense mechanism (finding)
Pseudofrigidity (finding)
Auto-erotism (finding)
Victim of excessive discipline (finding)
Disorder of form of thought (finding)
Uses needle and syringe exchange scheme (finding)
Healthcare knowledge finding (finding)
Difficulty understanding one part instructions (finding)
Fear of getting cancer (finding)
Intracranial hemorrhage following injury with loss of consciousness (disorder)
Prolonged high dose use of cannabis (finding)
Persistent orthostatic proteinuria (finding)
Tends to avoid group social interactions (finding)
Compulsive overt homosexual state (finding)
Clang associations (finding)
Pre-examination nerves (finding)
Bromisodrophobia (disorder)
Incoherent thinking (finding)
Tocophobia during non-pregnant state (finding)
Orthostatic proteinuria (finding)
Assumes new role (finding)
Coma due to malnutrition-related diabetes mellitus (disorder)
Micturition syncope (finding)
Finding of vulnerability to exploitation (finding)
Victim of emotional abuse (finding)
Tends to be preoccupied with order (finding)
Aware of rules and boundaries (finding)
Nipping self (finding)
Occasional cigarette smoker (finding)
Exercise grading (finding)
Able to recognize parts of own body (finding)
Finding of drug injection behavior (finding)
Argumentative behavior (finding)
Personality trait causing occupational functioning impairment (finding)

Vascular dementia without behavioral disturbance (disorder)
Syncope due to orthostatic hypotension (finding)
Finding of memory for own date of birth (finding)
Fear of skin disease (finding)
Autochthonous delusion (finding)
Generous character (finding)
Fear-related aggression (finding)
Deficient knowledge of behavior change process (finding)
Nocturnal vertigo (finding)
Neurocirculatory asthenia (disorder)
Grief finding (finding)
Panic disorder with agoraphobia, agoraphobic avoidance in partial remission AI
Uninformed (finding)
Psychogenic purpura (disorder)
Chronic sick (finding)
Depression worse in morning (finding)
Dementia associated with viral encephalitis (disorder)
Coma due to hypoglycemia (disorder)
Hypomanic behavior (finding)
Demonstrates knowledge of medication (finding)
Abusive emotional relationship with parents (finding)
Dominant attachment (finding)
Concussion with more than 24 hours loss of consciousness without return to pr
Dominated by professionals (finding)
Auditory agnosia (finding)
Adult victim of sexual abuse during military service (finding)
Carbohydrate craving (finding)
Noncompliance with therapeutic regimen (finding)
Over-anxious character (finding)
Pain in female genitalia on intercourse (finding)
Willing (finding)
Sensory aversion to particular foods (finding)
Automanipulatory vulvoclitoral habituation (finding)
Excessive craving for drugs (finding)
Poor visual sequential memory (finding)
Feeling upset (finding)
Schizoid relationship (finding)
Obsessional neurosis (disorder)
Sleep-related head banging (disorder)
Hysterical macropsia (disorder)
Fear of flying (finding)
Patient requests alternative treatment (finding)
Modest character (finding)
Intracranial hemorrhage following injury with open intracranial wound AND los
Ready for enhanced self-care (finding)
Loss of capacity for enjoyment (finding)
Cocaine user (finding)
Delusion of poverty (finding)
Word salad (finding)
Difficulty processing information accurately (finding)

Anal penetration by hand (finding)
Difficulty making decisions (finding)
Behavior positively reinforced (finding)
Senile dementia with paranoia (disorder)
Parasitophobia (finding)
Fantastic anecdotes (finding)
Cheerful personality (finding)
Diogenes syndrome (finding)
Decisive character (finding)
Posttraumatic stress disorder (disorder)
Feeling angry (finding)
Sexual licking (finding)
Anal penetration using tongue (finding)
Alternobaric vertigo (disorder)
Fails to recognize stages of grief (finding)
Finding relating to self-concept (finding)
Non-delusional perplexed mood (finding)
Memory deficit due to and following spontaneous subarachnoid hemorrhage (c
Fear of hospitals (finding)
Ketoacidotic coma due to type 1 diabetes mellitus (disorder)
Limited ability to think abstractly (finding)
Adult victim of sexual abuse (finding)
Feeling alienated (finding)
Unable to process information accurately (finding)
Sense of impending doom (finding)
Sensory distortion (finding)
Pen sucking (finding)
Depressed mood (finding)
Explosive character (finding)
Repressing painful memories (finding)
Feeling of loss of feeling (finding)
Fear of musculoskeletal disease (finding)
Clinging behavior (finding)
Memory function normal (finding)
Thoughts of arson (finding)
Cigar smoker (finding)
Learning difficulties (finding)
Forgets what has just said (finding)
Ready for enhanced self-concept (finding)
Moderate major depressive disorder co-occurrent with anxiety single episode (
Dementia associated with acquired immunodeficiency syndrome (disorder)
Overly assertive character (finding)
Distractibility (finding)
Dementia co-occurrent and due to progressive multifocal leukoencephalopathy
Compliance with prescribed diet (finding)
Victim of financial abuse (finding)
Intermittent vertigo (finding)
Loss of identity (finding)
Visual alteration (finding)
Deficient knowledge of breast feeding (finding)

Does comply with treatment (finding)
Asymptomatic carrier of hereditary factor VIII deficiency disease (finding)
Pyrophobia (finding)
Able to control anger (finding)
Psychotic denial - mental defense mechanism (finding)
Out of body experience (finding)
Addiction (finding)
Swallowing objects (finding)
Not wanting to think (finding)
Disturbed sensory perception (finding)
Extracampine hallucinations (finding)
Thinking about stopping smoking (finding)
Psychogenic urticaria (disorder)
Excess behavior (finding)
Fear of death (finding)
Overoptimism (finding)
Not involved in dealing with own monies (finding)
Obsessional thoughts of poisoning (finding)
Worried well (finding)
Syncope (finding)
Freudian phase of psychosexual development (finding)
Optimistic thoughts (finding)
Sniffs drugs (finding)
Sexual activity - weekly (finding)
Finding related to ability to recognize warning sounds (finding)
Stopped smoking during pregnancy (finding)
Interpretations of behavior finding (finding)
Tends to be self-conscious (finding)
Diffuse rigidity (finding)
Fear of being left alone during period of dependence (finding)
Insufficient intake of food and water co-occurrent and due to self neglect (finding)
Erotic behavior (finding)
Drinks in public places (finding)
Delusion of replacement of will by external force (finding)
Bisexual - predominantly heterosexual (finding)
Déjà pensé (finding)
Self-injurious behavior (finding)
Unable to recognize faces (finding)
Difficulty managing stress (finding)
Hallucinations of simple sounds (finding)
Demonstrates knowledge of psychosocial response to procedure (finding)
Acute situational disturbance (disorder)

Voorkeursterm
agnosie voor pijn
obstinaat karakter
voormalige probleemdrinker
parkdrinker
vaginale penetratie met object
psychische nood
dementie
ontbijt zelden
suïcidale gevoelens
organische angststoornis door psychoactief middel
seksueel actief met mannen
afgenomen onrust
geforceerd vastpakken
ongecomplieerde seniele dementie
vergeet wat hij/zij net heeft gelezen
probleem met omgaan ziekte van kind
bevinding betreffende aantal seksuele partners in verleden
intrusieve gedachten
slachtoffer van verkrachting
in staat om bekenden te herkennen
geremd seksueel verlangen
bevinding betreffende vermogen om woede onder controle te houden
ontucht
heeft neiging kritisch te zijn over anderen
suïcidepoging
schadelijk stemgebruik bij kind
verstoring van stemming
dementie bij normale drukhydrocefalie
emotioneel misbruik in relatie met echtgenoot
onlogisch denken
fencyclidinegeïnduceerde angststoornis
in staat om te geven en nemen
achterlopende immunisatie
drugszoekend gedrag
stoornis van geestelijke gezondheid
positieve overdracht
repetitief complex ronddraaien van objecten nabij ogen
hartelijk karakter
wordt suf
handmatige clitorale stimulatie
dyspareunie door niet-psychogene oorzaak bij vrouw
depersonalisatie
verdacht gedrag
snelle gedachten
bevinding betreffende mate van interesse
ongeduldig karakter
Alzheimer-dementie met gedragsveranderingen
partus gecompliceerd door psychologische mishandeling

compulsief kopen
breuk van persoonlijke relatie
drinkt bier en sterke drank
volwassen slachtoffer van lichamelijke mishandeling door mannelijke levenspartner
lijkt in trance te zijn
hunkering naar niet-eetbaar item
rookt dagelijks tabak
exaltatie
bevinding van persoonlijkheidstrek betreffende tolerantie voor verveling
onwaarheden vertellen
compulsief aanraken
misplaatst lachen
probleem met hechting tussen ouder/verzorger en kind
bevinding betreffende vermogen om zich maand van jaar te herinneren
heeft neiging psychologisch excessief onafhankelijk te zijn
rookt drugs in sigaret
spatiële desoriëntatie
humeurig
niet in staat emoties onder controle te houden
niet in staat om weg te vinden in bekende omgeving
passief-agressieve relatie
ex-gebruiker van snuiftabak
hypomane persoonlijkheidstrek
zuigen op vinger
niet-roker om medische redenen
hypesthesie van hand
psychische condensatie
elektracomplex
zichzelf elektrocuteren
langetermijngeheugenverlies
verandering in sociale interactie
gedomineerd door verzorger
bevinding betreffende vermogen om te schrijven
voelt zich ongelukkig
seksuele ontoereikendheid
transport vormt barrière voor gebruik van maatschappelijke voorzieningen
stress
bevinding van persoonlijkheidstrek betreffende inzet op werk
angst voor ongewenste reactie op medicatie
ketoacidotisch coma door diabetes mellitus type 2
therapietrouw aan inhalatorvoorschrift slecht
toont kennis over voeden van zuigeling
moeite met herkennen van gevolgen van seksueel gedrag
moeite met schrijven
orgasme zonder seksuele opwinding
misbruik van medicatie
afhankelijke hechting
dreigend met suïcide
heeft neiging tot gebrek aan nieuwsgierigheid
Alzheimer-dementie met depressieve stemming

slachtoffer van verwaarlozing
angst voor telefoneren
in staat om voorwerpen op zicht te herkennen
dissociatief-neurologisch-symptoomstoornis gelijktijdig met cognitieve symptomen
angst voor oorziekte
hypochondrische waan
bevinding betreffende drugsgebruik
skiër
subklinische cognitieve ontwikkelingsachterstand
asymptomatische infectie met humaan immunodeficiëntievirus tijdens zwangerschap
chronisch verdriet na levensgebeurtenis
behoefte doen in openbaar
obsessieve automutilatiegedachte
zwaait armen niet tijdens lopen
psychologisch mishandelde oudere
geluiden lijken onnatuurlijk helder
bevinding betreffende stabiliteit van stemming
hoogtevrees
eufore stemming
heeft neiging niet te leren van ongewenste ervaring
verstoring van associatiestructuur
organische hallucinose
indolent multipel myeloom
knijpt oog dicht
asymptomatische neurosyfilis
meegaand gedrag
pedofilie met seksuele aantrekking tot andere geslacht
in staat om eigen emotionele pijn en nood te herkennen
spanningsbehoefte
ontevreden met seksuele relatie
antisociaal gedrag door volwassene
misbruik van benzodiazepine
zorgen over flauwvallen
vrouwelijkheid
dementie door ziekte van Huntington
verbale auditieve hallucinatie in tweede persoon
psychotisch gedrag door alcohol voor consumptie
gevoel van agressie
eet regelmatig
intermitterende sufheid
bevinding betreffende hygiëne van materiaal voor injecteren van drugs
sodomie
patiënt ontkent drugsgebruik
psychogene syncope
score op vierpunts-gedragschaal van Frankl met zekerheid positief
slachtoffer van ontvoering
stelen op school
ongevoelige opmerkingen maken

verlies van zelfvertrouwen	
bevinding betreffende geestelijke alertheid	
bevinding betreffende vermogen tot interactie met anderen	
aandachtvragend gedrag	
richt aandacht niet	
niet in staat om drinken van alcohol onder controle te houden zodra begonnen	
conversie als mentaal afweermechanisme	
seksuele hypesthesie	
moeite met normale bezigheden uitvoeren door middelengebruik	
geheugen ondersteund door gebruik van lijstjes	
aanwijzing voor staken van drugsmisbruik	
hypesthesie van aangezicht	
waan bij seksuele hallucinatie	
hepatisch coma door acute hepatitis C	
mishandelend gedrag tegen dieren	
begrijpt geschreven materiaal	
euthymische stemming	
verkennen van seksualiteit tussen jongen en meisje	
gebrek aan denkvermogen	
verminderde emotionele reactie	
klaar voor verbetering van slaappatroon	
bevinding betreffende vermogen om gezichten op zicht te herkennen	
hallucinoses door medicatie en/of drugs	
bevinding betreffende hoeveelheid drinken van alcohol	
regressie door actualisatie	
vertigo	
leefstijl met risico op humaan immunodeficiëntievirus	
bevinding betreffende frequentie van seksuele activiteit	
gebruikt vingercondoom als beschermingsmiddel bij seks	
habituële masturbatie bij volwassene	
compulsief schoonmaken	
draagt onbetamelijke kleding	
recidiverende majeure depressieve stoornis gelijktijdig met angststoornis, beide volledig in remissie	
ongepaste uitscheiding	
pathologisch schuldgevoel	
ernstige recidiverende majeure depressieve stoornis gelijktijdig optredend met angststoornis	
chronische slaapdeprivatie	
tegen zichzelf keren als mentaal afweermechanisme	
asymptomatische occlusie van arterie	
hyperaffectiviteit	
houdt zich aan veiligheidsmaatregel	
zelfdramatisering	
centrale posturale vertigo	
conflicterende fasen van rouw onder familieleden	
moeite met emotionele verwerking van rouw	
angst voor hematologische ziekte	
in staat om instructie van twee stappen te begrijpen	
moeite met begrijpen van instructies van één woord	
rijden onder invloed van alcohol	

psychogene ruminatie
in staat om beredeneerde keuzes te maken
schenkt aandacht aan zelfgekozen activiteit
verdwalen
déjà entendu
toenemende seksuele bewustwording
kauwt producten met tabak
hyperactiviteit
bierdrinker
risicovol gedrag op gebied van gezondheid
overmatige euforie
geheugen: kan adres niet herinneren
draaiduizeligheid met oorsprong in hersenstam
geheugen: weet huidige maand niet
lichamelijke mishandeling van baby
bevinding betreffende geheugen voor huidige locatie
ex-roker van sigaretten
altijd in staat om voor kind te zorgen
niet in staat om helder te denken
dissociatief-neurologisch-symptoomstoornis gelijktijdig met duizeligheid
normale interesse in erotiek
kerven in eigen rectum
in staat om te beslissen welke informatie veilig via telefoon verstrekt kan worden
gebrek aan zelfvertrouwen
geweld tussen kind en ouder
vrees voor medische behandeling
bevinding betreffende communicatie met maatschappelijke voorzieningen
angst om naar buiten te gaan
anosodiaforie
abnormale hunkering naar medicatie en/of drugs
relationele frigiditeit
palikinesie
onvoldoende kennis van dieet
masturbatie
Alzheimer-dementie met wanen
in staat om eigen geboortedatum te herinneren
eenzaamheid
asymptomatische kolonisatie van huid door virulente en/of therapieresistente bacterie
suïcidaal gedrag
veranderd denkproces
urineren in openbaar
getuige van seksuele handeling van ouders
therapieontrouw met betrekking tot immunisatieregime
psychogene torticollis
verwaarlozing van lichamelijke gezondheid
seksueel misbruik in relatie met levenspartner
geïnteresseerd
probleem met discipline op school

hepatisch coma door subacuut leverfalen
haalt heden en verleden door elkaar
angst voor collaps
bevelshallucinatie
seksueel obscene gedachten
uremisch coma
collaps door asfyxie
psychische verslaving
in staat om naam van huidige minister-president te herinneren
excessieve lichaamsbeweging
geheugen: weet niet hoe laat het is
psychogene stoornis van urogenitaal stelsel
gewijzigd lichaamsbeeld
doel met betrekking tot fysieke activiteit is matige lichaamsbeweging
in staat om aandacht te verdelen
klinische functie
lichte roker (1 tot 9 sigaretten per dag)
manie als mentaal afweermechanisme
epidurale bloeding na letsel met open intracranieële wond en bewustzijnsverlies
niet enthousiast
bezorgd over voorkomen van mamma
angst over hebben van convulsie
medicatiegeïnduceerde vertigo
coma bij hypopituïtarisme
toont kennis van medicatiebeleid
asymptomatische occlusie van arteria cerebri media
niet in staat tot coping
niet in staat om ziekterol aan te nemen
moeite met postpartumveranderingen
doodsbang
niet in staat om voorwerpen te herinneren
verkeerd gebruik van amfetamine
vrijblijvende seksuele partner
ex-gebruiker van tabak
zware drinker - zeven tot negen eenheden per dag
verleiden van vrouw
plaatsen van objecten in rechte lijn als stereotiepe routine
verschuiving als mentaal afweermechanisme
intracranieel letsel met bewustzijnsverlies
hoge egosterkte
geven van kopstoot
raken van ander persoon
juvenile vorm van ziekte van Huntington
therapieontrouw van patiënt met schoeisel
ontevreden over aspect van oor
angst voor anesthesie
abnormaal gedrag
suïcidale uiting
patiënt begrijpt niet waarom alle medicatie wordt ingenomen
seizoensgebonden variatie in stemming

compulsief eetpatroon
niet in staat om geboortedatum van kind te herinneren
suïcide-intentie
reflectiefase van rouw
brede interesse
angst over instorten
voelt zich gestresst
niet in staat om te schrijven
herbeleven van traumatische herinnering
gebruiker van cafeïne
pessimistisch
in staat om voorwerpen op tast te herkennen
psychologisch mishandelde echtgenoot of echtgenote
bevinding betreffende vermogen om beslissingsstrategie te gebruiken
draagt saaie kleding
stil cerebraal infarct
aanpassing aan levensbedreigende ziekte
fausse reconnaissance
emotionele stress
gevoel van verlatenheid
rookt sigaretten
asymptomatische occlusie van extracraniële deel van arteria carotis
voor zwangerschap gestopt met roken
slachtoffer van kinderverwaarlozing
gebrek aan zelfbewustzijn
probleemgedrag bij kinderen
onopgelost onafhankelijkheid-afhankelijkheidsconflict
gedachten aan doodgaan
bijzonder efficiënt gebruik van geheugenstrategieën
angst voor besmetting met seksueel overdraagbare aandoening
labiele persoonlijkheidstrek
kussen in nek
variabiliteit in stemming
angstaanval
volwassen slachtoffer van mishandeling en/of misbruik
psychogene hoofdpijn
conflicterende fasen van rouw
ex-roker met onverdraagzame en agressieve houding ten opzichte van rokers
paniekstoornis met agorafobie en lichte paniekaanvallen en ernstig vermijden van agorafobische situaties
bevinding betreffende geheugen voor huidige maand
bevinding betreffende voorspelbaarheid van gedrag
organische amnesie voor taal
bevinding betreffende mentale toestand
heeft neiging ongeorganiseerd te zijn
valse herinnering
gemengde corticale en subcorticale vasculaire dementie
examenvrees
rookte voor bevestiging van zwangerschap
meer dan één jaar ex-gebruiker van elektronische sigaret
primitieve idealisatie als mentaal afweermechanisme

regressie door recapitulatie
verkeerd gebruik van antidepressivum
cognitieve taalstoornis
betrekkingswaan
trage gedachtestroom
seniele dementie
geïsoleerde vaardigheid met betrekking tot plannen
pedofilie beperkt tot incest
verhoogde prikkelbaarheid
psychosomatische musculoskeletale symptomen
cognitieve functiestoornis gelijktijdig met en door infectie met humaan immunodeficiëntievirus
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en volledige verstoring van func
selectief mutisme
habitueel bijten in hand
seksueel actief
bevinding betreffende vermogen om zich eigen leeftijd te herinneren
lage motivatie
bingedrinken dat veilige hoeveelheid overschrijdt
gebruikt positieve 'self-talk'
geniet van hebben van seks
toont kennis van proces van wondgenezing
irrationele angst voor hoge plaatsen
troosteten
zoekt geen hulp bij klacht die beoordeeld moet worden
sprong van klif
met moeite in staat om agressie onder controle te houden
paniekstoornis met agorafobie en matig vermijden van agorafobische situaties en paniekaanvallen in volled
rondzwerven
overmatige blootstelling aan seksuele prikkels
vertigo door druk op hals
dementie door blootstelling aan zware metalen
sensorische perceptie normaal
bevinding betreffende vermogen om zich gezichten te herinneren
suïcidaal
bevinding betreffende tabak kauwen
angst voor zweten
heeft gevoel dat alles futiel is
verzuim
ongepaste onthulling van informatie over zichzelf
bevinding betreffende seksuele partners
ernstige majeure depressieve stoornis gelijktijdig optredend met eenmalige episode van angststoornis
orale clitorale stimulatie
krijgt te weinig lichaamsbeweging
obsessieve gedachten over vuil
angst voor tremor
kent klachtenprocedure
postcommotioneel syndroom
verbetering in niveau van zelfbeheersing
draaierigheid
slachtoffer van harde discipline

katatone stupor
sociaal isolement van gezin
kerven in eigen lichaamsdeel
voelt zich onveilig in buurt
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand zonder verlies van eerder verworven gevoel hebben afgeremd te worden
geheugen: weet belangrijke gebeurtenis niet
toont kennis over onbetaald werk voor gemeenschap
niet-roker
gebrek aan psychologische veerkracht
misbruik van methadon
bevinding betreffende seksualiteit
mannelijke prostitutie
zich geïsoleerd voelen
benigne recurrenente vertigo
nagelbijten
seksueel geremd gedrag
maniërisme
wreed gedrag
drinkt alcohol met kennissen
angst om te lopen
angst voor blozen
aerobe lichaamsbeweging drie keer of vaker per week
situatievermijdingsgedrag
bevinding betreffende patroon van alcoholconsumptie gedurende week
moeite met acceptatie van gezondheidstoestand
kerven in ander persoon
volwassen slachtoffer van lichamelijke mishandeling door vrouwelijke levenspartner
niet in staat om zich gezichten te herinneren
gebrekkige gezinscoping
weglopen van school
zeer zware ex-roker van meer dan 40 sigaretten per dag
niet-organische duurzame persoonlijkheidsverandering
georganiseerd gedrag bij zuigeling
houdt zich aan regels en grenzen
gezonde baby
plant onuitvoerbare projecten
organische dementie door psychoactief middel
in staat om huidig jaartal te herinneren
onregelmatige tijdstippen van maaltijden
met moeite in staat om zich te houden aan zelfmonitoringregime
geheugen: weet huidige locatie niet
anaerobe lichaamsbeweging nul keer per week
ongevoelig karakter
perfectionistisch karakter
onvolwassen emotionele aanpassing
in staat om vrienden te maken
slachtoffer van seksueel misbruik
hallucinatie van pijn
motivatie normaal

teratofobie
klaar voor verbetering van management van behandelregime
waanherinnering
zwangerschap gecompliceerd door lichamelijke mishandeling
infectie door humaan immunodeficiëntievirus, World Health Organization 2007 stadium 1 gelijktijdig met tu
anderen op ongepaste wijze benaderen
repetitieve, complexe, draaiende bewegingen
in staat om rol van zieke aan te nemen
gebruikt fopspeen
angst voor controleverlies
aerobe lichaamsbeweging vier keer per week
tactiele hallucinatie
sniijdt zichzelf
gedragstekort
in staat om pijn in lichaamsdeel te herkennen
gezellig karakter
in staat om numeriek te redeneren
verminderde alcoholconsumptie
afwijkende fase in psychoseksuele ontwikkeling
paniekstoornis
gedrag negatief bekrachtigd
ontwikingsstoornis op kinderleeftijd
klaar voor verbetering van vochtbalans
stervende
moeite met logisch ordenen
zoekt geen routinezorg
bevinding betreffende onafhankelijkheid in denken
misbruik van intraveneus opioïd zonder afhankelijkheid
volgt dagelijks dezelfde drugsgerelateerde routine
psychogene obstipatie
incongruente persoonlijke waarden
gevaarlijke plannen
angstig karakter
non-compliantie met veiligheidsmaatregelen
persisterende dementie door sedativum, hypnoticum en/of anxiolyticum
in staat om aandacht vast te houden
altruïstisch karakter
geld weggeven
zwerft 's nachts en overdag rond
somatisch syndroom afwezig
tabaksmisbruik door moeder
tegenstrijdige houding ten opzichte van lichaamsbeweging
heeft gevoel dat eigen lichaam onwerkelijk is
vaginaal misbruik van drugs en/of medicatie
leefstijl
repetitief wrijven van lichaamsdelen
tijdelijke verstoring van familieprocessen
uitsmeren van ontlasting
hoopvol voor toekomst
essentiële vertigo

gedachteblokkade
stikstofnarcose
cardiale syncope
laceratie van hersenstam met bewustzijnsverlies
angststoornis door methyleendioxymethamfetamine
bevinding betreffende vermogen tot omgaan met pijn
georiënteerd in tijd
emotioneel ingehouden
hittesyndroom
pedofilie van niet-exclusieve type
heeft in afgelopen 12 maanden illegale drugs geïnjecteerd
multi-infarctdementie met delier
posttraumatische vertigo
onveilig seksueel contact
moeite met voorkomen van ongewenst gedrag
somatisch syndroom aanwezig
waan van onwaardigheid
neemt ziekterol aan
eidetisch geheugen
'proteïne kinase cAMP-dependent type I regulatory subunit beta'-gerelateerde neurodegeneratieve dementi
verandering in gedrag van oudere volwassene
probleem in relatie met stiefouder
fallische fase in psychoseksuele ontwikkeling
manisch gedrag
gezonde oudere vrouw
paniek
twee tot drie keer per week seksueel actief
inbrengen van lichaamsvreemd voorwerp in eigen lichaamsopeningen
automutilatiegedachte
erotisch gevoel
slachtoffer van fysiek geweld
moeite met verwerken van informatie
excessief gerichte aandacht
multi-infarctdementie met depressie
nederig karakter
waan van controle over stem
in staat om gegeneraliseerde pijn te begrijpen
in staat om helder te denken
moeite met onderhouden van relaties
langzame leerling
sociale 'outcast'
onzeker over seksuele oriëntatie
niet volledig helder denkend
eenvoudige hallucinatie
misbruik van vluchtig oplosmiddel
moeite met aangaan van relatie
bevinding betreffende rol- en relatiepatroon
angststoornis in adolescentie
recidiverende depressieve stoornis, licht, gelijktijdig met angstige spanning
hepatisch coma door hepatitis

verlatingsangst
lucide
algehele malaise
met drinken gestopte alcoholist
speelt rol
vechten op school
bevinding betreffende mate van angst
defensieve agressie
reactie van ellendig en verdrietig voelen op kinderleeftijd
sociale angst
staat van hyperseksualiteit
afgenomen drugsmisbruik
levenslange psychische stoornis
koopt en/of verkoopt drugs
gewoonte
frozen watchfulness
anale penetratie met object
preoccupatie met dood
oppositie-opstandige stoornis gelijktijdig met chronische boze en prikkelbare stemming
emotioneel afstandelijk
gezonde premature vrouwelijke neonat
uittrekken van hechtingen
ongebruikelijke geurwaarneming
lichte recidiverende majeure depressieve stoornis gelijktijdig optredend met angststoornis
meubilair kort en klein slaan
met gemak in staat om gevaarlijke gedachten te weerstaan
destructieve motorische activiteit
somatisch-symptoomstoornis met voornamelijk pijn
gedachte-uitzending
incidentele drinker
begrijpt principes van vertegenwoordiging
nihilistische waan
waan met betrekking tot uiterlijk
moeite met slapen
zuigen of kauwen op tong
in staat om informatie op normale snelheid te verwerken
moeite met begrijpen van geschreven materiaal
probleem met basaal leren met betrekking tot lezen
probleem met sociale interactie
regressie als mentaal verdedigingsmechanisme
somnolentiesyndroom na radiotherapie
toont kennis over anticonceptie
bevinding betreffende motorisch gedrag
compulsie geuit als ritueel
conversiestoornis
verstoord lichaamsbeeld
bevinding betreffende besef van identiteit
angst om in de gaten gehouden te worden
besluiteloos karakter
bevinding betreffende oriëntatie

ongepast ziektegedrag
overdreven zelfvertrouwen
psychogene afonie
cognitieve functiestoornis door alcohol voor consumptie
bevinding betreffende uiten van emoties
agitatie door dementie
gepaste deling van informatie over zichzelf
acalculie
echopraxie
intolerante niet-roker
gedrag niet bekrachtigd
doof gevoel van mucosa
negatieve publieke aandacht trekken
demoralisatie
symptomatische pedofilie
bevinding betreffende mondgewoonten
onverminderde spanning
traumatische subarachnoïdale bloeding met bewustzijnsverlies
desoriëntatie ten opzichte van zichzelf
in staat om oude motorische vaardigheden te herinneren
tegenoverdracht
maandelijks seksueel actief
geheugenprobleem door en volgend op ischemisch cerebrovasculair accident
fysieke mishandeling van levenspartner
expansieve ideatie
conflict
losbandig gedrag
niveau van assertiviteit normaal
niet-situationele paniekaanval
ongebruikelijke keuze van seksueel object
toont kennis van verwachte reactie op chirurgische ingreep
homoseksuele relatie
antisociaal gedrag
onderhoudsfase voor gereedheid tot veranderen van voedingsgedrag
bevinding betreffende waakzaamheid
overmatige slaperigheid
bespotten
cervicale vertigo
bevinding betreffende bewustzijn en bewustwording
paniekstoornis met agorafobie en lichte paniekaanvallen en licht vermijden van agorafobische situaties
acute posttraumatische-stresstoestand
niet in staat om datum van vandaag te herinneren
rigide karakter
preoccupatie met compensatie
goed gecontroleerde geïntegreerde aandacht
bevinding betreffende vermogen om voorwerpen te herkennen
automutilatie van hand
paniekstoornis met agorafobie en lichte paniekaanvallen en vermijden van agorafobische situaties in partië
angst voor ziekte van geslachtsorgaan

niet in staat om geometrische figuur te reproduceren na vijf minuten
extatisch
minimale cognitieve functiestoornis
in staat om geometrische figuur te reproduceren na vijf minuten
verminderd beoordelingsvermogen
bevinging betreffende vermogen om zich te concentreren
selectieve abstractie
schuldwaan
bevoogdend gedrag
normale vrouwelijke seksuele functie
geheugen: kan niet terugtellen
grey-out
perceptiestoornis gelijktijdig met en door intoxicatie door stimulantium van centraal zenuwstelsel
drinkgelag
probeert superioriteit te laten zien
ongepast affect
niet in staat om visuospatieel te redeneren
fysiek actief
compulsief herhalen
bijten in eigen arm
ischemische vasculaire dementie
psychofysiologische insomnie
pseudologia phantastica
bereid te stoppen met roken
gebruik van illegale drugs
normaal plezier in seks
angst voor spreken in het openbaar als sociale fobie
verticale vertigo
gezonde volwassene
acute verwardheid
op de hoogte van vrijheid van meningsuiting
cyclische stemmingswisselingen
moeite met begrijpen van eigen emoties
angst voor mishandeling
afwijkende seksualiteit en seksuele ontwikkeling
orogenitale stimulatie
bijten van ander persoon
in staat om te zorgen voor eigen behoeften op gebied van lichamelijke gezondheid
'shaken baby'-syndroom
hoge mate van neuroticisme
dementie door vluchtig inhalatiemiddel
voelt zich kalm
partus gecompliceerd door tabaksgebruik door moeder
gedachte-inbrenging
with a duration of 20 minutes (finding)
bewustzijnsprobleem
avolitie
toont kennis over wondzorg
pseudohallucinatie
ouderlijke zorgen om kind

verminderd zelfregie
somatoforme autonome-functiestoornis van tractus respiratorius
moeite met redeneren
laat optredende niet-familiaire Alzheimer-dementie
in staat om sociale signalen te herkennen
ontkenningsfase van rouw
realiteitstoetsing
duizeligheid na extensie van hals
seniele dementie met waan
bevinding betreffende individuele kledingstijl
niet in staat om gezondheidsvaardigheden te tonen
stoornis met overmatige slaperigheid
kent rechten
compulsieve neurose
uitgelokte confabulatie
dementie door ziekte van Creutzfeldt-Jakob
houdt zich niet aan regels en grenzen
angst voor niet met behandeling kunnen omgaan
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en opvallende verstoring van fu
repetitief op tenen lopen
gedrag met toegenomen motorische activiteit
hoge eigenwaarde
in staat om abstract te denken
beïnvloedingswaan
onbewuste fantasie
bevinding betreffende gebruik van hulpmiddel om herinnering terug te halen
paniekstoornis met agorafobie en matige paniekaanvallen en licht vermijden van agorafobische situaties
zichzelf stompem
herhalen van woorden
uitstel van inwinnen van medisch advies
geen bekende blootstelling aan tabaksrook
dementie door metabole afwijking
bevinding betreffende gedrag
angst voor cardiovasculaire ziekte
bevinding betreffende tolerantie voor alcohol
wedstrijdsporter
momenteel meerdere seksuele partners
onderhoudt contact met familie
psychogene tremor
bondage
slachtoffer van gewelddadige omgeving
heeft neiging niet sociabel te zijn
angst voor duisternis
hyperosmolair coma bij diabetes mellitus
overmatige angststoornis op kinderleeftijd
dementie door chromosoomafwijking
zich onbemind voelen
angst voor maken van fouten
verminderde psychomotorische functie
bevinding betreffende perceptuele prestatie

bevinding betreffende denkproces
vasovagale syncope door onderdompeling
heeft denkbeeldige vriend
gedrag is zeer moeilijk te reguleren
houdt zich aan immunisatieregime
concreet denken
ongevormde visuele hallucinatie
gesocialiseerd spijbelen op kinderleeftijd
plan om geweld te plegen
preoccupatie met voeding
delen van seksattributen
in staat om gezondheid te onderhouden
bevinding betreffende vermogen om verbaal te redeneren
compulsief krabgedrag
schuldgedachten
meerdere seksuele partners
asymptomatische infectie door SARS-CoV-2
in staat om voorwerpen te herkennen
vrees voor bloed
houdt zich aan bedrust
'Global Deterioration Scale' stadium 3 - lichte cognitieve achteruitgang
epileptische dementie met gedragsstoornis
verbeterd zelfbeeld
deelt injectiespuit
perseveratie
alert
asociaal gedrag
onderschat intellectueel vermogen
zuigen op hand
psychotische stoornis met hallucinaties door synthetisch cathinon
bevinding betreffende gedachtestroom
angstig-vermijdende hechting
vacuümactiviteit
weigert te eten in aanwezigheid van anderen
vertigo bij poging tot urineren
alcoholcoma
repetitieve tikkende bewegingen
naaktlopende ouder
niet in staat om informatie te analyseren
niet in staat tot gebruik van communicatieapparaat voor communicatie met maatschappelijke voorzieninge
geïnhibeerd orgasme
angst voor niet wakker worden uit algehele anesthesie
vroeg optredende ziekte van Alzheimer met gedragsstoornis
verwuren van ander persoon
emotionele overgevoeligheid
vaginale penetratie met penis
overbeschermd
verhoogde tactiele perceptie
ouder-kindconflict
doelloos

valangst
obsessieve gedachten over beschadiging van bezitting
probleem met denktempo
hallucinaties gelijktijdig met en door laat optredende dementie
ADan-amyloïdose
bradykinesie
verminderde kwaliteit van leven
oordeelsvermogen intact
injecteert medicatie en/of drugs intramusculair
geheugenprobleem door en volgend op spontane intracerebrale bloeding
heeft neiging ongevoelig te lijken voor complimenten en kritiek
doof gevoel van extremiteit
verstoord executief functioneren
overschat eigen lichaamsgewicht
toont kennis over patiëntgecontroleerde analgesie
gezonde pasgeborene
preseniele primaire degeneratieve Alzheimer-dementie met depressie
weerstand tegen lichamelijke zorg
seksuele intimidatie door man
acute duizeligheid
verbeterde stemming
provocerend gedrag
passagère epileptische amnesie
paniekstoornis met agorafobie en matige paniekaanvallen en matig vermijden van agorafobische situaties
vasculaire dementie door atherosclerose
verandering in gedrag bij neonaat
gebruikt een wettelijke vertegenwoordiger
vasculaire dementie met paranoïdie
fobie voor geluid
obsessieve gedachten over onvolkomenheid
niveau van angst
bevinding betreffende ontbijtgewoonte
gynefobie
androfobie
conflict over sociale rol
matige roker van sigaretten
roekeloos karakter
excessieve slaperigheid overdag met slaapparalyse
gemengde emoties voelen
voorgeschiedenis met lichamelijke mishandeling van echtgenoot
vertigo met corticale oorzaak
dissociatieve auditieve hallucinaties
reflecterend
in staat om in te zien wat impact van zichzelf is op anderen
claustrofobie
bevinding betreffende vermogen tot logisch ordenen
wordt snel boos
probleem met opvliendheid

probleem met kortetermijngeheugen
normaal vermogen tot emotie
misbruikt drugs en/of medicatie oraal
misbruik van oplosmiddel
ongebruikelijke solitaire seksuele activiteit
auditieve hallucinaties
onvoldoende kennis van zorg voor zuigeling
onthouding van middelenmisbruik in normale omgeving
psychodynamisch complex
perceptiestoornis gelijktijdig met en door onthouding van anxiolyticum
slachtoffer van seksuele exploitatie van kind
zich tevreden voelen
in staat om korte dagelijks gebruikte zinnen te begrijpen
dyscalculie
verbijstering bij waanstemming
gebruikt lubricans tijdens seksuele activiteit
intermitterende orthostatische proteïnurie
verbale auditieve hallucinatie
psychoseksuele disfunctie
hoge mate van egocentrisme
plan om brand te stichten
paniekstoornis zonder agorafobie met lichte paniekaanvallen
zwaarmoedig gedrag
bevinding van persoonlijkheidstrekkende betreffende coöperatie en meegaandheid
begin van verwardheid
precoïtale stimulatie
rookt momenteel niet
neemt ziekterol niet aan
bevinding betreffende vermogen gedrag te beheersen
zich meer geëmpowerd voelen
gebruik van illegale drugs onbekend
overafhankelijkheid van ouders
perceptiestoornis en epileptische aanval gelijktijdig met en door onthouding van sedativum
ontregeld gezinsfunctioneren door gezinslid met alcoholisme
angst voor verlies van fecale continëntie in openbaar
subarachnoidale bloeding na letsel met open intracraniale wond en bewustzijnsverlies
doof gevoel
bevinding betreffende gebruik van rooktabak
paranoïde waan
gevoel van controleverlies over drinken van alcohol
afrondingsfase voor gereedheid tot veranderen van voedingsgedrag
onvoorspelbaar gedrag
habituëel 's nachts eten van eigen haar
bevinding betreffende onmiddellijke herinnering
niet verward
compulsie om te handelen naar dwanggedachte
ongerijmdheid van stemming
hoofdbonken
agonistisch gedrag
repetitief draaien van gehele lichaam

verslaving aan medicatie en/of drugs krijgt prioriteit boven financiële verplichtingen

heeft toegang tot schone injectiespuiten

overbelasting in rol van verzorger

persoonlijke motivatie

niet-maagdelijke toestand

vertigo door en volgend op ischemisch cerebrovasculair accident

sociale isolatie

onder druk gezet door ouders

nalatig ouderschap

stevige drinker

explosief gedrag

asomatognosie

normaal libido

goedgelovig

slachtoffer van seksueel misbruik in relatie met echtgenoot

stabiele stemming

onvoldoende kennis van fysiotherapie

matige drinker

overmatig meegaand karakter

klaar voor vergroting van kracht

mensen lijken acteurs in een film te zijn

onvoorspelbaar karakter

zwakke band tussen moeder en zuigeling

nieuw seksueel contact

verslaving aan medicatie en/of drugs krijgt prioriteit boven familieverplichtingen

aversie

bevinding betreffende vertonen van ethische principes

alcoholgeïnduceerde angststoornis

repetitief op oog drukken

links-rechts-desoriëntatie in lichaam

kalm karakter

ziekte van Alzheimer gelijktijdig met delier

niet-drinker om religieuze redenen

fysieke tolerantie voor alcohol

verlies van richting van denken

heeft neiging haatdragend te zijn

hepatisch coma door hepatits C

geïsoleerde explosieve uitbarsting

bizarre waan

bingedrinken

onvoldoende kennis van medicatieregime

laag IQ

bezit van drugs

paniekstoornis met agorafobie en matig vermijden van agorafobische situaties en paniekaanvallen in partië

intracranieel letsel met langdurig coma met wond

heeft neiging tot gebrek aan consciëntieusheid

zwart-wit denken

paramnesie

bewust van beperking

hepatisch coma
bevinding betreffende psychosociaal functioneren
angst voor oogziekte
kater
partiële therapieontrouw met betrekking tot medicatie
algehele malaise en moeheid
desoriëntatie
seksueel niet aangetrokken tot mannen of vrouwen
milde mate van psychoticisme
bewustzijnsverlies gelijktijdig met en door gecompliceerde fractuur van schedeldak
bevinding betreffende vermogen tot coping
bevinding betreffende leren
verminderde alertheid
gevormde hallucinatie van dieren
gezond meisje
opleidingsniveau belemmert gebruik van maatschappelijke voorzieningen
dementie door ijzerdeficiëntie
in staat om pijn aan te kunnen
impulsief gedrag
bevinding betreffende mate van extraversie
neglect van been
in staat om probleem op te lossen
slachtoffer van seksuele intimidatie
vergeet recente activiteiten
angst voor spreken in openbaar
jamais vu
zeer zware roker van meer dan 40 sigaretten per dag
halfbewuste toestand
roker van waterpijp
toont kennis over seksueel gedrag
kauwen op voorwerp
lichte anticipatieangst
bevinding van persoonlijkheidstrek betreffende mate van assertiviteit
verbale agressie
bevinding betreffende emotionele toestand
psychogene dysfagie
visuele agnosie voor objecten
acties niet voltooid
somatoforme gastro-intestinale autonome-functiestoornis
in staat om te lezen
psychosomatische factor van lichamelijke aandoening
in staat om zich aan te passen aan andere cultuur
beslist mee over zorgplan rond operatie
ontwijkingsstoornis in adolescentie
gedachten over wraak
bevinding betreffende oplettendheid
in staat om zich bewust te zijn van zichzelf
is wakker
rookte vroeger

verkennen van seksualiteit
in staat om gezichten op zicht te herkennen
ongepast lachen
lijkt in droom te zijn
hallucinatie bij rouw
bevinding betreffende alcoholgebruik
repetitieve routines
dementia paralytica
onvrijwillige rolwisseling
getuige van exhibitionisme
probleemgedrag bij volwassene
onvoldoende kennis van traditionele behandeling
blootstelling aan tabaksrook in publieke ruimtes
gevoelens van almacht
neonatale agitatie
bevinding betreffende therapietrouw
acute fugue-toestand door acute stressreactie
white out
seksuele nieuwsgierigheid
bevinding betreffende vermogen om begrip te verwoorden
dissociale persoonlijkheidstrek
gedragsprobleem op kinderleeftijd en in adolescentie
verminderd libido door stemming
illusie
begrijpt instructie van meer dan twee stappen niet
acuut vestibulair syndroom door episodische aandoening van labyrint
asymptomatische stenose van intracraniale arterie
angst voor psychische stoornis
drinkt alcohol alleen
fysiek bedreigend gedrag
geremd gedrag
asymptomatische bacteriurie tijdens zwangerschap - bevallen met postpartale complicatie
traumatische intracraniale bloeding met langdurig bewustzijnsverlies en terugkeer naar pre-existent bewus
psychogene pylorospasme
ongewoon creatief denken
laceratie van hersenstam met open intracraniale wond en bewustzijnsverlies
bevinding betreffende prestatie van langetermijngeheugen
slachtoffer van ouderenmishandeling
onderstimulatie
drinkt alcohol thuis
ernstige anticipatieangst
contusie van cortex cerebri zonder open intracraniale wond met bewustzijnsverlies
buitenzintuiglijke waarneming
neglect van rechterzijde van lichaam
angst voor doodgaan
bevinding betreffende ziektegedrag
dementie door medicatie en/of drugs
akinetisch-rigide variant van ziekte van Huntington
selectieve onoplettendheid
in brand steken

prostitueert zich
ongeremd gedrag
slachtoffer van seksueel contact tussen volwassene en minderjarige
vergeet wat hij/zij net heeft gehoord
laag zelfvertrouwen
milde cognitieve achteruitgang
moeite met begrijpen van geschreven taal
angst om verkeerde te zeggen
visuele hallucinaties
homoseksuele man
ex-gebruiker van pruimtabak
hechtingsgedrag
ontevreden met lichaamsbeeld
seniele primaire degeneratieve Alzheimer-dementie met delier
gedachten over opzettelijke zelfbeschadiging
sociale terugtrekking
weekenddrinker
hersenschudding met bewustzijnsverlies gedurende minder dan 1 uur
geheugen: weet wie belangrijke persoon is
niet in staat om 'ik'-boodschappen te gebruiken
handen wassen als dwangmatig ritueel
plannen voor opzettelijke zelfbeschadiging zonder intentie plannen uit te voeren
niet in staat om obsessieve gedachten te weerstaan
hypesthesie van voet
dementie door chronisch subduraal hematoom
diefstal
magisch denken
vergeet persoonlijke verzorging af te ronden
reactieformatie als mentaal afweermecanisme
dementie door prionziekte
preoccupatie met uiterlijk
heeft neiging te genieten van leed van anderen
in staat om concept van gevaar te begrijpen
asymptomatische disfunctie van sinusknop
bevinding betreffende seksuele relatie
vrees voor aandoening, maar geen aandoening aanwezig
angst voor verlies van emotionele controle
bevinding van persoonlijkheidstrek betreffende mate van vijandigheid
dementie door aandoening van centraal zenuwstelsel
bevinding betreffende genderidentiteit
Adams-Stokes-aanval
draagt graag modieuze kleding
perceptie van dingen die van vorm veranderen
toont kennis over verrichting
weglooptreactie op kinderleeftijd
psychosociale problemen gerelateerd aan multipariteit
angst voor seksuele disfunctie
paniekstoornis met agorafobie en ernstige paniekaanvallen en licht vermijden van agorafobische situaties
in staat om met stress om te gaan
bevinding betreffende drinkomgeving

'battered spouse'-syndroom
in staat om levensrollen te onderhouden
verstikken van ander persoon
buiten ouderlijk gezag
genitale fase in psychoseksuele ontwikkeling
heeft nooit orgasme gehad
geheugen: weet niet welk jaar het is
veilige hechting
dementie door syndroom van Rett
gebruikt geen vochtige poedertabak
anaerobe lichaamsbeweging drie keer of vaker per week
fonofobie
sprong van brug
in staat om maand van jaar te herinneren
eetgewoonte onbekend
dagelijkse routine aanwezig
intracranieel letsel met langdurig coma
verwoordt herhaalbeleid betreffende medicatie
langdurig bewustzijnsverlies
erotische overdracht
financieel mishandelend gedrag
angst voor menigten
masochistische persoonlijkheidstrek
geheugen: weet welk jaar het is
disfunctionele familie door alcoholisme
accepteert gezondheidstoestand
altijd volgen van dezelfde route als stereotiepe routine
angst voor braken in openbaar
weerstand tegen verandering in woninginrichting
verlaagd niveau van spirituele stress
sadistische foltering
bevinding betreffende vierpunts-gedragsschaal van Frankl
identificatie als mentaal afweermecanisme
obsessieve gedachten over toebrengen van schade aan anderen
heeft plezier in lichte lichaamsbeweging
misbruik van receptplichtige medicatie
promiscue gedrag
vertroebeld bewustzijn
kan aanblik van voedsel niet verdragen
voelt zich gespannen
in staat om zich zelfverzekerd te voelen
injecterende drugsgebruiker
opstandig gedrag
zadelanesthesie
dingen lijken levendig gekleurd
in staat om instructie van meer dan twee stappen te begrijpen
ontkent alcoholgebruik
compulsieve pedofilie
heteroseksueel risicogedrag
lichte ex-roker van 1-9 sigaretten per dag

voelt zich dronken
moeite met instemmen met zorgplan
verzorger heeft moeite met begrijpen van non-verbale communicatie
drinkt alcohol met vrienden
score op vierpunts-gedragschaal van Frankl met zekerheid negatief
bevinding betreffende vermogen om voorwerpen op zicht te herkennen
slaan van ander persoon
klaar voor verbetering van individuele coping
labiel affect
bevinding betreffende vermogen om gedachten te weerstaan
zelfverhangen gevonden
X-gebonden syndroom van verstandelijke beperking, acromegalie en hyperactiviteit
negatieve herinneringen
minder dan één jaar ex-gebruiker van elektronische sigaret
niet in staat om namen van naasten te herinneren
synesthesie
bevinding betreffende gezelschap tijdens drinken van alcohol
begrijpt instructie van twee woorden niet
centrale vertigo
coprofagie
kinderslachtoffer van voedingsgerelateerde verwaarlozing
onder invloed van middel
zoöfobie
angst voor complicaties van zwangerschap
bevinding van persoonlijkheidstrek betreffende mate van nieuwsgierigheid
psychalgie
ongepast seksueel gedrag
angst over kortademigheid
draagt 's nachts dagkleding
incidentele roker van minder dan één sigaret per dag
tijd lijkt erg langzaam voorbij te gaan
gebrek aan emotionele respons
hoestsyncope
reinigt materiaal voor injecteren van drugs
bevinding betreffende semantisch geheugen
heeft nooit gerookt
betrokkenheid bij risicovolle activiteit
dwanggedachte
verhoogde perceptie
bevinding betreffende persoonlijkheidstrek
zelfmasturbatie
contusie van cortex cerebri met open intracraniale wond en bewustzijnsverlies
dementie door hoofdtrauma
ongepaste beweging van gezicht
niet in staat om naam van huidige minister-president te herinneren
chronische vertigo
postanoxisch coma
verlegenheid voelen
kauwt losbladige tabak

gestopt met alcohol drinken
bevinding betreffende vermogen om voorwerpen op tast te herkennen
medicatiegeïnduceerde duizeligheid
moedeloosheid
erotisch dagdromen
moeite met zich houden aan regels en grenzen
angst om belachelijk over te komen
begrijpt spraak niet
bevinding betreffende geheugen voor eigen leeftijd
herkent geen foto's van zichzelf
misbruik van analgeticum
therapieontrouw met betrekking tot tandheelkundige behandeling
consequente gepaste uiting van woede
contemplatiefase voor gereedheid tot veranderen van voedingsgedrag
seksueel actief in afgelopen maand
fysiek misbruikgedrag
psychogeen braken
emotionele onvolwassenheid
negativisme
organische angststoornis
asymptomatische West-Nijl-virusinfectie
geëmpowerd
toont kennis over ontwikkeling van foetus
matige machteloosheid
psychologisch mishandelend gedrag
'excited delirium'-syndroom
hepatisch coma door virale hepatitis
angst voor tunnels
gebruiker van vochtige poedertabak
verscherpt denken
doorsnijden van eigen polsen
bevinding betreffende drinkpatroon
te sterk orgasme
emotioneel misbruik in relatie met kind
postoperatieve cognitieve disfunctie
hyperacusis
agnosie voor geur
angst voor reizen in voertuigen
toestand van lichamelijke en emotionele uitputting
probleem met basaal leren met betrekking tot schrijven
bevinding betreffende gezondheidsvaardigheden
obsessieve gedachten over explosies
latente fase in psychoseksuele ontwikkeling
gezonde premature neonaat
diabetes mellitus type 2 met hyperosmolair coma
niet in staat om in te stemmen met zorgplan
drinkt alcohol met echtgenoot of echtgenote
autosomaal dominante Alzheimer-dementie door mutatie van preseniline 1

verlies van vermogen om emoties te voelen
bevinding betreffende gedrag tijdens seks
laterale vertigo
niet in staat om oude motorische vaardigheden te herinneren
plotselinge rouw als gevolg van levensgebeurtenis
slachtoffer van vertrapping
hunkering naar medicatie en/of drugs
slachtoffer van homofobe agressie
dissociatieve hallucinatie van lichaamssensatie
moeite met maken van beredeneerde keuzes
kinderslachtoffer van mishandeling
niveau van lichaamsbeweging onbekend
focale Alzheimer-dementie
sociale afwijzing
zich flauw voelen
seksueel agressief gedrag
in staat om routines te herinneren
middelenmisbruik gedaald
hallucinatie van zelf geur te verspreiden
erotofobie
hypervigilant gedrag
acute posttraumatische-stressstoornis na gewapende strijd
slecht auditief sequentieel geheugen
zwangerschap gecompliceerd door psychologische mishandeling
klaar voor complexe informatie
overdreven geseksualiseerd gedrag op kinderleeftijd
heeft plezier in lichaamsbeweging van intermediair niveau
formicatie
sociale stemming
in staat om informatie correct te verwerken
doel met betrekking tot fysieke activiteit is minimale lichaamsbeweging
conversiemutisme
onthouding van middelenmisbruik tijdens behandeling met antagonist
bevinding betreffende ophalen van herinneringen
kan bezorgdheid niet uiten tegenover maatschappelijk dienstverlener
misbruikt narcotica
gedrag genegeerd
depressie erger later op dag
niet in staat om naam van huidige koning of koningin te herinneren
psychogene symptomen van urogenitaal stelsel
parafunctionele gewoonte
in staat om getal van vijf cijfers na vijf minuten te herinneren
in staat om informatie te analyseren
vasten
ontbijt altijd
cognitieve stoornis door en volgend op cerebrovasculair accident door embolie
niet in staat om verbaal te redeneren
preseniele primaire degeneratieve Alzheimer-dementie met delier
hysterische anesthesie
zelfverteenwoordiging

in staat om agressie onder controle te houden
allo-erotiek
snelle bewegingen met objecten nabij ogen
contusie van hersenstam zonder open intracranieële wond met bewustzijnsverlies
slechte concentratie
niet in staat om huidig jaartal te herinneren
kind slachtoffer van syndroom van Münchhausen 'by proxy'
verbaal geheugen voor gebeurtenissen
in staat om obsessieve gedachten te weerstaan
automutilatie
post-trau-ma-ti-sche stressstoornis met verlaat begin
dementie na letsel door blootstelling aan ioniserende straling
passief-agressief karakter
pesten
stereotiep complex maniërisme
heeft neiging herhaaldelijk zonder reden te liegen
theofobie
gebruiker van intraveneuze drugs
ontbreekt aan ethische principes
rusteloosheid en agitatie
onvermogen om te vergeten
spanningen binnen familie
bovengemiddeld intelligent
digit span forwards
persoonlijkheidstrek typisch voor langetermijnfunctioneren
ontplooiingsmogelijkheden voor gezinscoping
in staat om agressie te kanaliseren
niet in staat om zich aan te passen aan andere cultuur
bevinding betreffende vermogen om rekenkundig te redeneren
inhaleert medicatie en/of drugs
onderschat eigen lichaamsgewicht
vroeg optredende separatieangststoornis op kinderleeftijd
gokverslaving
obsessief gedrag
mannelijk homo-erotisme op kinderleeftijd
plan om seksueel misdrijf te begaan
neologisme
acceptatiefase van rouw
déjà vu
onregelmatige frequentie van maaltijden
arachnofobie
verbetering in niveau van sombere stemming
slachtoffer van dreigement
slachtoffer van pesten
seksueel misbruik in relatie met echtgenoot
examenfobie
bevinding gerelateerd aan seksueel gedrag of activiteit
agorafobie met paniekaanval
seksuele incompatibiliteit
marchandeerfase van rouw

formicatie van huid
angststoornis door methamfetamine
suïcidegedachte
habitueel draaien van haar
zelfrefererend karakter
manipulatieve persoonlijkheid
verwoordt bewegingstolerantie
leeftijdgerelateerde cognitieve achteruitgang
fractuur van schedeldak met bewustzijnsverlies
seksueel aangetrokken tot mannen
voldoende therapietrouw aan behandeling met geneesmiddel
vijandig gedrag
depressieve waan met betrekking tot catastrofe
bezorgd
'Global Deterioration Scale' stadium 1 - geen cognitieve achteruitgang
dementie door limbische encefalitis
knijpen van ander persoon
asymptomatische calciumpyrofosfaatartropathie
'Global Deterioration Scale' stadium 2 - zeer lichte cognitieve achteruitgang
kronkelen
stressreactie met psychomotorische agitatie
moeite met begrijpen van instructie van twee stappen
wrijven over eigen huid
pedant karakter
geïsoleerde artistieke vaardigheid
onvolwassen persoonlijkheid
duurzame persoonlijkheidsverandering na psychische stoornis
seksueel contact tussen volwassene en minderjarige
psychische tolerantie voor alcohol
geen contact met familie
bang alcoholist te zijn
perceptiestoornis gelijktijdig met en door onthouding van psychoactief middel
psychogene formicatie
weigert klonterig voedsel
verwoordt therapietrouw betreffende medicatie
niet in staat om woede onder controle te houden
bevinding betreffende middelengebruik
seksuele rijpheid conform puberteit
pseudobulbair affect
niet in staat tot geslachtsgemeenschap
automatische gehoorzaamheid bij katatonie
bevinding betreffende vermogen om zich dag van week te herinneren
zoekt geen hulp bij klacht die behandeld moet worden
gebruikt geen snuiftabak
gecompliceerde rouw
voor voertuig springen
body integrity identity disorder
habitueel eten van eigen haar
volwassen emotionele aanpassing
familiaire Alzheimer-dementie

vaginale penetratie met hand
bevinding betreffende mate van bewustzijn
catastroferen
angst voor sociale groepsactiviteiten
bevinding betreffende seksuele rijpheid
chronische posttraumatische stressstoornis na gewapende strijd
toestand na commotio cerebri
gezin functioneert effectief
gemoedstoestand normaal
histrionisch gedrag
perceptie normaal
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en pervasieve verstoring van fu
zich ongewenst voelen
bevinding betreffende gevoel van zingeving
organische stoornis van lichaamsschema
bevinding van karakterk betreffende mate van egocentrisme
zware roker van meer dan 20 sigaretten per dag
bevinding betreffende houden aan regels en grenzen
drinkt alcohol
dementie gelijktijdig met en door Down-syndroom
heteroseksueel
suïcidale plannen
in staat om creatief te denken
myxoedeemcoma
in staat om gevaarlijke gedachten te weerstaan
wrijven over scalp
in staat om drinken van alcohol onder controle te houden
verbetering in respons op traumatische gebeurtenis
respecteert anderen
verkennen van seksualiteit tussen zussen
onthoudt zich niet van drinken van alcohol
onverantwoordelijk karakter
slachtoffer van mishandeling en/of misbruik door levenspartner
hepatisch coma door hepatitis B
besef van persoonlijke capaciteit
bevinding van persoonlijkheidstrekk betreffende vermogen te leren van ongewenste ervaring
gewelddadige echtgenoot of echtgenote
past zich niet aan na persoonlijke crisis
in staat tot coping
inbrengen van penis
anaerobe lichaamsbeweging twee keer per week
fractuur van schedelbasis met bewustzijnsverlies
heeft neiging stabiel te zijn in affect
niet in staat om maand van jaar te herinneren
bewust ongetrouwd en doet aan seksuele onthouding
suggestibel
toont kennis over proces van gedragsverandering
niet bewust van regels en grenzen
sliksyncope
rookt passief tabak

oefening fysiek onmogelijk
slachtoffer van rassendiscriminatie
in staat om pijn in lichaamsdeel te begrijpen
vermijdende coping
niet in staat om drinken van alcohol onder controle te houden
bevinding betreffende gebruik van snuiftabak
spugen naar ander persoon
multi-infarctdementie
geheugenprobleem door en volgend op cerebrovasculair accident
pijnlijke clitoriserectie
slaapt
fobie
paniekstoornis met agorafobie en ernstige paniekaanvallen en vermijden van agorafobische situaties in par
fysieke intimidatie
bezorgd over uiterlijk
ex-roker sinds langer dan een jaar
fetisjistisch transvestitisme
wijziging van tastvermogen
paniekstoornis met agorafobie en ernstig vermijden van agorafobische situaties en paniekaanvallen in volle
postinjectiedelirium en/of sedatiesyndroom
vermijdt zelfs zeer lichte lichaamsbeweging
compulsief opruimen
milde mate van egocentrisme
moeite met rekenkundig redeneren
heeft neiging sociale één-op-ééninteractie te vermijden
vertigo door hersenletsel
frequentie van middelenmisbruik
bevinding betreffende mate van psychoticisme
defecatiesyncope
hypoglykemisch coma door diabetes mellitus type 2
gedachten over geweld
compulsief tellen
handschoenanesthesie
bevinding van persoonlijkheidstrek betreffende ordelijkheid
primair degeneratieve Alzheimer-dementie, seniele variant in remissie
mate van interesse normaal
stoornis in denken
toebrengen van schade aan eigen verwondingen
probleem in huwelijk van ouders
probleem met mentaal functioneren
niet in staat om gezichten op zicht te herkennen
goed zelfbeeld
convulsieve syncope
brandstichting
bang karakter
lage mate van egocentrisme
bevinding betreffende prestatie van semantisch geheugen
psychosociale problemen gerelateerd aan ongewenste zwangerschap
recidiverende majeure depressieve stoornis in gedeeltelijke remissie gelijktijdig optredend met angststoorn
zware roker van 20-39 sigaretten per dag

traagheid en zwakke responsiviteit
moeite om instructie van meer dan drie woorden te begrijpen
rumineren van gedachten
intermitterende verwardheid
probleem in relatie met broer of zus
levenslange niet-drinker van alcohol
introvert
angststoornis door stimulans
FAST-symptomen
gedragsverandering gelijktijdig met en door ziekte van Pick
autosomaal dominante Alzheimer-dementie door mutatie van preseniline 2
slachtoffer van terrorisme
bingedrinker
reinigt eigen naald
bevinding betreffende zelfbewustzijn
neglect van arm
venerofobie
anale penetratie
rookt minder
in staat om beslissingsstrategie te gebruiken
georiënteerd in plaats
slachtoffer van seksuele agressie door levenspartner
traumatisch letsel van hersenen met kort bewustzijnsverlies
bevinding van persoonlijkheidstrekk betreffende mate van trots
hoge mate van psychoticisme
verstoring van cognitief leren
transvestiestoornis
passagère algehele amnesie
posttraumatische reactie
preoccupatie met lichaamsomvang
gedrag met complexe maniërismen
hepatisch coma door hepatitis A
patiënt vraagt om medische behandeling zonder toediening van bloed
heeft neiging emotionele uiting ongepast te overdrijven
clitorisectie
houdt zich aan oefenschema
dronk vroeger alcohol
psychogeen stotteren
paradoxe insomnie
psychische mishandeling
in staat om met gegeneraliseerde pijn om te gaan
niet in staat voorwerpen te herkennen
paniekstoornis met agorafobie en lichte paniekaanvallen en matig vermijden van agorafobische situaties
hypesthesie van speciale zintuigen
weer begonnen met roken
onstabiel zelfbeeld
drinkdag
snelheid van associaties
niet in staat om eigen vingers te herkennen
draagt veel lagen kleding

psychotische stoornis met hallucinaties door sedativum, hypnoticum en/of anxiolyticum

onvoldoende kennis van regulatie van vochtinname

hallucinatie

zeer angstig zijn

opvallend verminderd plezier

hepatisch coma door alcoholisch leverfalen

bevinding betreffende gebruik van vochtige tabak

gestopt met roken

bevinding betreffende vermogen ongewenst gedrag te voorkomen

redeloze angst

repressie van gedachte

waanoverdracht

seksueel provocerend gedrag

dementie door pellagra

hypesthesie van digitus van voet

zuigt op voorwerp

euforie

rationalisatie als mentaal afweermechanisme

desoriëntatie in plaats

moeite met onder controle houden van woede

objectieve vertigo

psychogene factor

recidiverende angst

vals gevoel van welzijn

angst over belachelijk overkomen

matige ex-roker van 10-19 sigaretten per dag

seksuele immaturiteit

bevinding betreffende daginvulling

angst voor spreken met gezagsdragers

gebruiker van cannabis

angst voor maligne neoplasma van bewegingsapparaat

vader heeft als enige ouderlijke verantwoordelijkheid

drinkt alcoholische cider

maakt onrealistische plannen

idealisering als mentaal afweermechanisme

intellectueel vroegrijp

hypesthesie en tintelingen in huid

accident prone

in staat om emoties onder controle te houden

exhibitionisme

dwanghandelen

bedreigde gezinscoping

bevinding betreffende psychodynamische hechting

bevinding betreffende rolvervulling

bevinding betreffende herkenning

palinopsie

moeite met maken van plannen

bevinding van persoonlijkheidstrek betreffende besluitvaardigheid

defeceren in openbaar

fysieke stress

bezoeker van prostituees
toont kennis over lichaamsbeweging
heeft neiging niet zelfbewust te zijn
gewijzigd seksueel patroon
drinkt alcohol bij anderen thuis
overwegend homoseksueel biseksueel
organische dementie bij verworven immunodeficiëntiesyndroom
aviofobie
niet in staat om eigen leeftijd te herinneren
persoonlijkheid en/of persoonlijkheidstrek
inname van alcohol tijdens zwangerschap
zichzelf knijpen
spelagressie
onvoldoende kennis van anticonceptiemethoden
braken bij andere psychische stoornis
vergeet wat hij/zij net heeft gedaan
herstel van geheugen
onvoldoende kennis over voedsel en/of voeding
bevinding van persoonlijkheidstrek betreffende woedebeheersing
gedragsprobleem op school
bevinding betreffende institutionalisering
moeite met aannemen van ziekterol
erotische stimulus
palinacsis
seksueel actief in afgelopen zes maanden
in staat om zich in te leven in anderen
bevinding betreffende gebruik van verbeelding
sufheid
toegenomen lichaamsbeweging
ongehoorzaamheid
verzorger heeft als enige ouderlijke verantwoordelijkheid
gebrek aan spontane beweging
probleem in relatie met levenspartner
vrees voor oplopen van ziekte
bevinding betreffende vermogen om geluiden te herkennen
hoort stemmen die hem of haar uitlachen
bevinding betreffende vermogen om agressie onder controle te houden
drinkt alcohol met collega's van werk
depressieve stemming met postpartaal begin
hypotone-hyporesponsieve episode
uittrekken van eigen tanden
angst voor afkoppeling van beademingsapparaat
paniekstoornis met agorafobie en matige paniekaanvallen
compulsief water drinken
afwijkende motivatie
onbekende seksuele oriëntatie
in staat om gezichten te herkennen
in staat om zich te concentreren
verspreide aandacht
seniele dementie met depressie

verkrachtingsfantasie
moeite met beginnen van beweging
bovenliggend gedrag
heeft voordeel bij ziekterol
gezonde oudere
obsessieve gedachten over ziekmaken van anderen
tegenstrijdige houding ten opzichte van behandeling
nerveuze spanning
ontvanger van obscene telefoongesprek
amnestische vorm van milde cognitieve stoornissen
twee tot drie keer per maand seksueel actief
tafofobie
niveau van emotionele reactie normaal
lege-nestsyndroom
schoolonthouding door ouder
constante vertigo
acute stressstoornis
ischemisch cerebrovasculair accident met coma
agressief karakter
voormalig lichte drinker - één tot twee eenheden per dag
in staat om waarschuwingsgeluid te herkennen
in staat om geen alcohol te drinken
in staat om mensen te herinneren
angst over zweten
gevoel hebben in val te zitten
euforische sociabiliteit
dementie geassocieerd met alcoholisme
bezorgdheid om zorg voor zuigeling niet aan te kunnen
inbrengen van object in verwonding
verminderde impulsbeheersing
angst voor reactie over keuzen voor gezinsplanning
onderdanige hechting
onder druk gezet door anderen
uitoefenen van ongepaste druk door ouder
centrale vertigo van cerebellaire oorsprong
bezorgdheid om slechte vader te zijn
dementie bij neurosyfilis
acuut vestibulair syndroom door cerebrovasculaire ziekte
verveling
reactie van delinquentie in groepsverband op kinderleeftijd
preseniele dementie met wanen
emotioneel misbruik in relatie met echtgenoot/echtgenote
doorsnijden van eigen keel
bevinding betreffende stervensproces
passief karakter
drinkt alcohol in gezelschap
pseudomasturbatie
gedachten over seksueel geweld
voedsel stelen van thuis
bevinding betreffende oproepen van herinnering

zeer zware roker van sigaretten	
zichzelf verbranden met hete vloeistof of stoom	
mannelijkheid	
narcistisch karakter	
asymptomatische infectie door humaan immunodeficiëntievirus A1	
herkent zichzelf niet	
agressief bijten	
angststoornis door sedativum, hypnoticum of anxiolyticum	
verzamelen van objecten als stereotiepe routine	
grootheidswaan	
intellectualisatie als mentaal afweermechanisme	
psychogene dorsalgie	
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en afwezigheid van functioneel	
niet-otogene vertigo	
gebruikt incidenteel vochtige tabak	
voelt zich nerveus	
depressieve symptomen gelijktijdig met en door primaire psychotische stoornis	
pedofilie met seksuele aantrekking tot hetzelfde en tegenoverstelde geslacht	
houdt zich aan behandeling met geneesmiddel	
vertigo na gevoel van verstoord evenwicht	
stelen van broer en/of zus	
ontremde gedachten	
schizoïde fantasie als mentaal afweermechanisme	
zwerft overdag rond	
repetitieve, complexe, draaiende bewegingen van gehele lichaam	
niet-coöperatief gedrag	
ongecomplieerde seniele primaire degeneratieve Alzheimer-dementie	
wurgen van ander persoon	
in staat om zich aan te passen na persoonlijke crisis	
dementie gelijktijdig met en door neurocysticercose	
heeft doorzettingsvermogen	
aerobe lichaamsbeweging nul keer per week	
zichzelf in brand steken	
persisterend effect van alcohol	
bevinding betreffende gebruik van strategieën om drinken van alcohol onder controle te houden	
gemengde dementie	
slachtoffer van uitbuiting	
laceratie van cortex cerebri met open intracranieële verwonding en bewustzijnsverlies	
verstoring van fysiek gedrag	
positieve zelfgedachten	
'acting-out' als mentaal afweermechanisme	
staat open voor uitbuiting	
psychosomatische factor van lichamelijke aandoening met psychische component van onbekende omvang	
stelen van ouders	
houdt zich aan revalidatieprogramma	
slaapdeprivatie	
asymptomatische coronaire hartziekte	
maligne vasovagale syncope	
kauwen op haar	
afwijkende rouwreactie als gevolg van levensgebeurtenis	

gedrag is moeilijk te reguleren
lage mate van neuroticisme
probleem betreffende middelengebruik
excessief spugen
hunkeren naar voedsel of drinken
onvolwassen gedrag
verminderd sociaal isolement
bevinding betreffende prestatie van visueel kortetermijngeheugen
waakzaam
pedofilie met seksuele aantrekking tot meisjes
dissociatief-neurologisch-symptoomstoornis gelijktijdig met verandering in bewustzijn
repetitief handenwringen
asymptomatische bartonellose
irrelevant antwoord
eet vaak snacks
bevinding betreffende wil
psychogene hoest
reukhallucinaties
leerprobleem van basale vaardigheid
persisterende gedachten
incidenteel overeten
verkennen van seksualiteit tussen broers
ten onrechte alleen gelaten
lage eigenwaarde
katatonie
automutilatie van oog
syncope door hypotensie
in staat om behoefte aan drukverlichting te herkennen
anosognosie
gevoel van opwinding hebben
onvoldoende kennis van ontwikkeling van kind
coma bij rabiës
reden voor contact verdoezeld door verbositeit en bijkomende details
heeft neiging autoriteit te verafschuwen
niet in staat om eigenwaarde te behouden
drinkt alcohol op lege maag
gedragsverandering door middelengebruik
vrouwelijk homo-erotisme op kinderleeftijd
positieve score op vierpunts-gedragschaal van Frankl
begrijpt geschreven taal niet
excessieve lichaamsbeweging om gewicht te verliezen
ongecompliceerde preseniele dementie
onderdrukte emotie
bezorgd over lichaamsbeeld in verband met zwangerschap
kinesthetische verandering
asymptomatische occlusie van arteria cerebri posterior
rustig karakter
grijpen naar eigen oor
symbolische disfunctie

in staat om gesproken taal te begrijpen
Capgras-syndroom
in staat om zelfstandig te denken
bevinding betreffende niveau van stemming
gebruikt snuiftabak
cognitieve ontwikkelingsachterstand
blijft proberen te stoppen met roken
repetitieve, complexe, draaiende bewegingen van extremiteiten
reactie op lyserginezuurdi-ethylamide
zelfverwaarlozing
niet in staat om dag van week te herinneren
bevinding betreffende eigenwaarde
gebruikt latex of polyurethaan blad als berschermingsmiddel bij sex
achtervolgingswaan
incongruente persoonlijke verwachtingen
fysiek gezond
positieve herinneringen
heeft vertegenwoordiger nodig
bevinding betreffende motivatie
vasthoudend karakter
angst voor open ruimtes
in staat om weg te vinden in bekende omgeving
excessieve generositeit
in staat om zich aan te passen aan sensorische verandering in lichaamsdeel
angst over verlies van emotionele controle
ongecompliceerde vasculaire dementie
geheugen: weet eigen geboortedatum niet
verliest voorgaande rol
collaps door hartstilstand
seksuele agressie
asymptomatische bacteriurie
luide gedachten
hemineglect
juvenile masturbatie
ex-roker van onbekend aantal sigaretten
ernstige vertigo
cognitieve functiestoornis door toxische stof
klaar voor verbetering van voeding
geïntegreerde aandacht voor korte periode
geeft geen antwoord
afgenomen persisterende droefheid
stiekeme drinker
angst voor metabole ziekte
dysforie
toont kennis over mondhygiëne
vertigo na letsel van hoofd
moeite met lezen
bevinding van persoonlijkheidstrek betreffende voltooiing van taak
matige drinker - drie tot zes eenheden per dag

type A-gedragspatroon
mannelijke seksuele rijpheid
verwarring over persoonlijke identiteit
in staat om eigen emoties te begrijpen
kortetermijngeheugen binnen normaalwaarden
snelle kleine bewegingen van vingers
verminderde vervorming van denken
'avoidance-avoidance'-conflict
minimaal bewuste toestand minus
zelfverheerlijking
bevinding betreffende helderheid van denken
bevinding betreffende beoordeling van geheugen
in staat om spraak te begrijpen
zeer zware drinker
bonken van eigen hoofd tegen object
krijgt geen lichaamsbeweging
angst voor lege straten
gokstoornis, voornamelijk offline
psychisch conflict
in staat om gedrag te beheersen
multi-infarctdementie met wanen
gebrek aan emotionele zorg
akoestische variant van syndroom van Bonnet
drinkt momenteel geen alcohol
drinkt alcohol in cafés
wens om tot andere geslacht te behoren
coöperatief karakter
enthousiast
verwoerd beleid om belemmeringen van therapietrouw betreffende medicatie te verminderen
in staat om mee te doen aan sociale activiteiten
overmatige gevoelens van fysieke efficiëntie
normale seksuele ontwikkeling
pessimistisch karakter
gebruik van zorgverlener voor sociaal contact
eet zelden avondmaaltijd
tekenen van onthouding van medicatie en/of drugs
in staat om instructie van meer dan drie woorden te begrijpen
vaste seksuele relatie
bevinding betreffende vermogen om eigenwaarde te behouden
paniekstoornis met agorafobie
ongebruikelijke verandering in gedrag
strijdlustigheid
teruggetrokken
angst voor aandoening van urinewegstelsel
begrijpt spraak
gezonde adolescent
angst voor flauwvallen
therapietrouw aan medicatieschema gecontroleerd

impulsieve opmerkingen maken
angst voor drinken van vloeistoffen door slikproblemen
opwinding voelen
verkennen van seksualiteit in groep
gokstoornis, voornamelijk online
micrografie
obsessieve gedachten over ziektekiemen
bewustzijnsverlies gelijktijdig met en door gesloten fractuur van schedeldak
dementia paralytica juvenilis
in staat om instructie van één stap te begrijpen
confabulatie
dweperij
verandering in socialisatie
'dual-role'-travestie
gebruikt beslissingsstrategie
gevormde hallucinatie van objecten
pederastie
verandering in ontwikkeling van sociale vaardigheden
dementie gelijktijdig met infectie met humaan immunodeficiëntievirus
draagt tulband
richt aandacht
bevinding van persoonlijkheidstrek betreffende persoonlijke organisatie
anale erotiek
bevinding betreffende oordeelsvermogen
psychogene pruritus
derealisatie
toegenomen stress
alleen seks binnen relatie
sokanesthesie
angst en vrees
chaotische hechting
zoekt geen preventieve gezondheidszorg
hersensletsel met open intracraniale wond en bewustzijnsverlies
lachen
verhoogd associatief denken
angst voor onweer
seniele primaire degeneratieve Alzheimer-dementie met depressie
afstemmingsrelatie
probleem in relatie met vaste vriend
verwaarloosde oudere
geeft commentaar op eigen leesvaardigheid
bevinding betreffende vermogen om te redeneren
repetitieve tollende bewegingen
snelle leerling
bevinding betreffende hoeveelheid eten
niet-amnestische Alzheimer-dementie
compulsief handen wassen
toont kennis over behandelregime
automutilatie van geslachtsorgaan
matige egosterkte

emotioneel warm karakter
zich neerleggen bij gewijzigd lichaamsbeeld
gebrek aan lichaamsbeweging
bevinding betreffende bekrachtiging van gedrag
lichte machteloosheid
vertigo bij gaan liggen
hyperosmolair hyperglykemisch coma door diabetes mellitus zonder ketoacidose
somatoforme autonome-functiestoornis
angst voor broekplassen in openbaar
rate and vigorous activity in 4 weeks (finding)
mishandelend gedrag tegen mensen
angstige stemming
psychogene dysurie
splijten van haar
inspanningssyncope
asymptomatische viremie
gezonde jongvolwassen man
adductie-spasmodische dysfonie door conversiereactie
roker
bevinding van persoonlijkheidstrekk betreffende consciëntieusheid
verlies van interesse in eerder plezierige activiteit
tactiele agnosie
overdracht
commentaar in gedachten
niet-meelevende levenspartner
agnosie voor positie
biseksueel
ernstige machteloosheid
prestatieangst
drinkt sterke alcoholische drank
bevinding van persoonlijkheidstrekk betreffende neiging tot schrikken
bevinding betreffende interesse in erotiek
asymptomatische microscopische hematurie
bevinding betreffende seksualiteit en seksuele activiteit
zorgzaam voor anderen
psychogene voedingsstoornis op zuigelingen- en kinderleeftijd
coïtus met condoom
teruggetrokken gedrag
rigiditeit van denken
pedofilie met seksuele aantrekking tot hetzelfde geslacht
gedragssymptomen en psychologische symptomen van dementie
vergeetachtig
ontsporing in denken
persisterende dementie door inhalatiemiddel
cognitieve stoornis door en volgend op cerebrovasculaire ziekte
klaar voor verbetering van spiritueel welzijn
affectieve persoonlijkheidstrekk
verhevigde gegeneraliseerde fobie
extreem emotioneel verwaarloosd

matig beïnvloedbaar
deelt materiaal voor drugsgebruik
desoriëntatie in tijd, plaats en persoon
vergeet wat hij/zij wilde doen
uitkleden in openbaar
plukkerig gedrag
in staat om geschreven taal te begrijpen
angst voor activiteiten in openbaar
afwijkend eetpatroon
zelfverzekerd
hepatisch coma door acute hepatitis B
kauwt geen tabak
vasculaire dementie met depressie
pyschogene dysfonie
depressieve preoccupatie
woedeaanval
inadequate persoonlijkheid
vertigo na langdurige tandheelkundige behandeling of mondchirurgie
hypesthesie van digitus van hand, exclusief digitus I
onvoldoende kennis van seksueel gedrag
bevinding betreffende therapietrouw met betrekking tot schoeisel
toegenomen interesse in erotiek
duizeligheid bij opstaan
bevinding betreffende seksuele ontwikkeling
extrapsychisch conflict
behoudt zelfbeheersing
gemakkelijk afgeleid
waanachtige conclusie
angst voor infectie met humaan immunodeficiëntievirus
vaginale penetratie
heeft neiging boos te worden op zichzelf
stemmingsincongruente waan
herhalend vragen stellen
slaan tegen hoofd
roerloosheid
slachtoffer van verwaarlozing van zuigeling
gefrustreerdheid voelen
ongepaste scherts
verhoogde motivatie
tabaksgebruik door moeder tijdens zwangerschap
hepatisch coma door chronische hepatitis C
gebrek aan oordeelsvermogen
syncope door centrifugale kracht tijdens vliegen
volgt ritueel omtrent drugsgebruik
nabootsing
specifieke vrees
achterdochtigheid en duidelijk ontwijkend gedrag
kerven in eigen vlees
onychotillomanie
verkoopt drugs

homoseksueel gedrag
idealiserende overdracht
in eigen hand bijten
gedachtevervreemding
gezond kind
pesten van kind
toont kennis over dieetvoorschrift
paniekaanval
in staat om in te stemmen met zorgplan
hyposeksualiteit
verandering in gedrag op kinderleeftijd
zich trots voelen
angst om last voor anderen te zijn
prikangst
disharmonie met levenspartner
compulsief medicatie en/of drugsgebruik
bevinding betreffende geheugen
angst voor infectie
passagère hallucinatie
orgasmestoornis
repetitief tikken met vingers
daling van score op 'Edinburgh Postnatal Depression Scale'
nagebootste psychose
stressoverbelasting
tegenstrijdige houding ten opzichte van dieetregime
emotioneel misbruik in relatie
in staat om instructie van twee woorden te begrijpen
matige cognitieve achteruitgang
soms in staat om voor kind te zorgen
onthoudt zich van drinken van alcohol
therapieontrouw aan antiretroviralemedicatieregime
onder druk gezet door gelijken
contusie van cerebellum met open intracranieële wond en bewustzijnsverlies
gênant gedrag
anticipatoire angst
drugsverslaafde
angst over geforceerde afhankelijkheid
bizarre gedachten
commotio cerebri met bewustzijnsverlies
slaan van ander persoon met voorwerp
echtgenote pleegde overspel
bevinding betreffende vermogen om anderen te herkennen
slachtoffer van gedwongen seksuele activiteit
angst voor algehele anesthesie
negatieve attitude
cognitieve stoornis door en volgend op cerebrovasculair accident door hemorragie
erotomane waan
angst over lichaamsfunctie of gezondheid
therapieontrouw aan dieet

moeite met geslachtsgemeenschap
katatone opwinding
hypo-emotionaliteit
ontkenning als mentaal afweermechanisme
psychogeen cyclisch braken
uitgestelde medische zorg met verwaarlozing tot gevolg
angst voor boeman
schoolfobie
religieuze waan
onaangepast gedrag
niet in staat om klok te kijken
vermijdende hechting
angst voor maligne neoplasma van ademhalingsstelsel
ernstig afwijkend gedrag
vertoning van agressie
neiging tot rondzwerven
sprong van hoogte
drinkt alcohol in nachtclubs
ouderlijke angst
angst voor hypertensie
alexithymie
misbruik van barbituraat
in staat om klok te kijken
optimistisch
obsessieve-compulsieve stoornis door psychoactief middel
hysterische trance
onveilig-vermijdende hechting
schaamt zich voor drinken van alcohol
regressie door 'acting-out'
verlies van initiatief
gedragsstoornis als restverschijnsel van cerebraal infarct
'Global Deterioration Scale' stadium 5 - matig ernstige cognitieve achteruitgang
probeert te stoppen met elektronische sigaret
therapietrouw aan medicatieschema slecht
angst voor oplopen van stralingsziekte
moorddadige gedachten
slachtoffer van kindermishandeling
bevinding betreffende mentaal afweermechanisme
huwelijksconflict
bezorgd over eigen medicatiegebruik en/of drugsgebruik
in staat om willekeurig adres na vijf minuten te herinneren
stelen van medebewoners
creatieve gedachte
hysterische micropsie
niveau van lichaamsbeweging lager dan aanbevolen
draagt verschillende schoenen
gedachtearmoede
'approach-approach'-conflict
contusie van hersenstam met open intracraniale wond en bewustzijnsverlies
heeft plezier in zware lichaamsbeweging

bevinding betreffende houding tegenover drinken van alcohol
in staat om te plannen
vervormde herinnering
vrees
liefde
corticale vasculaire dementie
angst voor kanker van geslachtsorgaan
drinken van alcohol gaat voor familieverplichtingen
conflicteus gedrag
eigen reflectie in spiegel lijkt onwerkelijk
zich machteloos voelen
post intensive care syndroom
geheugen: weet eigen leeftijd niet
woedereactie
syncope en collaps
somnolentiesyndroom
geïsoleerde muzikale vaardigheid
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en opvallende verstoring van fu
moeite met begrijpen van spraak
antisociaal gedrag op kinderleeftijd of tijdens adolescentie
jaloerie
conversiedysfonie
afkeer van specifiek voedsel
psychomotorische ontwikkeling normaal
amorfosynthese
plotse flauwte
hyperfagie
niet in staat om zich aan te passen na persoonlijke crisis
ex-sigarenroker
zwak orgasme
katatone rigiditeit
bijten in eigen tenen
volwassen slachtoffer van voedingsgerelateerde verwaarlozing
maakt regels voor drinken van alcohol
bevinding betreffende tabakgebruik en blootstelling aan tabaksrook
angst gerelateerd aan gezondheidszorg
positieve gedachten
pre-existente Huntington-chorea tijdens zwangerschap
gemotiveerd om identiteit te behouden
secundaire travestie
bevinding betreffende geheugen voor terugtellen
schuld fase van rouw
perceptiestoornis door alcoholonthouding
steken van ander persoon
spontane confabulatie
angststoornis op kinderleeftijd
heeft nooit tabak gebruikt
heeft toegang tot schone naalden
lichamelijke mishandeling van echtgenoot
geslachtsgemeenschap niet gelukt

infectie door humaan immunodeficiëntievirus in World Health Organization 2007-stadium 1 gelijktijdig met	
klaar voor verbetering van copingvaardigheden van gezin	
mislukken van geslachtsgemeenschap	
twijfelen aan zichzelf	
heeft toegang tot geplande zelfmoordmethode	
vroeg optredende niet-familiaire Alzheimer-dementie	
onhandig kind	
multimodale hallucinatie	
vechten	
asymptotisch multipel myeloom	
zich veilig voelen	
doof gevoel van vulva	
is in staat tot logisch ordenen	
drinkt alcohol gelijkmatig in loop van week	
somatische hallucinatie	
Alzheimer-dementie	
latent homoseksueel	
situationele paniekaanval	
patroon van overeten en braken	
zichtbaar goed gestemd	
onvoldoende kennis van maatschappelijke voorziening	
zichzelf op grond gooien	
bevinding betreffende vermogen om nieuwe motorische vaardigheden te herinneren	herinneren
geïsoleerde vaardigheid bij algemene beperking	
nooit injecterende drugsgebruiker geweest	
gebrek aan vertrouwen in eigen kunnen	
probleem met conversie van informatie	
bevinding betreffende somatisch syndroom	
doelloos gedrag met toegenomen motorische activiteit	
wanen	
vingers in verwonding porren	
begrijpt instructie van één woord niet	
interactie met anderen normaal	
overmatige prioriteit voor drugsgerelateerde activiteiten	
bevinding betreffende vermogen om zich naam van huidige minister-president te herinneren	herinneren
psychosomatische abdominale pijn	
primaire travestie	
preoccupatie met procesvoering	
gevoel van welzijn	
consciëntieus	
traumatisch hersenletsel met langer dan 24 uur bewustzijnsverlies zonder terugkeer naar pre-existent bewi	
psychosomatische factor van lichamelijke aandoening met psychische component van matige omvang	
ontoereikende interpersoonlijke communicatieve vaardigheden	
toont kennis over valpreventie	
dementie gelijktijdig met en door ziekte van Pick	
traumatisch hersenletsel met langdurig bewustzijnsverlies	
heeft neiging autonomie van anderen te beperken	
richting van denken	
patiënt zich bewust van gevoelens van verzorger omtrent sterven	
in staat om nieuwe motorische vaardigheden te herinneren	

biseksueel risicogedrag
nachtmerries bij chronische posttraumatische-stressstoornis
reflexhallucinatie
dementie bij andere aandoening
excentriek karakter
blootstelling aan tabaksrook op werk
drinksessie
bevinding betreffende vermogen om abstract te denken
heeft neiging uit te stellen
obsessieve-compulsieve persoonlijkheidstrek
compulsief oncontroleerbaar medicatie en/of drugsgebruik
draagt felgekleurde kleding
gevoel van schaamte hebben
onvoldoende kennis van behandelregime
syncope bevestigd door getuigenis van andere persoon dan patiënt
passagère verandering van geestestoestand
gebrek aan noodzakelijke supervisie
nauwelijks sociale stimulatie van buitenaf
autosomaal dominante Alzheimer-dementie door mutatie van amyloïd precursoreiwit
Cotard-syndroom
pijproker
repetitief aanraken van voorwerpen
deprivatiesyndroom op kinderleeftijd
traumatisch intracranieel subduraal hematoom met kort bewustzijnsverlies
pornografomanie
sluimerend myeloom
verlegenheid als sociale angststoornis van kinderleeftijd
tandenknarsen
niet in staat om motorische vaardigheden te herinneren
bevinding betreffende vermogen om visuospatieel te redeneren
moeite met begrijpen van rol van maatschappelijke dienstverlener
organische persoonlijkheidsstoornis van explosieve type
graffiti schrijven
irreversibel coma
asymptotisch intestinaal dragerschap van Entamoeba
hallucinatie van temperatuur
zelfzorggedrag
arbitraire interferentie
paroxismale vertigo
dialysedementie
in staat om pijn in lichaamsdeel te tolereren
drinkepisode
bevinding betreffende libido
psychogene dyspneu
in staat om eigenwaarde te behouden
geheugen: kan terugtellen
doet regelmatig aan lichaamsbeweging
obsessieve gedachten over dingen weggooien
onthouding van middelenmisbruik in beschermde omgeving
milde mate van neuroticisme

gedachte-echo
bijten op eigen tong
sociale fobie, angst voor eten in openbaar
subjectieve distress door persoonlijkheidstrek
wil niet proberen
angststoornis door opioïd
ite and vigorous activity in 4 weeks (finding)
vertigo bij hyperextensie van nek
georiënteerd in persoon
obsessieve gedachten over bestolen worden
desoriëntatie in persoon
masochistisch gedrag
habituëel trekken aan eigen haar
intermitterende explosieve uitbarsting
bevinding betreffende levensvreugde
prikkelbaarheid
negatieve symptomen gelijktijdig met en door primaire psychotische stoornis
gezonde mannelijke neonaat
stoornis van registratie van informatie in geheugen
probleem betreffende seksuele relatie
bijten op object
uitdagend gedrag
trailingfenomeen
angst om alleen gelaten te worden
misidentificatiewaan
paniekstoornis met agorafobie en ernstige paniekaanvallen en ernstig vermijden van agorafobische situatie
bevinding betreffende vermogen tot emotie
seksuele pyromanie
angst voor letsel
momenteel één seksuele partner
intensiteit van lichaamsbeweging onbekend
perceptiestoornis gelijktijdig met en door onthouding van hypnoticum
identificatie met agressor als mentaal afweermechanisme
asymptomatische secundaire neurosyfilis
hervestigingssyndroom
zelfoverschatting
niet in staat om nieuwe motorische vaardigheden te herinneren
psychogene huidsymptomen
agressie door dementie
moeite met onafhankelijk denken
seniele primaire degeneratieve Alzheimer-dementie
moorddadig gedrag
asymptomatische bacteriurie tijdens zwangerschap
obsessieve-compulsieve stoornis
overmatige prioriteit voor drinkgerelateerde activiteiten
dissociatieve visuele hallucinatie
complexe post-trau-ma-ti-sche-stressstoornis
angst voor tandarts
past zich niet aan andere cultuur aan

excentriek gedrag
begrijpt instructie van meer dan drie woorden niet
tolerante niet-roker
bevinding betreffende denken
moeite met emotionele hechting aan ongeboren baby
ambitendentie
wreedheid tegen dieren
orale penetratie
seksuele partner met vergelijkbare leeftijd
opluchting voelen
wreedheid tegen mensen
slachtoffer van seksueel misbruik van kind
egodystone seksuele oriëntatie
heeft nooit enige substantie gerookt
zorgen over gek worden
niet geïnteresseerd in stoppen met roken
razernij
vasculaire dementie in remissie
coïtofobie
in staat om visuospatieel te redeneren
angst voor hartziekte
oscillopsie
eet vaak
bezorgdheid over niet aankunnen van ouderschap
asymptomatische amoebiasis
ongepaste verbale reactie
niet in staat om te redeneren
bevinding betreffende algemene mentale toestand
porren in oog
algemene nervositeit
algefobie
emotioneel gekwetst zijn
psychogene urine-incontinentie
toename in denken
inadequaat gebruik van communicatieapparaat voor communicatie met maatschappelijke voorzieningen
episodes van duizeligheid
ongecompliceerde multi-infarctdementie
gulzigheid
sociale drinker
probeert te overtuigen van almacht
compulsief zichzelf bijten
behandeld voor drugsgebruik in afgelopen 12 maanden
angst voor aandoening van lymfestelsel
bevinding betreffende agressief gedrag
onvoldoende kennis van gezondheid op reis
bevinding betreffende vermogen om adres te herinneren
omkering als mentaal afweermechanisme
bereid te leren
gemengde angststoornis en depressieve stoornis
compulsief controleren

drinkt 's morgens alcohol tegen kater
lichte angst
houdt zich aan infectiepreventieregime
onberekenbaar
asymptomatische systolische disfunctie van linker ventrikel
repressie door vergeten
kauwt pruimtabak in plugvorm
geen psychomotorische agitatie
bevinding betreffende lachen
medicatiegeïnduceerd coma
moeite met begrijpen van gesproken taal
retrospectieve falsificatie
automutilatie van penis
asymptomatische reversibele pulpitis
preoccupatie
gezonde volwassen man
cognitieve stoornis door en volgend op cerebrovasculair accident door ischemie
nek-tongsyndroom
op de hoogte van keuzevrijheid
gebruikt 'ik'-boodschappen
rouwen voor overlijden
angst voor borstaandoening
Alzheimer-dementie met progressieve afasie
perceptie dat dingen kleurloos lijken
niet in staat tot omgaan met pijn
asymptomatische irreversibele pulpitis
'approach avoidance'-relatie
onvoldoende kennis van voeden van zuigeling
versmald affect
paniekstoornis met agorafobie en ernstige paniekaanvallen en vermijden van agorafobische situaties in voll
vergist zich in identiteit van mensen
conflict betreffende culturele overtuiging
verdrinken van ander persoon
misbruikt drugs en/of medicatie
situationele lage eigenwaarde
angst voor aandoening van spijsverteringsstelsel
ontevreden over maatschappelijke voorzieningen
angst voor gebruik maken van openbare toiletten
primaire tocofobie
afwezigheid van zelfbeschikking
slachtoffer van seksuele agressie door lid van huishouden
likken aan voet
homo-erotisme op kinderleeftijd
in staat om te spelen met andere kinderen
lage intelligentie
moeite met informatie analyseren
gemengde vermijdende hechting

ambivalente relatie
perceptiestoornis en epileptische aanvallen gelijktijdig met en door onthouding van alcohol
beoordelingsconflict
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en opvallende verstoring van fu
commotio cerebri met bewustzijnsverlies langer dan 24 uur met terugkeer naar pre-existent bewustzijnsniv
coma door hypoxisch-ischemisch incident
perceptie en/of perceptiestoornis
toegenomen sociabiliteit
oscillatie van omgeving
zichzelf slaan
gevoel van hopeloosheid hebben
levenspartner pleegt overspel
ronddraaien
bevinding betreffende fase van rouwproces
in het openbaar masturberen
cognitie normaal
fobie voor tandarts
paniekstoornis zonder agorafobie met ernstige paniekaanvallen
'Global Deterioration Scale' stadium 4 - matige cognitieve achteruitgang
deelt naald
gehandhaafd vermogen tot plezier
trekken aan haar van ander persoon
seniele en preseniele organische psychotische aandoeningen
retrograde amnesie
bevinding betreffende activiteitenpatroon
angst voor endocriene ziekte
sufheid bij pasgeborene
voorgeschiedenis met lichamelijke mishandeling van echtgenote
begonnen met roken
concentratie normaal
constante beweging
aangename fantasie
paranoïde ideatie
houdt zich niet aan zelfmonitoringregime
denkt realistisch
kwetsbare persoonlijkheid
probleem met omgaan ziekte van familielid
in staat om gegeneraliseerde pijn te herkennen
perceptie dat dingen grijs lijken
vrees voor dieren
geen nerveuze verschijnselen
congenitale auditieve agnosie
geheugenklachten door depressieve stoornis
gevormde visuele hallucinatie
in staat om gedrag en leefstijl aan te passen om verbetering van gezondheid te ondersteunen
asymptomatische cerebrovasculaire aandoening
plan om te doden
beperkt vermogen om te redeneren
bevinding betreffende intellectueel vermogen

wenst uitstel van menstruatie
castratieangst
microfobie
verstoring in snelheid van associaties
paniekstoornis met agorafobie en vermijden van agorafobische situaties in partiële remissie en paniekaanvallen
verwarring over seksuele oriëntatie
bromhidrosifobie
gedachten over verkrachting
drinkt alcohol in restaurants
houdt zich aan protocol van diagnostische test
penoscrotodynie
afwijkend seksueel gedrag van mannelijke adolescent
zware roker van sigaretten
bevinding van persoonlijkheidstrekkende empathisch vermogen
nooit in staat om voor kind te zorgen
gedrag bekrachtigd
probleemdrinker
probleem in relatie met familieleden door psychische aandoening
bevinding betreffende gewoonten
frontloading
in staat om taal te begrijpen
ontoereikend zelfmanagement van chronische pijn
roekeloos rijden
zich opvallend gedragen in openbaar
hanteerbaar gedrag
amnesie voor alledaagse feiten
slachtoffer van seksueel misbruik in relatie met levenspartner
doof gevoel van huid
psychogene dysmenorroe
zorgeloos karakter
ongepaste mictie
meestal in staat om voor kind te zorgen
vertigo door epilepsie
duurzame persoonlijkheidsverandering na catastrofale ervaring
glossolalie
probleem in relatie met vaste vriendin
ontoereikend zelfmanagement van acute pijn
repetitieve snelle bewegingen
verzorger in staat tot coping
preseniele dementie met paranoia
delictgedrag
hoog IQ
verandering in gedrag bij zuigeling
bevinding betreffende beoordelingsvermogen
verlengde rouwstoornis
verhoogde smaakperceptie
zeer lichte drinker - minder dan één eenheid per dag
kinderslachtoffer van psychische of emotionele mishandeling
verminderde wanhoop
bevinding betreffende eetgewoonte

excessief bemoederd
zorgen om seksuele oriëntatie
bevinding van persoonlijkheidstrek betreffende emotionele warmte
intracranieel letsel met langdurig coma zonder open wond
plagen
fobische-angststoornis
psychogene disfunctie van ware stembed
in staat om gegeneraliseerde pijn te tolereren
verwoordt diagnose en ernst van chronische ziekte
angst voor lokale anesthesie
eetbuistoornis
prikkelbaarheid na vaccinatie
hypnopompe hallucinatie
sundown syndrome
injecteert medicatie en/of drugs subcutaan
overbeschermende ouder
emotioneel afwezig
heeft neiging vooruit te plannen
bevinding betreffende gebruik van beschermingsmiddel bij seks
asymptomatische infectie door humaan immunodeficiëntievirus A2
waan betreffende eigen uiterlijk
in staat om optimistisch te zijn
toont kennis over zwangerschap
lage mate van psychoticisme
heeft neiging niet vooruit te plannen
voormalig zware drinker - zeven tot negen eenheden per dag
incestueus concubinaat met meisje
onvoldoende kennis van patiëntgecontroleerde analgesie
tikken met voet
niet-drinker om medische redenen
bigamie
bevinding betreffende ouderschap
verwoordt beleid om belemmeringen om te bewegen te verminderen
mishandeling door ouder
dominante agressie
in staat om met pijn in lichaamsdeel om te gaan
hepatisch coma door chronisch leverfalen
onder druk gezet door levenspartner
ongerustheid
geeft geen antwoord tijdens slaapwandelen
emotioneel stabiel
erectie zonder orgasme
afwijkend en onverklaarbaar gedrag
veranderlijke stemming
agnosie van digitus van hand
asymptomatisch
seksueel gedrag niet bekend
hepatisch coma door chronische hepatitis B

gevormde hallucinatie van mensen	
parasietenwaan	
normale stemmingsverschijnselen	
geestelijke afwezigheid	
paniekstoornis met agorafobie en licht vermijden van agorafobische situaties en paniekaanvallen in volledig	
zelf prolaps opwekken	
coma door overmatig insuline	
niet-ketoacidotisch niet-hyperosmolair coma door diabetes mellitus	
geeft commentaar op eigen gedachten	
angst voor hartaanval	
catastrofewaam	
projectie als mentaal verdedigingsmechanisme	
xenofobie	
agnosie voor tijd	
ongepast gedrag	
verwoordt beleid om beweging te stimuleren	
gevoel te moeten minderen met drinken van alcohol	
persisterend middelenmisbruik	
toont kennis over fysiotherapie	
asymptomatische parodontitis apicalis	
onveilige hechting	
paniekstoornis met agorafobie en ernstig vermijden van agorafobische situaties en paniekaanvallen in parti	
perceptiestoornis en epileptische aanvallen gelijktijdig met en door onthouding van psychoactief middel	
patronen lijken ingewikkeld en gedetailleerd	
adolescente ongehuwde moeder	
moeite met oplossen van problemen	
aanmatigend gedrag	
hyperosmolair coma door secundaire diabetes mellitus	
weerstand tegen verandering in omgeving	
verwoordt methode om zelfdosering van medicatie aan te passen	
paniekstoornis zonder agorafobie	
consciëntieus karakter	
pedofilie van exclusieve type	
fladderen met armen	
psychologische schijnzwangerschap	
psychoseksuele disfunctie bij geremde seksuele opwinding	
niet-assertief karakter	
tevreden met lichaamsbeeld	
postictaal coma	
niet in staat om concept van gevaar te begrijpen	
gebruiker van elektronische sigaret met nicotine	
asymptomatische bacteriurie tijdens zwangerschap - niet bevallen	
seksuele hallucinatie	
psychogene stupor	
stemt niet in met zorgplan	
ongepast schreeuwen	
in staat om met eigen agressie om te gaan	
psychomotorische retardatie	
slaperigheid overdag	
hyperacusis van rechter oor	

tolerante ex-roker
vergeet wat hij/zij wilde zeggen
subjectieve geheugenklachten
lage mate van suggestibiliteit
verandering in familieprocessen
waanstemming
recidiverende geïsoleerde slaapperelateerde hallucinatie
niet in staat om te plannen
adem inhouden bij driftbui
psychogene stemstoornis
gevaarlijke en schadelijke gedachten
situationele syncope
gesystematiseerde waan
traumatische intracraniële bloeding met kort bewustzijnsverlies
oncontroleerbare opwinding
normale seksualiteit en seksuele ontwikkeling
seksueel aangetrokken tot mannen en vrouwen
strelen
onvoldoende kennis van ontwikkeling van foetus
acarofobie
hypoglykisch coma bij diabetes mellitus
intrapyschisch conflict
narcose
hypesthesie van onderste extremiteit
medicatieontrouw
herhalen van zinnen
zelfstimulerend gedrag
beperkte sensorische perceptie
stress door spanningen binnen familie
snel progressieve dementie
verkenning van geslachtsorgaan
dementie met gedragsstoornis
voorspelbaar gedrag
niet correct uitvoeren van diagnostische test door patiënt
gedragstolerantie voor alcohol
plan om te verkrachten
niet-verbale auditieve hallucinatie
hypererotisme van man
seniele dementie met depressieve of paranoïde kenmerken
geheugen: weet niet wie belangrijke persoon is
persoonlijheidsverandering
afwijkende seksuele ontwikkeling
emotionele gevoeligheid
schoppen van ander persoon
fantaseren
slachtoffer van gedrag van andere persoon
onvoldoende kennis van valpreventie
cognitieve stoornis in remissie
dissociaal gedrag bij kind of adolescent
homoseksuele vrouw

bevinding betreffende seksuele oriëntatie
klacht betreffende hyperfagie
bevinding betreffende vermogen om oude motorische vaardigheden te herinneren
vrees voor dik worden
seksueel misbruikgedrag
onaangepast gedrag bij lichamelijke aandoening
preoccupatie met seks
bevinding betreffende vermogen om voorwerpen te herinneren
intrusieve herinneringen
bevinding betreffende vermogen om te begrijpen
dementie door infectieziekte
vrees voor insecten
lichamelijke mishandeling van echtgenote
heeft neiging anderen te vernederen
onaangenaam affect
seksuele promiscuïteit van adolescente vrouw
nabijheidzoekend gedrag
cognitieve functiestoornis
waanwaarneming
fysieke agressie
doof gevoel van tong
zware drinksessie
predatie
cross-seksuele puberteitskenmerken
seksueel hoogrisicogedrag bij adolescent
sprong van gebouw
heeft nooit vochtige poedertabak gebruikt
niet-acceptatie van ziekte
verstoring van reflex door middelengebruik
drinkt alcohol met kinderen
multisensorische duizeligheid
angst voor convulsie
onwillig
traumatische intracraniale bloeding met 1-24 uur bewustzijnsverlies
verwoordt routine betreffende toedienen van medicatie
laceratie van cerebellum zonder open intracraniale wond en met bewustzijnsverlies
nachtmerriestoornis
vandalisme
past zich aan na persoonlijke crisis
angst met betrekking tot lichaamsfunctie
hypoglykemisch coma bij diabetes mellitus type 1
drinken van alcohol gaat voor financiële verplichtingen
onoplettendheid
hoogdravend karakter
acute stuportoeestand door acute stressreactie
klaar om complexe beslissing te nemen
bevinding betreffende drinkgewoonten
therapieontrouw met betrekking tot nierdialyse
in staat om keuzes te identificeren

chronische psychogene pijn
rondzwerven door dementie
bevinding betreffende vermogen tot therapietrouw
bevinding van persoonlijkheidstrek betreffende flexibiliteit
neemt deel aan groepstraining
obsessieve gedachten over veroorzaken van ongelukken
syncope door autonoom falen
cognitieve stoornis door en volgend op niet-traumatische intracerebrale bloeding
bevinding betreffende vermogen om willekeurig adres na vijf minuten te herinneren
familiaire Alzheimer-dementie, laat begin
nooit seksueel actief geweest
kleedt zich niet modieus
stupor
mechanische clitorale stimulatie
vastgehouden richting van denken
asymptomatische stenose van extracraniële arterie
conflict over adoptiekind of pleegkind
versterkte agressie
kopstoot geven aan ander persoon
gemiddeld intelligent
geeft alcoholgebruik toe
bevinding betreffende rookgedrag van tabak
stelen van thuis
bevinding betreffende prestatie van geheugen
gebruik van Catha edulis
moeite met herinneren van data
sensorische agnosie
patiënt heeft instructies betreffende behandeling verkeerd begrepen
begrijpt instructie van twee stappen niet
levensmoeheid
amnesie voor belangrijke persoonlijke gegevens
valse perceptie
chaotisch eten
gaat om met pijn van verdriet
opgewondenheid
onvoldoende rust/slaap voor leeftijd
heeft plezier in matig zware lichaamsbeweging
niet willen denken aan iets
variatie in stemming in loop van dag
afkeer van voedsel of drank
zich vies voelen
sterfgeval binnen familie
sociale fobie
onvermogen dwanghandelingen te weerstaan
moeite met zelf monitoren van ziekte
slachtoffer van seksueel misbruik in relatie
schadevermijdingsgedrag
rookt shag
unio mystica
psychogene alopecia

bevinding betreffende voorgeschiedenis van lichaamsbeweging	
emotioneel misbruik in relatie met levenspartner	
angststoornis	
dementie door herpesencefalitis	
psychopathische persoonlijkheidstrek	
zelfobjectoverdracht	
intimidatie	
probleem met coping	
gebrek aan trots	
ontoereikende sociale vaardigheden	
preseniele dementie gelijktijdig met infectie met humaan immunodeficiëntievirus	
geheugenprobleem door en volgend op embolisch cerebrovasculair accident	
organische hallucinose door psychoactief middel	
bevinding betreffende vermogen om geometrische figuur na vijf minuten te reproduceren	
preoccupatie met lichaamsgewicht	
spannende ideeën	
dagelijkse routine afwezig	
bevinding betreffende vrouwelijke seksualiteit	
ontevreden over verantwoordelijkheid voor opvoeding	
oedipuscomplex	
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en volledige verstoring van func	
hypnotische toestand	
ontwaakt niet gemakkelijk vanuit slaapwandelen	
ex-roker van pijptabak	
bevinding betreffende vermogen om gevaarlijke gedachten te weerstaan	
extravert	
binge eating	
slachtoffer van 'grooming'	
naaldfobie	
verbaal bedreigend gedrag	
drinkt alcohol onregelmatig in loop van week	
niet in staat om willekeurig adres na vijf minuten te onthouden	
hepatisch coma door acute hepatitis B met hepatitis D	
niet in staat om eigen geboortedatum te herinneren	
verlies van eigenwaarde	
pesten van volwassene	
aboulie	
flexibilitas cerea	
langetermijngeheugen binnen normaalwaarden	
heeft neiging anderen schuld te geven	
onvoldoende kennis van diagnostisch onderzoek	
asymptomatische occlusie van arteria cerebri anterior	
strippen van eigen huid	
vrees voor doofheid	
probleem gerelateerd aan seksualiteit	
Charles-Bonnet-syndroom	
afwijkende perceptie	
erotografomanie	
porren in eigen oog	
te gemakkelijk opgewekt orgasme	

drinkt wijn
conflict tussen religieuze overtuiging en medische aanbeveling
asymptomatische HIV-infectie
angst voor slikken
excessieve masturbatie
zuigen op tong
bevinding betreffende vermogen om eigen emoties te begrijpen
agressief gedrag
lacht spontaan
vergeet wat hij/zij net heeft gezien
normaal IQ
seksueel actief in afgelopen jaar
ineffectieve gezinscoping
seniele demantie met delier
niet-roker om persoonlijke redenen
probleem in relatie met gelijke
bevinding betreffende sociale interactie
angst om in kleine groep te zijn
hyperventilatie door angst
geïsoleerde asymptomatische verhoging van creatinefosfokinase
astrapofobie
asymptomatische trichomoniasis
voorspel
angststoornis door ketamine
verminderde stressverwerking
verhoogde auditieve perceptie
zeer zware drinker - meer dan negen eenheden per dag
heeft neiging gevoelig te zijn voor kritiek
probleem in relatie tussen verzorger en kind
bevinding betreffende stemming
klaar voor verbetering van ouderschap
seksueel misbruik in relatie
angst voor sociale bijeenkomsten
relatie gekenmerkt door paranoïde-schizoïde positie
gelaten tolerantie
vertigo door apoplexie
bevinding betreffende bewustzijn
verwaarloosde echtgenoot of echtgenote
extrinsieke motivatie
rookt drugs in pijp
niet in staat om voorwerpen op zicht te herkennen
verhoogde stressverwerking
inhoudelijke denkstoornis
psychosociale disfunctie door chronische pijn
lichte drinker
verkeerd gebruik van cocaïne
cognitieve stoornis
angst over broekplassen
depressieve hypochondrische waan

fase in psychoseksuele ontwikkeling
Alzheimer-dementie met gedragsstoornis
crimineel seksueel gedrag
niet-meegaand karakter
zich neerleggen bij sterven
geen cerebrale responsiviteit
klaar voor versterking van godsdienstigheid
niet-coöperatief karakter
slachtoffer van pesten wanneer niet op school
partus gecompliceerd door lichamelijke mishandeling
geeft commentaar op eigen handelen
drinkt alcohol op werk
vrouwelijke seksuele rijpheid
bizar gedrag
niet in staat om bekenden te herkennen
angst voor telefooncellen
preseniele primaire degeneratieve Alzheimer-dementie
niet betrokken bij regelen van eigen zaken
anticipatie als mentaal afweermecanisme
bizarre waan met lichamelijke gewaarwording
bevinding betreffende frequentie van eten
tabaksgebruik door moeder
motorische coöperatie bij katatonie
vertrappen
seksuele frustratie
wispelturig gedrag
straatdrinker
gebruiker van elektronische sigaret zonder nicotine
postictale sufheid
schadelijke gedachte
verleiden
disfunctioneel rouwen
preseniele primaire degeneratieve Alzheimer-dementie met wanen
bevinding betreffende vermogen om te lezen
agnosie voor temperatuur
consumeert stelselmatig 's nachts grootste deel van voedsel
hallucinatie van iemand anders die geur verspreidt
kerven in eigen vagina
idiopathische recidiverende stupor
nauwelijks gedeelde activiteiten
doelloos destructief gedrag
psychotische klacht afwezig
omgeleide agressie
cognitieve stoornis door en volgend op niet-traumatische subarachnoïdale bloeding
moeite met verantwoordelijkheid voor opvoeding
hyperemotionaliteit
moeite met richten van aandacht
crimineel gedrag
primaire degeneratieve dementie
impulsief karakter

angst voor chirurgische gezichtsmaskers
is seksueel actief voor huwelijk
ontrouwwaan
voortdurend gaan verzitten op stoel
egomanie
pathologische promiscuïteit
gedomineerd door anderen
thuis verdwalen
autonome hechting
toont kennis over zorg voor zuigeling
'approach avoidance'-gedrag
in staat om eigen begrip te bewaken
bevinding betreffende vermogen om zich huidige jaartal te herinneren
anale penetratie met penis
cijfert zichzelf weg
tijd lijkt abnormaal snel voorbij te gaan
draagt verschillende sokken
vasculaire dementie
bevinding betreffende mate van hoop
stille cerebrale microbloeding
niet-roker om religieuze redenen
aangeklaagd voor rijden onder invloed van alcohol
orale stimulatie van penis
stemt in met zorgplan
visuele vertigo
emotioneel afgestompt karakter
niet in staat om beredeneerde keuze te maken
domme zakelijke investering
pubertas praecox
cognitieve functiestoornis gelijktijdig met en door primaire psychotische stoornis
onverwachte rouw als gevolg van levensgebeurtenis
hardwerkend karakter
nieuwe relatie
verwaarlozing van persoonlijke hygiëne
heeft nooit snuiftabak gebruikt
angststoornis door amfetamine
flashbacks zijn gestopt
acute vasculaire dementie
agorafobie zonder paniekstoornis in voorgeschiedenis met beperkte symptoomaanvallen
hersenletsel met verlies van bewustzijn zonder open intracraniale wond
seksuele intimidatie
specifieke fobie
therapietrouw aan medicatieschema goed
weinig neiging tot schrikken
moeite met niet drinken van alcohol
diabetisch coma
hyperventilatiesyndroom
bevinding betreffende plezier in seks
verbijsterd
uitgesteld verbaal geheugen

haatgevoelens
afgenomen mate van verwardheid
angst
heeft voldoende slaap
ijsberen
bevinding van persoonlijkheidstrekk betreffende mate van suggestibiliteit
gewoontehouding
repetitieve spraak
angst voor school
vrees voor zwangerschap
vasculaire dementie met gedragsstoornis
stemmingscongruente hallucinatie
niet in staat spontane drinkgelagen onder controle te houden
geagiteerd rondzwerven
collaps
hysterische simulatie van ziekte
therapieontrouw met betrekking tot lichaamsbewegingsregime
isolatie als mentaal afweermechanisme
'tower block'-syndroom
emotioneel overstuur
fugue
psychomotorisch symptoom gelijktijdig met en door psychotische stoornis
onvoldoende kennis van mondhygiëne
afwijkend affect
bevinding betreffende geheugen voor huidig jaartal
bevinding betreffende regelmaat van eten
storend gedrag
drinkt alcohol met vreemden
ultralichte vlieger
negatieve automatische gedachte
ineffectieve ontkenning
aerobe lichaamsbeweging twee keer per week
op zichzelf schieten
compulsief doelloos gedrag
leerprobleem van basale motorische vaardigheid
extase
angst over braken in openbaar
coma door niet-diabetische hypoglykemie
meerdere seksuele partners in verleden
afgenomen angst
asymptomatische bacteriurie tijdens zwangerschap - bevallen
vrijblijvende seksuele relatie
delier gelijktijdig met dementie
begrijpt taal niet
psychosomatische factor van lichamelijke aandoening met kleine psychische component
draagt overdag nachtkleding
niet in staat om agressie onder controle te houden
bevinding betreffende vermogen om te praten over problemen
laceratie van cerebellum met open intracraniale verwonding en bewustzijnsverlies
tabaksgebruik onbekend

gebruikt condoom als anticonceptiemiddel
in staat om verbaal te redeneren
bevinding betreffende vermogen om bekenden te herkennen
interseksualiteit
ontbijt gewoonlijk
seksuele molestatie
verbittering voelen
asymptomatische neuropathie door diabetes mellitus
plankenkoorts
verkeerd gebruik van cannabis
seksuele anesthesie
plezierig affect
disinhibitie door alcohol voor consumptie
hypesthesie van oorschelp
onderactieve zuigeling
actiefase voor gereedheid tot veranderen van voedingsgedrag
seksueel actief met vrouwen
afwijkende seksuele functie gelijktijdig met en door prolaps van vrouwelijk geslachtsorgaan
emotionele verwaarlozing op kinderleeftijd
gewelddadige handelingen naar anderen
bevrozen in één lichaamshouding
zich ontspannen voelen
gebruikt vrouwencondoom
kauwt tabak van fijne snede
besef van identiteit normaal
moeite met begrijpen van instructie van drie woorden
hepatisch coma door chronische hepatitis B met hepatitis D
zelf toegebrachte huidproblemen
normale rouwreactie op levensgebeurtenis
somatische passiviteit
klaar voor verbetering van processen binnen familie
in staat om omgeving te herkennen
geheugen ondersteund door gebruik van labels
houdt zich aan vochtbalansbeleid
bevinding betreffende frequentie van drinken van alcohol
onvoldoende kennis van klacht
stoornis op kinderleeftijd en in adolescentie met selectief mutisme
gebruikt handschoenen als beschermingsmiddel bij seks
dementie bij multiple sclerose
splijting als mentaal afweermechanisme
bevinding betreffende prestatie van kortetermijngeheugen
vasovagale syncope
therapieontrouw aan voorschrift van peritoneale dialyse
mishandelend gedrag
angst om iets verkeers te zeggen
moeite met beheersen van gedrag
agressie door alcohol voor consumptie
repetitief complex draaien van handen nabij ogen
gebruiker van tabak

seksuele intimidatie door vrouw
moeite met gebruik van beslissingsstrategie
rollen met tong
bevinding betreffende vermogen om eigen lichaamsdelen te herkennen
moeite om instructie van meer dan twee stappen te begrijpen
snijden van ander persoon met scherp voorwerp
niet in staat om informatie op normale snelheid te verwerken
in staat om aandacht te richten
weglopen van huis
milde majeure depressieve-stoornis, eenmalige episode gelijktijdig met angst
in staat om eigen vingers te herkennen
obsessieve gedachte van besmetting
paniekstoornis met agorafobie en lichte paniekaanvallen en vermijden van agorafobische situaties in volled
ketoacidotisch coma door diabetes mellitus
volwassen persoonlijkheid
psychogeen geremd orgasme van man
conversieafonie
conflict over gezondheidsovertuiging
paniekstoornis met agorafobie en lichte paniekaanvallen
gebrek aan interesse
bewustzijnsverlies
minimale bewustzijnstoestand
zoekt geen consistente gezondheidszorg
klaar voor effectievere mictie
dementie door cerebrale anoxie
subcorticale dementie
in staat om humor te begrijpen
epilepsie gelijktijdig met en door dementie
angst voor bruggen
bevinding betreffende geheugen voor belangrijke gebeurtenis
gebruikt ontkenning niet als afweermechanisme
passieve agressie als mentaal afweermechanisme
obsessieve gedachten over ziekte
krabben van ander persoon
preoccupatie met ramp
motorische stereotiepe routine
paniekstoornis met agorafobie en vermijden van agorafobische situaties in volledige remissie en paniekaan
ruzie met echtgenote
lichte geheugenstoornis
angst voor maligne neoplasma van endocrien systeem
weet hoe klacht wordt ingediend
repetitief gedrag
winkeldiefstal plegen
agorafobie
ontwikkelingsachterstand in sociale vaardigheden
syfilofobie
seksueel gedrag zonder penetratie
geheugenmisser
devaluatie als mentaal afweermechanisme
niet in staat om naam van school te herinneren

emotioneel kil
breken van ramen
traumatisch letsel van hersenen met bewustzijnsverlies
uithalen naar ander persoon
lichte eetbuistoornis
dementie bij ziekte van Parkinson
geniet niet van hebben van seks
gevoel hebben te willen ontsnappen
bevinding betreffende vermogen om zich geluiden te herinneren
laag zelfbeeld
overdreven zelfkritiek
ontmoediging voelen
paniekstoornis met agorafobie en vermijden van agorafobische situaties in volledige remissie en paniekaanval
geïsoleerde visuospatiële vaardigheid
angst door dementie
niet in staat om numeriek te redeneren
plant extravagante projecten
draagt kleding in één kleur
zich leeg voelen
eet regelmatig drie maaltijden per dag
voormalig injecterende drugsgebruiker
dagelijks seksueel actief
eigenwijs karakter
prelogisch denken
verandering van ouderschapsrol
prikkelbare zuigeling
toont kennis over partus
verminderde stress
bevinding betreffende gezondheidsgerelateerd gedrag
seksueel ongeremd gedrag
klaar voor verbetering van hoop
vestibulaire migraine
angst over slikken
verlaagd niveau van vrees
minimaal bewuste toestand plus
in staat om geluid te herkennen
hypoaffectiviteit
in staat om te schrijven
woedefase van rouw
posttraumatisch mutisme
doorslikken van substantie
bevinding betreffende aantal seksuele partners
bezorgd over vorm van neus
deelt materiaal voor injecteren van drugs
probleem in relatie tussen ouder en geadopteerd kind
paniekstoornis zonder agorafobie met paniekaanvallen in volledige remissie
verandering in gedrag van volwassene
cognitieve functiestoornis in aandacht
verwaarlozing van veelvoorkomende gevaren

overmoedig	
geheugenprobleem door en volgend op hemorragisch cerebrovasculair accident	
in staat om datum van vandaag te herinneren	
slachtoffer van marteling	
anticiperende rouw	
angststoornis door synthetisch cannabinoïd	
us activity in 4 weeks (finding)	
in staat om geur te herkennen	
onvoldoende kennis van peritoneale dialyse	
compulsief verzamelen	
bevinding betreffende egosterkte	
contusie van cerebellum zonder open intracraniële wond met bewustzijnsverlies	
onvolledig bewustzijnsverlies zonder amnesie	
openlijke seksuele intimidatie door man	
agnosie voor smaak	
zichzelf afschrijven	
parkinsonisme gelijktijdig met dementie Guadeloupe-type	
bevinding betreffende gereedheid	
gedachtevlucht	
posturale duizeligheid	
perceptiestoornis bij conversie en dissociatief fenomeen	
subjectieve vertigo	
begrijpt taal	
fobische vermijding als mentaal afweermecanisme	
primitieve woede	
agressieve uitbarsting	
passend affect	
noodzaak van verschonen van kleding	
verwaarlozing van lichamelijke aandoening	
spijbelt	
toename van doelgerichte activiteit	
vertraagde start van beweging	
praat niet over probleem	
duizeligheid	
hallucinose door hallucinogeen	
bevinding betreffende zuigen	
fobische-angststoornis op kinderleeftijd	
kauwt betelpruim	
gezonde oudere man	
chronische stressstoornis	
niet in staat om ongewenst gedrag te voorkomen	
afwijkende seksualiteit	
afwijkend seksueel gedrag	
misbruikt drugs en/of medicatie rectaal	
houdt zich niet aan behandeling	
glimlacht terug	
geleide rouw	
drugsgelateerd crimineel gedrag	
reinigt naald voor injecteren van drugs met bleekmiddel	
onnodige bezorgdheid over en preoccupatie met stressvolle gebeurtenissen	

territoriale agressie
eetgedrag en eetlust
slachtoffer van mensenhandel
toont kennis over traditionele behandeling
preseniele primaire degeneratieve Alzheimer-dementie in remissie
gezonde premature mannelijke neonat
met moeite in staat om gevaarlijke gedachten te weerstaan
paniekstoornis met agorafobie en vermijden van agorafobische situaties in partiële remissie en paniekaanvallen
angst voor mobiliseren
waan van controle over schrift
orale psychoseksuele fase
in contact met vrijwillige belangengroep
andere geurwaarneming
posttraumatische dementie met gedragsveranderingen
wegraking
voormalig zeer lichte drinker - minder dan één eenheid per dag
matige angst
afgestompt affect
bevinding betreffende vermogen om geuren te herkennen
gedrag met betrekking tot middelenmisbruik
paranoïde persoonlijkheidstrek
empathisch karakter
chronische angst
dissociatieve tactiele hallucinatie
niet in staat tot logisch ordenen
gedachte-onttrekking
preseniele dementie
verwoordt voorgeschreven activiteitenplan
angst voor oversteken van straat
klaar voor verbetering van immunisatiestatus
fit en gezond
verkeerd gebruik van opioïd
kieskeurige eter
neglect van lichaamsdeel
heeft routine van drugsgerelateerde activiteiten
psychogeen overeten
geheugenprobleem door en volgend op cerebrovasculaire ziekte
gevaarlijke fantasie
angst over hervatten van seksueel contact
persisterende positionele perceptieduizeligheid
misbruikt langdurig drugs
slachtoffer van verbaal geweld
probleem in relatie met schoonfamilie
vrouwelijke prostitutie
gewelddadige motorische activiteit
kussen
tocefobie
heropenen van litteken
paniekstoornis met agorafobie en matige paniekaanvallen en vermijden van agorafobische situaties in volle remissie
verwijderen van eigen nagels

posttraumatisch coma
dringt binnen in persoonlijke ruimte van anderen
in staat om geluiden te herinneren
zichzelf bijten
zuigen op lip
ABri-amyloidose
angst om te worden uitgelachen
niet in staat om voorwerpen op tast te herkennen
duimzuigen
verminderde concentratie
levenslang aanwezige depressieve persoonlijkheidstrek
in staat om te reflecteren op eigen gedrag
zeer sociabel karakter
primaire bekrachtiging van gedrag
bevinding betreffende gebruik van 'ik'-uitspraken
neemt zichzelf van buitenaf waar
verandering van reukzin
coma
voelt effect van alcohol op werk
psychogene dyspepsie
onvoldoende kennis van lichaamsbeweging
gedaald bewustzijn
bevinding betreffende zelfbeheersing
angststoornis op kinderleeftijd of in adolescentie
regressie door enactment
codependentie
primaire waan
hepatisch coma door acuut leverfalen
heeft geen strategieën om drinken van alcohol onder controle te houden
eigendom weggeven
obsessieve-compulsieve stoornis door synthetisch cathinon
matige anticipatieangst
niet in staat om geluiden te herinneren
'Global Deterioration Scale' stadium 7 - zeer ernstige cognitieve achteruitgang
probleem met basaal leren met betrekking tot taal
psychologisch mishandelde ouder
angst voor reizen
bevinding betreffende eetpatroon
bevinding van persoonlijkheidstrek betreffende impulsbeheersing
slachtoffer van consistente negatieve boodschappen
niet meer seksueel actief
gedrag met verminderde motorische activiteit
subcorticale leukencefalopathie
heeft neiging niet tegen verveling te kunnen
schizoïde karakter
bevinding betreffende vermogen om weloverwogen keuze te maken
passagère geheugenverlies
lager dan gemiddeld intelligent
tegenstrijdige houding ten opzichte van medicatiebeleid
seksuele verwaarlozing

gebruikt dagelijks vochtige tabak
seksuele onaangepastheid
folie à trois
gebrek aan libido
niet in staat om informatie te verwerken
bradyfrenie
kortere concentratieboog
vrees gerelateerd aan ziekte en lichaamsfunctie
onaangepaste persoonlijkheidstrek
geweld tussen ouders
mislukte poging tot stoppen met roken
begrijpt eigen emoties niet
extreem trots karakter
aerobe lichaamsbeweging vijf keer per week
handmatige stimulatie van penis
therapieontrouw met betrekking tot medicatieregime
gegeneraliseerde sociale fobie
gebrek aan besef
waan van grootse mogelijkheden
gameverslaving
verwaarloosde ouders
duwen van ander persoon
vaginale douche als beschermingsmiddel bij seks
hunkering naar specifieke drank
eet altijd
zichzelf raken
gevoel mislukking te zijn
bevinding betreffende attitude
afwijkend ziektegedrag
dwangmatig wassen
pedofilie
naaktlopen in huis
bevinding betreffende vermogen om getal van vijf cijfers na vijf minuten te onthouden
fragiele eigenwaarde
angst over verlies van controle over ontlasting
vernielen
'battered woman'-syndroom
zorgverlener zich bewust van gevoelens van patiënt omtrent sterven
ander persoon stevig vastpakken
niet in staat om omgeving te herkennen
psychotische klacht aanwezig
aanpassingsstoornis met gemengd angstige en sombere stemming
goede kwaliteit van leven
ontzegging van mogelijkheid tot maken van geïnformeerde keuze
is seksueel actief buiten huwelijk
rusteloosheid
paniekstoornis met agorafobie en ernstige paniekaanvallen
past zich aan na levensgebeurtenis met verlies
bevinding betreffende initiatief

repetitieve, fladderende bewegingen
acuut vestibulair syndroom
zichzelf brandwond toebrengen
verkennen van seksualiteit tussen broer en zus
gedragsverandering
angststoornis door dissociatieve medicatie en/of drugs
zich verloren voelen
toegenomen behoefte aan rust
angst voor dik worden
klaar voor verbetering van comfortsituatie
angstoestand
kauwen op tong
onzeker gedrag
geheugen: weet eigen geboortedatum
leerprobleem van basale vaardigheid met betrekking tot spraak
achterdocht
ophitsen
zwerft 's nachts rond
eet tussen maaltijden
toont emotie
veroordeeld voor rijden onder invloed van alcohol
bevinding betreffende vermogen om zich naam huidige koning of koningin te herinneren
angst voor maligne neoplasma van urinewegstelsel
referentiële gedachten
bevinding van persoonlijkheidstrek betreffende sadistische neiging
negatieve score op vierpunts-gedragschaal van Frankl
'battered baby'-syndroom en/of 'battered child'-syndroom
bevinding betreffende bewustzijn van regels en grenzen
stemmingsincongruente hallucinatie
oppositieel-opstandige stoornis gelijktijdig met chronische boze en prikkelbare stemming met normale p
bevinding betreffende lichaamsbeweging
in staat om eigen leeftijd te herinneren
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand en volledige verstoring van func
ouder-kind-problematiek
verschijnt naakt in openbaar
in staat om zich te houden aan regels en grenzen
depersonalisatiewaan
ontoereikende slaaphygiëne
anhedonie
toegegeven tabaksgebruik mogelijk niet waar
onveilig-afwerende hechting
omgevingsoverdracht
habituele promiscuïteit
geïn-sti-tu-ti-o-na-li-seerd
klacht betreffende cognitieve functies en bewustzijn
moeite met antenataal rustpatroon
dementie door primair maligne neoplasma van hersenen
dementie door toxine
wil geen vertegenwoordiger
pedofilie met seksuele aantrekking tot jongens

niet-meegaand gedrag
dwaze gedachten
heeft neiging taken op te geven
compulsie om te handelen naar gevaarlijke dwanggedachte
irrationele gedachten
wachtte niet op behandeling
ergofobie
tamelijk zware drinker
geheugen: weet eigen leeftijd
spelen van harde muziek - antisociaal gedrag
kannibalisme
verminderd teruggetrokken gedrag
slachtoffer van seksuele agressie
manische symptomen gelijktijdig met en door primaire psychotische stoornis
spanning
falsificatie
asymptomatische occlusie van arteria basilaris
gevoel van mentale superioriteit
probleem met langetermijngeheugen
neonatale hypokinesie
duizeligheid met onbekende oorzaak
acute ernstige vertigo
angst voor neurologische ziekte
onvolledige masturbatie
introjectie als mentaal afweermechanisme
weigert voedsel
opvallende drinkgerelateerde activiteiten
repetitieve, complexe, draaiende bewegingen van vingers
rondzwervend op straat gevonden
zich vastklampen aan bepaalde objecten als stereotiepe routine
paniekstoornis zonder agorafobie met paniekaanvallen in partiële remissie
in staat om dag van week te herinneren
in staat om effectief op te voeren
psychogene huidziekte
slachtoffer van mishandeling en/of misbruik
frontalekwabdemencie
slachtoffer van lichamelijke mishandeling
verstoord oordeelsvermogen
seksuele geremdheid
subdurale bloeding na letsel met open intracranieële wond en bewustzijnsverlies
verstikken van ander persoon door smoren
onvoldoende kennis van maatregelen betreffende preconceptionele gezondheid
diepe pijn bij vrouw tijdens gemeenschap
bevinding betreffende vermogen om emoties onder controle te houden
heteroseksuele relatie
psychogene vermoeidheid
betaald concubinaat
bonken van eigen hoofd tegen eigen lichaamsdeel
stelen op werk
episodische recidiverende vertigo

werkt bij voorkeur samen met één aanspreekpunt
agressieve niet-roker
in staat tot therapietrouw
hallucinose
indirecte ontrouw
optimistisch karakter
niet in staat om vóór intoxicatie te stoppen met drinken van alcohol
kettingroker
meegaand karakter
agorafobie zonder voorgeschiedenis van paniekstoornis
psychisch probleem
altruïsme als mentaal afweermechanisme
acenesthesie
chronische verwardheid
veeleisend gedrag
gegeneraliseerde angststoornis
gedrag met betrokkenheid van ontlasting
gedachten over fysiek geweld
preseniele dementie met delier
rebound stemmingswisselingen
angst voor medische procedure tijdens partus
moeite om zich neer te leggen bij gewijzigd lichaamsbeeld
onoplettende echtgenoot of echtgenote
geeft commentaar op eigen tekst
angst voor hebben van hartaanval
zwangerschap gecompliceerd door seksueel misbruik
probleem in relatie
emotioneel koel karakter
beheersing van libido
neurocognitieve stoornis
enucleatie van eigen oog
angsthysterie
gevormde hallucinatie van insecten
verlate post-trau-ma-ti-sche-stressstoornis na gewapende strijd
relatiecrisis met intieme partner
bevinding betreffende vermogen om te slapen
laceratie van rhombencephalon met open intracranieële wond en bewustzijnsverlies
globus abdominalis
bevinding betreffende aantal huidige seksuele partners
rouw als gevolg van levensgebeurtenis
heeft gevoel dat leven zinloos is
automutilatie van oor
anale fase in psychoseksuele ontwikkeling
heeft in verleden drugs gebruikt
gedachtedruk
gezonde jongvolwassen vrouw
verbroken liefdesrelatie
dissociatieve hallucinatie
angst voor liften

destructief gedrag
oproepen van herinnering vertraagd
hysterische amnesie
drinkt dagelijks alcohol
digit span backwards
heeft neiging niet tegen frustratie te kunnen
past zich aan andere cultuur aan
moderate and vigorous activity in 4 weeks (finding)
vermijdingsgedrag
dissociaal gedrag bij volwassene
probleem met therapietrouw
simulant
voormalig zeer zware drinker - meer dan negen eenheden per dag
neiging tot schrikken
muzikale hallucinatie
familieconflict
habituele drinker
body rocking
psychogene endocriene functiestoornis
bevinding betreffende therapietrouw aan behandeling met geneesmiddel
in staat om berichten te schrijven
risico op suïcide afgenomen
bevinding betreffende erotiek
emotioneel warm
vasculaire dementie met delier
basilarismigraine
houdt zich aan behandelregime
angststoornis door medische aandoening
onbeschermde coïtus
niet-specifieke paroxismale bewustzijnsdaling
onthouding van middelenmisbruik
alcoholhallucinose
onweerstaanbare hunkering naar medicatie en/of drugs
slaapgerelateerde hallucinatie
ate activity in 4 weeks (finding)
visuospatiële agnosie
bevinding betreffende complex en sociaal gedrag
gedrag ongepast voor leeftijd
verbeterd geheugen voor gebeurtenis lang geleden
bevinding betreffende algemeen welzijn
hypnagoge hallucinatie
drinkt alcohol in drankgelegheid
angst over gewijzigd lichaamsbeeld
wazigheid
angst voor geesten
vertigo bij ontwaken
controlewaan betreffende affect
slecht op zijn/haar gemak
verkennen van seksualiteit met metgezel
niet in staat om te lezen

ménage à trois
heeft neiging niet hard te werken
verwaarlozing van kleding
bevinding betreffende vermogen om drinken van alcohol onder controle te houden
cruising
hoort spottende stemmen
verstoring van balans tussen draagkracht en draaglast
volwassen slachtoffer van emotionele mishandeling
syndroom van Frégoli
opscheppen
persisterende depressieve-stemmingsstoornis
niet in staat om gedrag te beheersen
bevinding betreffende vermogen om zichzelf te herkennen
geheugenstoornis voor volgorde van gebeurtenissen
aerobe lichaamsbeweging één keer per week
type B-gedragspatroon
kan helemaal niet slapen
spirituele overtuiging strijdig met zorgplan
gedragsverandering bij dementie door Huntington-chorea
afwijkende vrouwelijke seksuele functie
probleemgedrag
in staat om gebeurtenissen uit verleden te herinneren
suppressie als mentaal afweermechanisme
onvoorspelbare stemming
in staat om instructie van één woord te begrijpen
terzake wilsonbekwaam
bevinding betreffende psychodynamiek
overgewaardeerd idee
herkent zichzelf niet in spiegel
gebruik van rooktabak onbekend
patiënt voelt zich goed
heeft aandacht voor door volwassene gekozen activiteit
vooruitsteken van kaak
onvoldoende kennis van zwangerschap
onvermogen om te begrijpen
gemiddelde inzet op werk - persoonlijkheidstrek
therapietrouw aan voorschrift van peritoneale dialyse
rookt 20 of minder sigaretten per dag
multipele somatische klachten
in staat om te slapen
lage egosterkte
shell shock
precontemplatiefase voor gereedheid tot veranderen van voedingsgedrag
recreatieve gebruiker van drugs
toont kennis over ouderschap
relatie gekenmerkt door depressieve positie
acute vertigo met braken en onvermogen te staan
moeite met omgaan met pijn
coma na cardiopulmonaal arrest

probleem met lerend vermogen
conflict binnen ouderlijke rol
krijgt weinig lichaamsbeweging
niet-drinker om persoonlijke redenen
veranderde perceptie
bevinding betreffende hoeveelheid van denken
sociale ongeremdheid
delirant
gesedeerd
sociale onaangepastheid
bevinding betreffende vermogen om eigen vingers te herkennen
obsessieve twijfel
psychogene hik
seksueel actief met transgender persoon
opnieuw opkomen van oude gedachten
cottaging
preseniele dementie bij verworven immunodeficiëntiesyndroom
toont kennis over alcoholmisbruik
is geïnformeerd
niet in staat om aandacht te richten
coma bij neonaat
eerste relatie
zeer beïnvloedbaar
vermogen om te begrijpen afwijkend
vasovagale syncope bij ouderen
functionele hallucinatie
gestoorde houding ten opzichte van voedingstoestand
bevinding betreffende prestatie op 'digit span'-test
verhoogd libido
wederzijdse masturbatie
slachtoffer van lichamelijk geweld
neuspeuteren
doelloze beweging
gezonde jongen
slachtoffer van bioterrorisme
bevinding van persoonlijkheidstrek betreffende bewustzijn van zichzelf
'Global Deterioration Scale' stadium 6 - ernstige cognitieve achteruitgang
therapieontrouw met betrekking tot regulatie van vochtvolume
sociaal isolement tijdens ouderschap
katatonie door psychoactieve substantie
posturale vertigo
patiënt bezorgd over gezichtsvermogen
angst voor verlies van fecale continentie
positieve attitude
verlies van interesse
angst voor broekplassen
apathisch gedrag door dementie
emotionele relatie
preseniele dementie met depressie
cognitieve veranderingen door organische stoornis

verwoordt essentiële eigenschappen van medicatie
onverschilligheid
moeite met oplossen van probleem zonder conflict
tegenstrijdige houding ten opzichte van zorg
probleem met ouderlijke zorg
kerven in eigen oog
familiaire Alzheimer-dementie, vroeg begin
bevinding betreffende gedachte-inhoud
momenteel niet seksueel actief
verminderd beoordelingsconflict
vertigo na kauwen
smaakhallucinaties
kinderslachtoffer van lichamelijke mishandeling
bevinding betreffende afkeer van en hunkering naar voedsel
fysiologische afhankelijkheid
perceptiestoornis en epileptische aanval gelijktijdig met en door onthouding van hypnoticum
moeite met uiten van intimiteit
libidoverlies
traumatisch hersenletsel met langer dan 24 uur bewustzijnsverlies met terugkeer naar pre-existent bewust:
verwaarlozing van gebitsverzorging
zichzelf verdrinken
kauwt tabak
volwassen slachtoffer van seksueel misbruik buiten huiselijke kring
partus gecompliceerd door angststoornis bij moeder
angst over behandeling
repetitief draaien van voorwerpen
gelooft dat via televisie wordt afgeluisterd
pornografische stimulatie
pseudohomoseksualiteit
moeite met klokkijken
problemen met hechting
gedrag licht afwijkend
negativisme bij katatonie
angst voor eten in openbaar
probleem betreffende seksuele relatie door verwardheid over seksuele oriëntatie
seksuele activiteit met penetratie
secundaire bekrachtiging van gedrag
zichzelf verhangen
paniekstoornis met agorafobie en matige paniekaanvallen en ernstig vermijden van agorafobische situaties
sterke tandartsfobie
drinkt alcohol in hotels
episode van depressie
kleine geheugenmissers
desoriëntatie in tijd
monomanie
bevinding betreffende psychodynamische relatie
niet in staat eigen emoties te begrijpen
bevinding betreffende treuren en rouwen
toont kennis over vochtregime

misbruikt drugs en/of medicatie sublinguaal
rookt soms tabak
conflictvermijgend gedrag
verwoordt ontslaginstructies betreffende activiteitenplan
duizeligheid bij inspanning
laat optredende ziekte van Huntington
neglect van linkerzijde van lichaam
regressie door 'acting-in'
autistisch denken
bevinding betreffende vermogen om omgeving te herkennen
preoccupatie met geruïneerd raken
acute paniektoestand door acute stressreactie
moeite met verwerken van informatie op normale snelheid
angst voor krijgen van hartaanval
Huntington-chorea
gedragsverandering van adolescent
angst voor voedingsstoornis
geen beklag
angst voor aandoening van ademhalingsstelsel
coöperatieve mentale toestand
preoccupatie van gedachten
doof gevoel van bovenste extremiteit
angst voor natuurverschijnselen
lichte drinker - één tot twee eenheden per dag
bedreigend gedrag
gevoel ergens aanspraak op te kunnen maken
gedrag normaal
vertigo bij recente verandering van brillenglazen
langdurig lage eigenwaarde
pornografische fantasie
egosyntone seksuele oriëntatie
cognitieve stoornis door psychosociale stressfactoren
controlewaan betreffende handelingen uit vrije wil
hypomane stemming
angst voor bewustzijn tijdens algehele anesthesie
schenkt vluchtige aandacht
therapietrouw aan aanbevolen tandheelkundige zorg
gelooft dat telefoon wordt afgeluisterd
ongepaste verbale uitingen en geluiden door hersenziekte
wanhoopsfase van rouw
seksuele opleving bij oudere man
toxicofobie
verhoogde emotionele reactie
ongedaan maken als mentaal afweermecanisme
bevinding betreffende seksuele activiteit
echtgenoot pleegde overspel
stemmingscongruente waan
patiënt bekrast zichzelf
veranderde geestestoestand

zich ontbloten in openbaar
dementie door deficiëntie van foliumzuur
bewusteloos
gedesorganiseerd denken
separatie-angststoornis
volledig bij bewustzijn
disfunctionele coping met zelfverdedigingsmechanismen
afkeer van specifieke drank
asymptomatische prostatitis
vlak affect
lichamelijke aandoening met psychische component van matige omvang
overeten
koopt drugs
preseniele ongecompliceerde primaire degeneratieve Alzheimer-dementie
misbruikt meerdere drugs
periorale hypesthesie
aanstootgevende agressie
probleem betreffende seksuele relatie door verwardheid over genderidentiteit
cognitieve stoornis als restverschijnsel na cerebrovasculair accident
bevinding betreffende psychotische klacht
psychogene anorexie
amnesie
angststoornis door synthetisch cathinon
likken van lip
dementie door intoxicatie door koolmonoxide
cocaïnegeïnduceerde angststoornis
snijden van ander persoon
psychotische stoornis met hallucinaties door stimulans
cross-dressing
verlies van oordeelsvermogen
habituële drugsgebruiker
zittende leefstijl
heeft nooit elektronische sigaret gebruikt
moeite met begrijpen van taal
geïsoleerde vaardigheid met betrekking tot getallen
individueel stelen
Lewy body-dementie
somniloquie
psychomotorische agitatie
separatieangststoornis op kinderleeftijd
heeft absences
bevinding betreffende zelfvertrouwen
verlies van lichaamsbeeld
probleem met rolvulling
angst voor vogels
preoccupatie met emotioneel probleem
ernstige cognitieve achteruitgang
sloom denken
in staat om weg te vinden in werkomgeving

in staat om motorische vaardigheden te herinneren
penetratie zonder ejaculatie
sociaal functioneren belemmerd door persoonlijkheidstrek
complex van amyotrofische laterale sclerose, parkinsonisme en dementie
Lewy body-dementie met gedragsstoornis
structuur van associaties
stompen van ander persoon
bevinding betreffende slaapedrag
morbide gedachten
angst voor maligne neoplasma van borst
ontremd gedrag door dementie
kortdurend bewustzijnsverlies
huidige drugsgebruiker
begrijpt gesproken taal niet
manische stemming
identiteitswaan
opgetogenheid
psychogene adductie-spasmodische dysfonie
therapietrouw aan inhalatorvoorschrift goed
zich slecht voelen
veranderde perceptie van dingen
niet-gesocialiseerde agressieve reactie op kinderleeftijd
angst voor besmetting
blootstelling aan tabaksrook in huis
bevinding betreffende rouw en sterven
moeite met volgen van zwangerschapsgymnastiek
bevinding betreffende probleemoplossend vermogen
waan van speciale missie
boeren in openbaar
autoscopische hallucinatie
slachtoffer van seksueel misbruik in relatie met echtgenote
moeite met opstaan na drinken van alcohol
bevinding van persoonlijkheidstrek betreffende mate van optimisme
angst voor de dood
cultuurkloof belemmert gebruik van maatschappelijke voorzieningen
gebruiker van elektronische sigaret
in staat om informatie te verwerken
in staat om instructie van drie woorden te begrijpen
hallucinatoire neuralgie
vertigo als restverschijnsel van cerebrovasculaire ziekte
traumatische intracraniale bloeding met langdurig bewustzijnsverlies zonder terugkeer naar pre-existent be
seksueel gedrag
dementie door en na letsel van hoofd
simulatie van lichamelijke aandoening
hunkering naar specifiek voedsel
object lijkt onwerkelijk
repetitief op kin tikken
bevinding betreffende geheugen voor belangrijke persoon
bevinding betreffende cognitieve stijl

incongruente persoonlijke plannen
drinken van alcohol gaat voor sociale verplichtingen
toont kennis van met wie contact op te nemen bij medisch spoedgeval
syndroom van verstoorde omgevingsinterpretatie
maakt gebruik van naalduitwisselingsprogramma
virgo
op de hoogte van anticonceptiemethode van levenspartner
opgewekte stemming
weerstand tegen verandering in activiteitenpatroon
paniekstoornis met agorafobie en paniekaanvallen in volledige remissie
georiënteerd in tijd, plaats en persoon
emotioneel probleem
heeft nooit tabak gekauwd
tijdelijk verlies van geheugen
heeft neiging anderen te manipuleren
in staat om weg te vinden in schoolomgeving
probleem met basaal leren met betrekking tot rekenen
draagt nachtkleding onder dagkleding
taalbarrière belemmert gebruik van maatschappelijke voorzieningen
winden laten in openbaar
normaal seksueel gedrag
hallucinatie door alcohol
anterograde amnesie
verhoogde visuele perceptie
praat over probleem
manipulatief gedrag
rebels karakter
emotioneel verwaarloosd
bevinding betreffende vermogen om motorische vaardigheden te herinneren
racistisch gedrag
moeite met visuospatieel redeneren
bilaterale hyperacusis
angst om gek te worden
gebruik van strategieën om drinken onder controle te houden
begrijpt instructie van één stap niet
verslaving aan medicatie en/of drugs krijgt prioriteit boven sociale verplichtingen
asymptomatische proteïnurie
positieve attitude ten opzichte van zorg
moeite met opvolgen van instructie
motivatie afwezig
blijdschap
emotionele impulsiviteit
traumatisch letsel van hersenen met 1-24 uur bewustzijnsverlies
kieskeurige peuter
positieve symptomen gelijktijdig met en door primaire psychotische stoornis
toont kennis over diagnostisch onderzoek
niet in staat om zich te houden aan regels en grenzen
intolerante ex-roker
foltering
therapieontrouw aan infectiepreventieregime

onzekerheid
psychogene draaiduizeligheid
rekt met weinig belasting
weinig begrip van abstracte concepten
sociabel karakter
intentie tot opzettelijke zelfbeschadiging met gedetailleerd plan
heeft geen orgasme meer
signalen en symptomen betreffende persoonlijk voorkomen en gedrag
bijten in eigen vingers
schuldgevoelens
ex-roker recenter dan 1 jaar
geduldig karakter
mentaal vaag
seniele dementie met psychose
angst voor probleem na anesthesie
moeite met begrijpen van instructie van twee woorden
dissociatieve olfactoire hallucinatie
bevinding betreffende autonomie en 'empowerment'
autotopagnosie
in staat om gezondheidsvaardigheden te tonen
moeite met aanpassen aan andere cultuur
kortetermijngeheugenverlies
hypermnesie
bevinding betreffende geheugen voor huidig tijdstip
emotioneel misbruik in relatie met echtgenote
bevinding betreffende 'Global Deterioration Scale' voor beoordelen van
perceptiestoornis gelijktijdig met en door onthoudingsverschijnselen van sedativum
verminderde interesse in erotiek
gevoel van fysieke spanning
hyperosmolair coma door diabetes mellitus type 1
obsessieve gedachten over vuur
uit zich door kledingstijl
bevinding van persoonlijkheidstrek betreffende mate van sociabiliteit
vloeken
niet in staat tot therapietrouw
toont kennis van pijnbestrijding
bezorgdheid om slechte moeder te zijn
gezonde volwassen vrouw
bevinding betreffende stressverwerking
angst voor water
in staat om geschreven materiaal te begrijpen
arrogant karakter
afgenomen mate van desoriëntatie
bevinding betreffende vermogen om klok te kijken
gebrek aan stimulatie
verbale auditieve hallucinatie in derde persoon
uitgelaten gevoel hebben
self-efficacy
drinkt alcohol met gezin
visuele hallucinatie van taferelen

overmatig hartelijk
zeer lichte ex-roker van minder dan 1 sigaret per dag
gebruik van anabole steroïden
draagt ongewassen kleding
hyperacusis van linker oor
heeft neiging verveling te tolereren
geur-be-trek-kings-waan
veel oudere of jongere seksuele partner
moeite met onder controle houden van emoties
hypererotisme van vrouw
heeft vroeger vluchtige oplosmiddelen misbruikt
hyposensitiviteit
amateurbokser
repressie door ontkenning
kauwt gesponnen pruimtabak
asymptomatische occlusie van intracraniale deel van arteria carotis
nyctofobie
duizeligheid en draaijerigheid
paniekstoornis met agorafobie en paniekaanvallen in partiële remissie
ziek voorkomen
ongezond gebruik van alcohol
niet in staat om getal van vijf cijfers na vijf minuten te onthouden
agorafobie zonder paniekstoornis in voorgeschiedenis zonder beperkte symptoomaanvallen
psychogene spraakstoornis
oncontroleerbare seksuele hunkering
psychogene dyskinesie
toont kennis van voedingsbehoefte met betrekking tot operatie
betwistbaar karakter
verwringt aangezicht
middelenmisbruik gestegen
werkgerelateerde stressstoornis
valangst tijdens mobiliseren
verstoring van affect
in staat om ongewenst gedrag te voorkomen
nieuwsgierig karakter
verwachte rouw als gevolg van levensgebeurtenis
angst over geheugenverlies
intens seksueel genot
snelle gedachtestroom
angst over gedrag of prestatie
onvoldoende kennis van ouderschap
ongecompenseerd kortetermijngeheugentekort
tangentieel denken
gevoelens van superioriteit
bevinding betreffende vermogen tot plezier
deltavlieger
non sequitur
murmelen
heeft neiging woede te laten opstapelen

onthouding van middelenmisbruik tijdens onderhoudsbehandeling met substitutietherapie

snel overstuur
dementie bij cerebrale lipidose
staat van erotische spanning
gebruiker van rookloze tabaksproducten
eten van eigen vlees
coma door hypothermie
ex-gebruiker van vochtige poedertabak
subklinische myocardischemie
bevinding betreffende gewoonte met betrokkenheid van haar beneveld
begrijpt geschreven materiaal niet
moeite met volgen van routine van postpartum oefeningen
eet onregelmatig
injecteert drugs in lies
ongecontroleerd gedrag
psychologische bevinding betreffende perceptie
verstoring van eigenwaarde
ontwaken uit narcose
gezonde vrouwelijke neonat
moeite met verbaal redeneren
negatieve overdracht
mechanische stimulatie van penis
herkent zichzelf
verbaal misbruikgedrag
gebrek aan motivatie
rolverandering
preparatiefase voor gereedheid tot veranderen van voedingsgedrag
nosofobie
dominerend gedrag
moeite met coping in nieuwe situatie
angst voor verslikking
toont kennis over misbruik van drugs en/of medicatie
verlaagd niveau van hervestigingsstress
volwassen slachtoffer van lichamelijke mishandeling
gemengde stoornis van emoties en gedrag door stressreactie
sublimatie als mentaal afweermechanisme
hepatisch coma door hepatitis D
in staat om te redeneren
bevinding betreffende regels en grenzen
matige roker van 10-19 sigaretten per dag
bevinding betreffende vermogen om gezichten te herkennen
friemelen
bevinding van persoonlijkheidstrekk betreffende zelfredzaamheid
obsessieve-compulsieve stoornis door stimulans
repressie als mentaal afweermechanisme
ontkenning van ernst van ziekte
verkeerd gebruik van crack
seksueel misbruik in relatie met echtgenote
woede-uitbarstingen

onvoldoende kennis van pijnbestrijding
matig bewustzijnsverlies
niet in staat om geluid te herkennen
niveau van lichaamsbeweging hoger dan aanbevolen
geheugen: kan adres herinneren
normale emotionele toestand
overgeneralisatie
bevinding betreffende vermogen om zich datum van vandaag te herinneren
dementie in remissie
seksuele dysfunctie door obstetrische fistel
anale penetratie met digitus van hand, exclusief digitus I
rookt medicatie en/of drugs
zichzelf steken
hyperosmolair coma door medicatiegeïnduceerde diabetes mellitus
doel met betrekking tot fysieke activiteit is zware lichaamsbeweging
depressieve armoedewaan
heeft neiging excessief zelfredzaam te zijn
sadisme
niet-erotische prikkel
onvoldoende kennis van ziekteproces
niet in staat om geur te herkennen
oneerbiedig gedrag
praat over verleden
waan met betrekking tot geur
totale therapieontrouw met betrekking tot medicatie
angst over stikken
probeert te stoppen met roken
ongepast zingen
katatoon poseren
onbekend met proces voor verkrijgen van maatschappelijke dienstverlening
bevinding betreffende interpersoonlijke relatie
dementie door ziekte van Parkinson
sociaal isolement door afwijzing
rouwverwerking in remissie
in staat om voorwerpen te herinneren
homoseksueel
betrekkingswaan van schuld
chronische posttraumatische stressstoornis
bevinding betreffende interactie met anderen
bevinding betreffende vermogen om aandacht te richten
beperkt sociaal contact
geheugen: weet huidige maand
bevinding betreffende vertegenwoordiging
gebruik van nicotine
verandering in hulpzoekgedrag betreffende gezondheid
aerofobie
oorlogsvermoeidheid
verstoring in suggestibiliteit
hunkering naar alcohol
paniekstoornis met agorafobie en ernstige paniekaanvallen en matig vermijden van agorafobische situaties

bevinding betreffende emotionele aanpassing
doel met betrekking tot fysieke activiteit is lichte lichaamsbeweging
fladderen met handen
bevinding betreffende prestatie van verbaal kortetermijngeheugen
in staat om hoopvol te zijn voor toekomst
fluctuatie van bewustzijnsniveau
emotioneel pesten
angst voor schrijven in openbaar
hyperesthesie van speciale zintuigen
in staat om beslissing te nemen over veilige toegang van bezoekers
niet in staat om geen alcohol te drinken
niet-roker, maar rookgedrag in verleden onbekend
verlies van affect
omnipotentie als mentaal afweermechanisme
perceptie dat dingen plat lijken
somatosensorische agnosie
pervasieve ontwikkelingsstoornis met cognitieve ontwikkelingsachterstand met verlies van eerder verworven georiënteerd
weglopen
obscene gedachten
adjunctief gedrag
vertigo als laat effect van cerebrovasculair accident
vermijdende-per-soon-lijk-heids-stoor-nis op kinderleeftijd of in adolescentie
vaginale penetratie met tong
veranderde perceptie van tijd
neerschieten van ander persoon
in staat om naam van huidige koning of koningin te herinneren
persoonlijkheidsverandering door organische stoornis
voor trein springen
kakosmie
bevinding betreffende soort herinnering
geheugen: weet hoe laat het is
angst voor maligne neoplasma van spijsverteringsstelsel
angst voor hematologisch maligne neoplasma
probleem met aandacht vasthouden
hulpzoekgedrag betreffende gezondheid
hallucinatie van lichaamssensatie
plukken aan eigen huid
vaginale penetratie met vinger
omgekeerde tolerantie voor alcohol
geïsoleerde geheugenvaardigheden
projectie van waan als mentaal afweermechanisme
schizofrene reactie
bezorgdheid van moeder
één seksuele partner in verleden
dementie door boksen
angst voor veren
vertoont ethische principes
geprikkelde woede
houdt zich aan vochtregime

angst voor afgesloten ruimten
onrust
zich licht voelen in het hoofd
moeite met tonen van gezondheidsvaardigheden
bevinding betreffende drift
knabbelen aan ander persoon
dementie door multipele sclerose met gedragsverandering
angststoornis door medicatie en/of drugs
moeite met zich aanpassen na persoonlijke crisis
effectief copinggedrag van familie
zich neerleggen bij verlies
syndroom betreffende vertigo
niet in staat zich te concentreren
psychogene sensibiliteitsstoornis van huid
bevinding betreffende verbaal geheugen
stelen van klasgenoot
voelt zich geprikkeld
beperkte acceptatie van voedsel
bevinding betreffende vermogen om zich eigen geboortedatum te herinneren
geheugen: weet belangrijke gebeurtenis
compulsief schikken van voorwerpen
bevinding betreffende vermogen om obsessieve gedachten te weerstaan
onvoldoende kennis van medicatie
preoccupatie met specifiek lichaamskenmerk
homoseksueel risicogedrag
schadelijke gewoonte in mondverzorging
seniele primaire degeneratieve Alzheimer-dementie met wanen
voedselrage
psychoseksuele identiteitsstoornis
neglect van aangedane zijde
fobie voor huidkanker
verwarring betreffende seksuele waarden en normen
overprikkelbaarheid
bingedrinken dat verstandige hoeveelheid overschrijdt
symptoom van stress
weigert vast voedsel
niet in staat om beslissingsstrategie te gebruiken
niet in staat om waarschuwingsgeluid te herkennen
gedragsstoornis gelijktijdig met en door laat optredende Alzheimer-dementie
bevinding betreffende lichaamsbeeld
paniekstoornis met agorafobie en licht vermijden van agorafobische situaties en paniekaanvallen in partiële angstneurose
paniekstoornis zonder agorafobie met matige paniekaanvallen
normaal niveau van stemming
psychosomatische factor van lichamelijke aandoening met duidelijke psychische component
drinkt alcohol met zakenpartners
breken van eigen botten
begrijpt instructie van drie woorden niet
bevinding betreffende toewijding aan seksuele relatie
bevinding betreffende vermogen om weg te vinden in bekende omgeving

geestiger dan gebruikelijk
posttraumatische amnesie
moeite met begrijpen van concept van gevaar
in staat om zich gezichten te herinneren
psychologische veerkracht
in staat om beslissing te nemen
hebben van doodswens
veranderde perceptie van mensen
bevinding betreffende oriëntatie van seksuele relatie
in staat om aandacht te verleggen
wanhoopsgevoelens
stemstoornis door psychoseksueel conflict
onvoldoende kennis van partus
geheugen: weet huidige locatie
anaerobe lichaamsbeweging één keer per week
flexibel karakter
bevinding betreffende zelfbeeld
acuut vestibulair syndroom door angst en vrees
probleem met wisselende stemming
uitbundigheid
niet in staat om gevaarlijke gedachten te weerstaan
klaar voor verbetering van communicatie
verleiden van man
seksueel aangetrokken tot vrouwen
asymptomatische bacteriurie tijdens zwangerschap met postpartale complicatie
illusie van intermetamorfose
voormalig matige drinker - drie tot zes eenheden per dag
bevinding betreffende mate van neuroticisme
destructief gedrag tegenover bezittingen
in staat om plaatsen te herinneren
daling van score op 'Edinburgh Postnatal Depression Scale' bij 8 maanden
bevinding betreffende tonen van respect
in staat om te zorgen voor eigen welzijn
geheugen ondersteund door gebruik van agenda
angst over beven
psychologisch mishandelde vrouw
weerstand tegen verandering
secundaire tocofobie
sociaal gedrag
humor als mentaal afweermecanisme
zware ex-roker van 20-39 sigaretten per dag
partus gecompliceerd door seksueel misbruik
geheugenprobleem
obsessieve-compulsieve stoornis door cocaïne
lichte roker van sigaretten
onderdanig gedrag
secundair psychotisch syndroom met hallucinaties en wanen
disciplineprobleem
habitueel bijten van vinger
patronen lijken interessant

ineffectief ouderschap
klemmen van kaken
theatraal karakter
niet in staat om eigen lichaamsdelen te herkennen
verhoogde olfactorische perceptie
toont kennis over ziekteproces
bevinding betreffende vermogen om beslissingen te nemen
bevinding van persoonlijkheidstrek betreffende stabiliteit van affect
bevinding betreffende drinkpatroon gedurende dag
verzameldwang
niet in staat om trouwdag te herinneren
snelle kleine bewegingen met handen nabij ogen
respecteert leven
subcorticale vasculaire dementie
aerobe lichaamsbeweging drie keer per week
incidentele gebruiker van drugs
dissociatie als mentaal afweermechanisme
pseudofrigiditeit
auto-erotiek
slachtoffer van excessieve discipline
formele denkstoornis
maakt gebruik van uitwisselingsprogramma voor naalden en spuiten
bevinding betreffende kennis van gezondheidszorg
moeite om instructie van één stap te begrijpen
angst voor kanker
traumatische intracraniale bloeding met bewustzijnsverlies
langdurig gebruik van hoge dosis cannabis
persisterende orthostatische proteïnurie
heeft neiging sociale groepsinteractie te vermijden
compulsief openlijk homoseksueel
klankassociaties
examenstress
bromidrosiefobie
onsamenhangend denken
tocefobie buiten zwangerschap
orthostatische proteïnurie
neemt nieuwe rol aan
coma door ondervoedingsgerelateerde diabetes mellitus
mictiesyncope
bevinding betreffende kwetsbaarheid voor uitbuiting
slachtoffer van emotionele mishandeling
heeft neiging gepreoccupeerd te zijn met ordelijkheid
bewust van regels en grenzen
knabbelen aan zichzelf
rookt soms sigaretten
intensiteit van lichaamsbeweging
in staat om eigen lichaamsdeel te herkennen
bevinding betreffende gedrag omtrent injecteren van drugs
ruziezoekend gedrag
beroepsfunctioneren belemmerd door persoonlijkheidstrek

vasculaire dementie zonder gedragsstoornis
syncope door orthostatische hypotensie
bevinding betreffende geheugen voor eigen geboortedatum
angst voor huidziekte
autochtone waan
genereus karakter
angstgerelateerde agressie
onvoldoende kennis van proces van gedragsverandering
nachtelijke vertigo
neurocirculatoire asthenie
rouw
paniekstoornis met agorafobie en matige paniekaanvallen en vermijden van agorafobische situaties in parti
ongeïnfomeerd
psychogene purpura
chronisch ziek
depressie erger in ochtend
dementie bij virale encefalitis
hypoglykemisch coma
hypomaan gedrag
toont kennis over medicatie
emotioneel misbruik in relatie met ouders
dominante hechting
commotio cerebri met bewustzijnsverlies langer dan 24 uur zonder terugkeer naar pre-existent bewustzijns
gedomineerd door professionals
auditieve agnosie
volwassen slachtoffer van seksueel misbruik tijdens militaire dienst
koolhydraathunkering
ontrouw aan therapeutisch advies
overmatig angstig karakter
pijn aan vrouwelijk geslachtsorgaan tijdens gemeenschap
wil is aanwezig
sensorische afkeer van specifiek voedsel
buitensporige hunkering naar medicatie en/of drugs
slecht visueel sequentieel geheugen
overstuur
schizoïde relatie
obsessieve neurotische stoornis
slaapgerelateerd hoofdbonken
hysterische macropsie
vlieg angst
patiënt vraagt om alternatieve behandeling
bescheiden karakter
intracraniale bloeding na letsel met open intracraniale wond en bewustzijnsverlies
klaar voor verbetering van zelfzorg
verlies van vermogen tot plezier
gebruiker van cocaïne
armoedewaan
wortsalat
moeite met correct verwerken van informatie

anale penetratie met hand
moeite met nemen van beslissingen
gedrag positief bekrachtigd
seniele dementie met paranoïdie
parasitofobie
fantaseert anekdotes
opgewekte persoonlijkheid
Diogenes-syndroom
besluitvaardig karakter
posttraumatische stressstoornis
voelt zich woedend
seksueel likken
anale penetratie met tong
alternobare vertigo
slaagt er niet in fases van rouw te herkennen
bevinding betreffende zelfconcept
niet-ingebeelde verbijsterde stemming
geheugenprobleem door en volgend op niet-traumatische subarachnoidale bloeding
angst voor ziekenhuizen
ketoacidotisch coma door diabetes mellitus type 1
beperkt vermogen om abstract te denken
volwassen slachtoffer van seksueel misbruik
gevoel van vervreemding hebben
niet in staat om informatie correct te verwerken
gevoel van naderend onheil
sensorische vervorming
zuigen op pen
sombere stemming
explosief karakter
repressie van pijnlijke herinnering
gevoel van verlies van gevoel
angst voor aandoening van bewegingsapparaat
aanhankelijk gedrag
geheugenfunctie normaal
gedachten over brandstichting
rookt sigaren
leerprobleem
vergeet wat hij/zij net heeft gezegd
klaar voor verbetering van zelfconcept
matige majeure depressie, eenmalige episode gelijktijdig met angst
dementie bij verworven immunodeficiëntiesyndroom
overmatig assertief karakter
afleidbaarheid
dementie gelijktijdig met en door progressieve multifocale leukencefalopathie
therapietrouw aan voorgeschreven dieet
slachtoffer van financieel misbruik
intermitterende vertigo
verlies van identiteit
wisselende visus
onvoldoende kennis van borstvoeding

houdt zich aan behandeling	
asymptomatische drager van ziekte door hereditaire stollingsfactor VIII-deficiëntie	
pyrofobie	
in staat om woede onder controle te houden	
psychotische ontkenning als mentaal afweermecanisme	
uittreding	
verslaving	
doorslikken van object	
niet willen denken	
verstoorde sensorische waarneming	
extracampiene hallucinatie	
overweegt te stoppen met roken	
psychogene urticaria	
excessief gedrag	
doodsangst	
overoptimisme	
niet betrokken bij omgaan met eigen geld	
obsessieve gedachten over vergiftiging	
onnodig ongerust	
syncope	
fase in psychoseksuele ontwikkeling volgens Freud	
optimistische gedachten	
snuift drugs	
wekelijks seksueel actief	
bevinding betreffende vermogen om waarschuwingsgeluid te herkennen	
tijdens zwangerschap gestopt met roken	
bevinding betreffende interpretatie van gedrag	
heeft neiging zelfbewust te zijn	
motorische oppositie	
angst om alleen gelaten te worden tijdens periode van afhankelijkheid	
ontoereikende intake van voedsel en water gelijktijdig met en door zelfverwaarlozing	
erotisch gedrag	
drinkt alcohol in openbare gelegenheid	
waan van controle van buitenaf over wil	
overwegend heteroseksuele biseksueel	
déjà pensé	
zelfdestructief gedrag	
niet in staat om gezichten te herkennen	
moeite om met stress om te gaan	
hallucinatie van eenvoudige geluiden	
toont kennis over psychosociale respons op verrichting	
acute situationele stress	

unctioneel taalgebruik zonder verlies van eerder verworven vaardigheden

functioneel taalgebruik zonder verlies van eerder verworven vaardigheden

functioneel taalgebruik met verlies van eerder verworven vaardigheden

tioneel taalgebruik met verlies van eerder verworven vaardigheden

tioneel taalgebruik zonder verlies van eerder verworven vaardigheden

